

# Package ‘RcppXts’

August 5, 2022

**Type** Package

**Title** Interface the 'xts' API via 'Rcpp'

**Version** 0.0.5

**Date** 2022-08-05

**Author** Dirk Eddelbuettel

**Maintainer** Dirk Eddelbuettel <edd@debian.org>

**Description** Access to some of the C level functions of the 'xts' package.

In its current state, the package is mostly a proof-of-concept to support adding useful functions, and does not yet add any of its own.

**URL** <https://github.com/eddelbuettel/rcppxts>,  
<https://dirk.eddelbuettel.com/code/rcpp.xts.html>

**BugReports** <https://github.com/eddelbuettel/rcppxts/issues>

**License** GPL (>= 2)

**Depends** xts (>= 0.9-6)

**Imports** methods, Rcpp (>= 0.10.2)

**LinkingTo** Rcpp, xts

**RcppModules** xts

**NeedsCompilation** yes

**Repository** CRAN

**Date/Publication** 2022-08-05 12:30:02 UTC

## R topics documented:

RcppXts-package . . . . .	2
<b>Index</b>	<b>4</b>

**Description**

This package helps with an Rcpp-based interface to the API of the **xts** package.

**Usage**

```
xtsIs(x)
xtsIsOrdered(x, increasing, strictly)
xtsNaCheck(x, check)
xtsTry(x)
xtsRbind(x, y, dup)
xtsCoredata(x)
xtsLag(x, k, pad)
xtsEndpoints(x, on, k, addlast)
xtsMakeIndexUnique(x, eps)
xtsMakeUnique(x, eps)
xtsMerge(x, y, all, fill, retclass, colnames, suffixes, retside,
         check_names, env, coerce)
xtsNaOmit(x)
xtsNaLocf(x, fromLast, maxgap, limit)
```

**Arguments**

x	an xts object
y	an xts object
increasing	a boolean switch
strictly	a boolean switch
check	a boolean switch
dup	a boolean switch whether to remove duplicates
k	an integer denoting lag length, or interval
pad	a boolean switch whether to pad
on	a numeric value for desired distance, measure in seconds, between endpoints
addlast	a boolean switch whether last value should be included
eps	a numeric value for the desired minimal difference between elements
all	a boolean vector with two elements indication whether left or right joins are desired
fill	a vector with value to be filled at the end, if needed; defaults to NA
retclass	a boolean switch indicating whether the return class attribute should be set; default is TRUE
colnames	a character vector with column names

<code>suffixes</code>	a character vector with column name suffixes; default is NULL
<code>retside</code>	a boolean switch of size two for the desired return dimension if these need to be set
<code>check_names</code>	a boolean switch to enable name checking
<code>env</code>	an environment, possibly empty
<code>coerce</code>	an integer value indicating if coercion should be forced
<code>fromLast</code>	a boolean variable indicating whether observations should be carried backward rather than forward; default FALSE
<code>maxgap</code>	a double indicating the maximum number of NAs to be retained; default is Inf
<code>limit</code>	a double value for the limit of consecutive NA values; default is Inf

**Details**

Please use the **xts** sources as the ultimate reference for these variables. The R functions in package **xts** set some of these values up, and the **RcppXts** package could eventually shadow some of this.

**Author(s)**

Dirk Eddelbuettel

**See Also**

[xts](#)

# Index

## \* **package**

RcppXts-package, [2](#)

RcppXts (RcppXts-package), [2](#)

RcppXts-package, [2](#)

xts, [3](#)

xtsCoredata (RcppXts-package), [2](#)

xtsEndpoints (RcppXts-package), [2](#)

xtsIs (RcppXts-package), [2](#)

xtsIsOrdered (RcppXts-package), [2](#)

xtsLag (RcppXts-package), [2](#)

xtsMakeIndexUnique (RcppXts-package), [2](#)

xtsMakeUnique (RcppXts-package), [2](#)

xtsMerge (RcppXts-package), [2](#)

xtsNaCheck (RcppXts-package), [2](#)

xtsNaLocf (RcppXts-package), [2](#)

xtsNaOmit (RcppXts-package), [2](#)

xtsRbind (RcppXts-package), [2](#)

xtsTry (RcppXts-package), [2](#)