

# Package ‘appRiori’

August 11, 2023

**Version** 0.0.3

**Title** Code and Obtain Customized Planned Comparisons with 'appRiori'

**Description** With 'appRiori', users upload the research variables and the app guides them to the best set of comparisons fitting the hypotheses, for both main and interaction effects. Through a graphical explanation and empirical examples on reproducible data, it is shown that it is possible to understand both the logic behind the planned comparisons and the way to interpret them when a model is tested.

**License** GPL (>= 3)

**Encoding** UTF-8

**RoxygenNote** 7.2.3

**URL** <https://github.com/Ugranziol/appRiori>

**BugReports** <https://github.com/Ugranziol/appRiori/issues>

**Imports** dplyr, DT, hypr, markdown, MASS, pracma, rhandsontable, shiny, shinythemes, sortable, stringr

**NeedsCompilation** no

**Author** Umberto Granziol [aut, cre],  
Maximilian Rabe [aut] (<<https://orcid.org/0000-0002-2556-5644>>),  
Andrea Spoto [aut],  
Giulio Vidotto [aut]

**Maintainer** Umberto Granziol <[umberto.granziol@unipd.it](mailto:umberto.granziol@unipd.it)>

**Repository** CRAN

**Date/Publication** 2023-08-11 12:03:50 UTC

## R topics documented:

appRiori . . . . .	2
<b>Index</b>	<b>3</b>

---

`appRiori`*Running appRiori*

---

**Description**

This function runs the appRiori Shiny app.

**Usage**

```
appRiori(...)
```

**Arguments**

... Arguments passed on to [shiny::runApp\(\)](#)

**Value**

No return value, called for side effects

**See Also**

[runApp\(\)](#)

**Examples**

```
## Not run:  
# Run the app with default settings  
library(appRiori)  
appRiori()  
  
## End(Not run)
```

# Index

`appRiori`, [2](#)

`runApp()`, [2](#)

`shiny::runApp()`, [2](#)