

Package ‘glmnet’

November 27, 2022

Type Package

Title Lasso and Elastic-Net Regularized Generalized Linear Models

Version 4.1-6

Date 2022-11-25

Depends R ($\geq 3.6.0$), Matrix ($\geq 1.0-6$)

Imports methods, utils, foreach, shape, survival, Rcpp

Suggests knitr, lars, testthat, xfun, rmarkdown

SystemRequirements C++14

Description

Extremely efficient procedures for fitting the entire lasso or elastic-net regularization path for linear regression, logistic and multinomial regression models, Poisson regression, Cox model, multiple-response Gaussian, and the grouped multinomial regression. There are two new and important additions. The family argument can be a GLM family object, which opens the door to any programmed family. This comes with a modest computational cost, so when the built-in families suffice, they should be used instead. The other novelty is the relax option, which re-fits each of the active sets in the path unpenalized. The algorithm uses cyclical coordinate descent in a path-wise fashion, as described in the papers listed in the URL below.

License GPL-2

VignetteBuilder knitr

Encoding UTF-8

URL <https://glmnet.stanford.edu>,
<https://dx.doi.org/10.18637/jss.v033.i01>,
<https://dx.doi.org/10.18637/jss.v039.i05>

RoxygenNote 7.1.2

LinkingTo RcppEigen, Rcpp

NeedsCompilation yes

Author Jerome Friedman [aut],
Trevor Hastie [aut, cre],
Rob Tibshirani [aut],
Balasubramanian Narasimhan [aut],

Kenneth Tay [aut],
 Noah Simon [aut],
 Junyang Qian [ctb],
 James Yang [aut]

Maintainer Trevor Hastie <hastie@stanford.edu>

Repository CRAN

Date/Publication 2022-11-27 22:10:02 UTC

R topics documented:

glmnet-package	3
assess.glmnet	4
beta_CVX	6
bigGlm	7
BinomialExample	8
Cindex	8
coef.glmnet	10
cox.fit	12
cox.path	15
CoxExample	17
coxgrad	18
coxnet.deviance	19
cox_obj_function	21
cv.glmnet	21
deviance.glmnet	26
dev_function	27
elnet.fit	28
fid	30
get_cox_lambda_max	31
get_eta	32
get_start	32
glmnet	34
glmnet.control	41
glmnet.fit	43
glmnet.measures	46
glmnet.path	47
makeX	49
MultiGaussianExample	51
MultinomialExample	52
mycoxph	52
mycoxpred	53
na.replace	53
obj_function	54
pen_function	55
plot.cv.glmnet	56
plot.glmnet	57
PoissonExample	59

predict.cv.glmnet	59
predict.glmnetfit	61
print.cv.glmnet	62
print.glmnet	63
QuickStartExample	64
response.coxnet	65
rmult	65
SparseExample	66
stratifySurv	66
survfit.coxnet	67
survfit.cv.glmnet	68
use.cox.path	69
weighted_mean_sd	70

Index	71
--------------	-----------

glmnet-package	<i>Elastic net model paths for some generalized linear models</i>
----------------	-------------------------------------------------------------------

Description

This package fits lasso and elastic-net model paths for regression, logistic and multinomial regression using coordinate descent. The algorithm is extremely fast, and exploits sparsity in the input x matrix where it exists. A variety of predictions can be made from the fitted models.

Details

Package: glmnet
 Type: Package
 Version: 1.0
 Date: 2008-05-14
 License: What license is it under?

Very simple to use. Accepts x, y data for regression models, and produces the regularization path over a grid of values for the tuning parameter λ . Only 5 functions: glmnet

```
predict.glmnet
plot.glmnet
print.glmnet
coef.glmnet
```

Author(s)

Jerome Friedman, Trevor Hastie and Rob Tibshirani
 Maintainer: Trevor Hastie hastie@stanford.edu

References

Friedman, J., Hastie, T. and Tibshirani, R. (2008) *Regularization Paths for Generalized Linear Models via Coordinate Descent (2010)*, *Journal of Statistical Software*, Vol. 33(1), 1-22, doi:10.18637/jss.v033.i01.

Simon, N., Friedman, J., Hastie, T. and Tibshirani, R. (2011) *Regularization Paths for Cox's Proportional Hazards Model via Coordinate Descent*, *Journal of Statistical Software*, Vol. 39(5), 1-13, doi:10.18637/jss.v039.i05.

Tibshirani, Robert, Bien, J., Friedman, J., Hastie, T., Simon, N., Taylor, J. and Tibshirani, Ryan. (2012) *Strong Rules for Discarding Predictors in Lasso-type Problems*, *JRSSB*, Vol. 74(2), 245-266, <https://arxiv.org/abs/1011.2234>.

Hastie, T., Tibshirani, Robert and Tibshirani, Ryan (2020) *Best Subset, Forward Stepwise or Lasso? Analysis and Recommendations Based on Extensive Comparisons*, *Statist. Sc.* Vol. 35(4), 579-592, <https://arxiv.org/abs/1707.08692>.

Glmnet webpage with four vignettes: <https://glmnet.stanford.edu>.

Examples

```
x = matrix(rnorm(100 * 20), 100, 20)
y = rnorm(100)
g2 = sample(1:2, 100, replace = TRUE)
g4 = sample(1:4, 100, replace = TRUE)
fit1 = glmnet(x, y)
predict(fit1, newx = x[1:5, ], s = c(0.01, 0.005))
predict(fit1, type = "coef")
plot(fit1, xvar = "lambda")
fit2 = glmnet(x, g2, family = "binomial")
predict(fit2, type = "response", newx = x[2:5, ])
predict(fit2, type = "nonzero")
fit3 = glmnet(x, g4, family = "multinomial")
predict(fit3, newx = x[1:3, ], type = "response", s = 0.01)
```

assess.glmnet

assess performance of a 'glmnet' object using test data.

Description

Given a test set, produce summary performance measures for the glmnet model(s)

Usage

```
assess.glmnet(
  object,
  newx = NULL,
  newy,
  weights = NULL,
  family = c("gaussian", "binomial", "poisson", "multinomial", "cox", "mgaussian"),
```

```

    ...
  )

  confusion.glmnet(
    object,
    newx = NULL,
    newy,
    family = c("binomial", "multinomial"),
    ...
  )

  roc.glmnet(object, newx = NULL, newy, ...)

```

Arguments

object	Fitted "glmnet" or "cv.glmnet", "relaxed" or "cv.relaxed" object, OR a matrix of predictions (for roc.glmnet or assess.glmnet). For roc.glmnet the model must be a 'binomial', and for confusion.glmnet must be either 'binomial' or 'multinomial'
newx	If predictions are to be made, these are the 'x' values. Required for confusion.glmnet
newy	required argument for all functions; the new response values
weights	For observation weights for the test observations
family	The family of the model, in case predictions are passed in as 'object'
...	additional arguments to predict.glmnet when "object" is a "glmnet" fit, and predictions must be made to produce the statistics.

Details

assess.glmnet produces all the different performance measures provided by cv.glmnet for each of the families. A single vector, or a matrix of predictions can be provided, or fitted model objects or CV objects. In the case when the predictions are still to be made, the ... arguments allow, for example, 'offsets' and other prediction parameters such as values for 'gamma' for 'relaxed' fits. roc.glmnet produces for a single vector a two column matrix with columns TPR and FPR (true positive rate and false positive rate). This object can be plotted to produce an ROC curve. If more than one predictions are called for, then a list of such matrices is produced. confusion.glmnet produces a confusion matrix tabulating the classification results. Again, a single table or a list, with a print method.

Value

assess.glmnet produces a list of vectors of measures. roc.glmnet a list of 'roc' two-column matrices, and confusion.glmnet a list of tables. If a single prediction is provided, or predictions are made from a CV object, the latter two drop the list status and produce a single matrix or table.

Author(s)

Trevor Hastie and Rob Tibshirani
 Maintainer: Trevor Hastie hastie@stanford.edu

See Also

`cv.glmnet`, `glmnet.measures` and `vignette("relax", package="glmnet")`

Examples

```
data(QuickStartExample)
x <- QuickStartExample$x; y <- QuickStartExample$y
set.seed(11)
train = sample(seq(length(y)),70,replace=FALSE)
fit1 = glmnet(x[train,], y[train])
assess.glmnet(fit1, newx = x[-train,], newy = y[-train])
preds = predict(fit1, newx = x[-train, ], s = c(1, 0.25))
assess.glmnet(preds, newy = y[-train], family = "gaussian")
fit1c = cv.glmnet(x, y, keep = TRUE)
fit1a = assess.glmnet(fit1c$fit.preval, newy=y,family="gaussian")
plot(fit1c$lambda, log="x",fit1a$mae,xlab="Log Lambda",ylab="Mean Absolute Error")
abline(v=fit1c$lambda.min, lty=2, col="red")
data(BinomialExample)
x <- BinomialExample$x; y <- BinomialExample$y
fit2 = glmnet(x[train,], y[train], family = "binomial")
assess.glmnet(fit2,newx = x[-train,], newy=y[-train], s=0.1)
plot(roc.glmnet(fit2, newx = x[-train,], newy=y[-train]))[[10]]
fit2c = cv.glmnet(x, y, family = "binomial", keep=TRUE)
idmin = match(fit2c$lambda.min, fit2c$lambda)
plot(roc.glmnet(fit2c$fit.preval, newy = y)[[idmin]])
data(MultinomialExample)
x <- MultinomialExample$x; y <- MultinomialExample$y
set.seed(103)
train = sample(seq(length(y)),100,replace=FALSE)
fit3 = glmnet(x[train,], y[train], family = "multinomial")
confusion.glmnet(fit3, newx = x[-train, ], newy = y[-train], s = 0.01)
fit3c = cv.glmnet(x, y, family = "multinomial", type.measure="class", keep=TRUE)
idmin = match(fit3c$lambda.min, fit3c$lambda)
confusion.glmnet(fit3c$fit.preval, newy = y, family="multinomial")[[idmin]]
```

beta_CVX

Simulated data for the glmnet vignette

Description

Simple simulated data, used to demonstrate the features of `glmnet`

Format

Data objects used to demonstrate features in the `glmnet` vignette

Details

These datasets are artificial, and are used to test out some of the features of glmnet.

Examples

```
data(QuickStartExample)
x <- QuickStartExample$x; y <- QuickStartExample$y
glmnet(x, y)
```

bigGlm *fit a glm with all the options in glmnet*

Description

Fit a generalized linear model as in glmnet but unpenalized. This allows all the features of glmnet such as sparse x, bounds on coefficients, offsets, and so on.

Usage

```
bigGlm(x, ..., path = FALSE)
```

Arguments

x	input matrix
...	Most other arguments to glmnet that make sense
path	Since glmnet does not do stepsize optimization, the Newton algorithm can get stuck and not converge, especially with unpenalized fits. With path=TRUE, the fit computed with pathwise lasso regularization. The current implementation does this twice: the first time to get the lambda sequence, and the second time with a zero attached to the end). Default is path=FALSE.

Details

This is essentially the same as fitting a "glmnet" model with a single value lambda=0, but it avoids some edge cases. CAVEAT: If the user tries a problem with N smaller than or close to p for some models, it is likely to fail (and maybe not gracefully!) If so, use the path=TRUE argument.

Value

It returns an object of class "bigGlm" that inherits from class "glmnet". That means it can be predicted from, coefficients extracted via coef. It has its own print method.

Author(s)

Trevor Hastie
Maintainer: Trevor Hastie <hastie@stanford.edu>

See Also

print, predict, and coef methods.

Examples

```
# Gaussian
x = matrix(rnorm(100 * 20), 100, 20)
y = rnorm(100)
fit1 = bigGlm(x, y)
print(fit1)

fit2=bigGlm(x,y>0,family="binomial")
print(fit2)
fit2p=bigGlm(x,y>0,family="binomial",path=TRUE)
print(fit2p)
```

BinomialExample

Synthetic dataset with binary response

Description

Randomly generated data for binomial regression example.

Usage

```
data(BinomialExample)
```

Format

List containing the following elements:

x 100 by 30 matrix of numeric values.

y Numeric vector of length 100 containing 44 zeros and 56 ones.

Cindex

compute C index for a Cox model

Description

Computes Harrel's C index for predictions from a "coxnet" object.

Usage

```
Cindex(pred, y, weights = rep(1, nrow(y)))
```


Arguments

pred	Predictions from a "coxnet" object
y	a survival response object - a matrix with two columns "time" and "status"; see documentation for "glmnet"
weights	optional observation weights

Details

Computes the concordance index, taking into account censoring.

Author(s)

Trevor Hastie hastie@stanford.edu

References

Harrel Jr, F. E. and Lee, K. L. and Mark, D. B. (1996) *Tutorial in biostatistics: multivariable prognostic models: issues in developing models, evaluating assumptions and adequacy, and measuring and reducing error*, *Statistics in Medicine*, 15, pages 361–387.

See Also

`cv.glmnet`

Examples

```
set.seed(10101)
N = 1000
p = 30
nzc = p/3
x = matrix(rnorm(N * p), N, p)
beta = rnorm(nzc)
fx = x[, seq(nzc)] %*% beta/3
hx = exp(fx)
ty = rexp(N, hx)
tcens = rbinom(n = N, prob = 0.3, size = 1) # censoring indicator
y = cbind(time = ty, status = 1 - tcens) # y=Surv(ty,1-tcens) with library(survival)
fit = glmnet(x, y, family = "cox")
pred = predict(fit, newx = x)
apply(pred, 2, Cindex, y=y)
cv.glmnet(x, y, family = "cox", type.measure = "C")
```

coef.glmnet

*Extract coefficients from a glmnet object***Description**

Similar to other predict methods, this functions predicts fitted values, logits, coefficients and more from a fitted "glmnet" object.

Usage

```
## S3 method for class 'glmnet'
coef(object, s = NULL, exact = FALSE, ...)

## S3 method for class 'glmnet'
predict(
  object,
  newx,
  s = NULL,
  type = c("link", "response", "coefficients", "nonzero", "class"),
  exact = FALSE,
  newoffset,
  ...
)

## S3 method for class 'relaxed'
predict(
  object,
  newx,
  s = NULL,
  gamma = 1,
  type = c("link", "response", "coefficients", "nonzero", "class"),
  exact = FALSE,
  newoffset,
  ...
)
```

Arguments

object	Fitted "glmnet" model object or a "relaxed" model (which inherits from class "glmnet").
s	Value(s) of the penalty parameter lambda at which predictions are required. Default is the entire sequence used to create the model.
exact	This argument is relevant only when predictions are made at values of s (lambda) <i>different</i> from those used in the fitting of the original model. Not available for "relaxed" objects. If exact=FALSE (default), then the predict function uses linear interpolation to make predictions for values of s (lambda) that do not

coincide with those used in the fitting algorithm. While this is often a good approximation, it can sometimes be a bit coarse. With `exact=TRUE`, these different values of `s` are merged (and sorted) with `object$lambda`, and the model is refit before predictions are made. In this case, it is required to supply the original data `x=` and `y=` as additional named arguments to `predict()` or `coef()`. The workhorse `predict.glmnet()` needs to update the model, and so needs the data used to create it. The same is true of `weights`, `offset`, `penalty.factor`, `lower.limits`, `upper.limits` if these were used in the original call. Failure to do so will result in an error.

...	This is the mechanism for passing arguments like <code>x=</code> when <code>exact=TRUE</code> ; see <code>exact</code> argument.
<code>newx</code>	Matrix of new values for <code>x</code> at which predictions are to be made. Must be a matrix; can be sparse as in <code>Matrix</code> package. This argument is not used for <code>type=c("coefficients", "nonzero")</code>
<code>type</code>	Type of prediction required. Type <code>"link"</code> gives the linear predictors for <code>"binomial"</code> , <code>"multinomial"</code> , <code>"poisson"</code> or <code>"cox"</code> models; for <code>"gaussian"</code> models it gives the fitted values. Type <code>"response"</code> gives the fitted probabilities for <code>"binomial"</code> or <code>"multinomial"</code> , fitted mean for <code>"poisson"</code> and the fitted relative-risk for <code>"cox"</code> ; for <code>"gaussian"</code> type <code>"response"</code> is equivalent to type <code>"link"</code> . Type <code>"coefficients"</code> computes the coefficients at the requested values for <code>s</code> . Note that for <code>"binomial"</code> models, results are returned only for the class corresponding to the second level of the factor response. Type <code>"class"</code> applies only to <code>"binomial"</code> or <code>"multinomial"</code> models, and produces the class label corresponding to the maximum probability. Type <code>"nonzero"</code> returns a list of the indices of the nonzero coefficients for each value of <code>s</code> .
<code>newoffset</code>	If an offset is used in the fit, then one must be supplied for making predictions (except for <code>type="coefficients"</code> or <code>type="nonzero"</code>)
<code>gamma</code>	Single value of <code>gamma</code> at which predictions are required, for <code>"relaxed"</code> objects.

Details

The shape of the objects returned are different for `"multinomial"` objects. This function actually calls `NextMethod()`, and the appropriate `predict` method is invoked for each of the three model types. `coef(...)` is equivalent to `predict(type="coefficients", ...)`

Value

The object returned depends on `type`.

Author(s)

Jerome Friedman, Trevor Hastie and Rob Tibshirani
 Maintainer: Trevor Hastie hastie@stanford.edu

References

Friedman, J., Hastie, T. and Tibshirani, R. (2008) *Regularization Paths for Generalized Linear Models via Coordinate Descent* (2010), *Journal of Statistical Software*, Vol. 33(1), 1-22, [doi:10.18637/jss.v033.i01](https://doi.org/10.18637/jss.v033.i01)

[jss.v033.i01](#).

Simon, N., Friedman, J., Hastie, T. and Tibshirani, R. (2011) *Regularization Paths for Cox's Proportional Hazards Model via Coordinate Descent*, *Journal of Statistical Software*, Vol. 39(5), 1-13, [doi:10.18637/jss.v039.i05](#).

Glmnet webpage with four vignettes, <https://glmnet.stanford.edu>.

See Also

glmnet, and print, and coef methods, and cv.glmnet.

Examples

```
x=matrix(rnorm(100*20),100,20)
y=rnorm(100)
g2=sample(1:2,100,replace=TRUE)
g4=sample(1:4,100,replace=TRUE)
fit1=glmnet(x,y)
predict(fit1,newx=x[1:5,],s=c(0.01,0.005))
predict(fit1,type="coef")
fit2=glmnet(x,g2,family="binomial")
predict(fit2,type="response",newx=x[2:5,])
predict(fit2,type="nonzero")
fit3=glmnet(x,g4,family="multinomial")
predict(fit3,newx=x[1:3,],type="response",s=0.01)
```

cox.fit

Fit a Cox regression model with elastic net regularization for a single value of lambda

Description

Fit a Cox regression model via penalized maximum likelihood for a single value of lambda. Can deal with (start, stop] data and strata, as well as sparse design matrices.

Usage

```
cox.fit(
  x,
  y,
  weights,
  lambda,
  alpha = 1,
  offset = rep(0, nobs),
  thresh = 1e-10,
  maxit = 1e+05,
  penalty.factor = rep(1, nvars),
  exclude = c(),
  lower.limits = -Inf,
```

```

upper.limits = Inf,
warm = NULL,
from.cox.path = FALSE,
save.fit = FALSE,
trace.it = 0
)

```

Arguments

x	Input matrix, of dimension nobs x nvars; each row is an observation vector. If it is a sparse matrix, it is assumed to be unstandardized. It should have attributes xm and xs, where xm(j) and xs(j) are the centering and scaling factors for variable j respectively. If it is not a sparse matrix, it is assumed that any standardization needed has already been done.
y	Survival response variable, must be a Surv or stratifySurv object.
weights	Observation weights. cox.fit does NOT standardize these weights.
lambda	A single value for the lambda hyperparameter.
alpha	See glmnet help file
offset	See glmnet help file
thresh	Convergence threshold for coordinate descent. Each inner coordinate-descent loop continues until the maximum change in the objective after any coefficient update is less than thresh times the null deviance. Default value is 1e-10.
maxit	Maximum number of passes over the data; default is 10^5. (If a warm start object is provided, the number of passes the warm start object performed is included.)
penalty.factor	See glmnet help file
exclude	See glmnet help file
lower.limits	See glmnet help file
upper.limits	See glmnet help file
warm	Either a glmnetfit object or a list (with name beta containing coefficients) which can be used as a warm start. Default is NULL, indicating no warm start. For internal use only.
from.cox.path	Was cox.fit() called from cox.path()? Default is FALSE. This has implications for computation of the penalty factors.
save.fit	Return the warm start object? Default is FALSE.
trace.it	Controls how much information is printed to screen. If trace.it=2, some information about the fitting procedure is printed to the console as the model is being fitted. Default is trace.it=0 (no information printed). (trace.it=1 not used for compatibility with glmnet.path.)

Details

WARNING: Users should not call `cox.fit` directly. Higher-level functions in this package call `cox.fit` as a subroutine. If a warm start object is provided, some of the other arguments in the function may be overridden.

cox.fit solves the elastic net problem for a single, user-specified value of lambda. cox.fit works for Cox regression models, including (start, stop] data and strata. It solves the problem using iteratively reweighted least squares (IRLS). For each IRLS iteration, cox.fit makes a quadratic (Newton) approximation of the log-likelihood, then calls elnet.fit to minimize the resulting approximation.

In terms of standardization: cox.fit does not standardize x and weights. penalty.factor is standardized so that they sum up to nvars.

Value

An object with class "coxnet", "glmnetfit" and "glmnet". The list returned contains more keys than that of a "glmnet" object.

a0	Intercept value, NULL for "cox" family.
beta	A nvars x 1 matrix of coefficients, stored in sparse matrix format.
df	The number of nonzero coefficients.
dim	Dimension of coefficient matrix.
lambda	Lambda value used.
dev.ratio	The fraction of (null) deviance explained. The deviance calculations incorporate weights if present in the model. The deviance is defined to be $2*(\text{loglike_sat} - \text{loglike})$, where loglike_sat is the log-likelihood for the saturated model (a model with a free parameter per observation). Hence dev.ratio=1-dev/nulldev.
nulldev	Null deviance (per observation). This is defined to be $2*(\text{loglike_sat} - \text{loglike}(\text{Null}))$. The null model refers to the 0 model.
npasses	Total passes over the data.
jerr	Error flag, for warnings and errors (largely for internal debugging).
offset	A logical variable indicating whether an offset was included in the model.
call	The call that produced this object.
nobs	Number of observations.
warm_fit	If save_fit=TRUE, output of C++ routine, used for warm starts. For internal use only.
family	Family used for the model, always "cox".
converged	A logical variable: was the algorithm judged to have converged?
boundary	A logical variable: is the fitted value on the boundary of the attainable values?
obj_function	Objective function value at the solution.

cox.path	<i>Fit a Cox regression model with elastic net regularization for a path of lambda values</i>
----------	-----------------------------------------------------------------------------------------------

Description

Fit a Cox regression model via penalized maximum likelihood for a path of lambda values. Can deal with (start, stop] data and strata, as well as sparse design matrices.

Usage

```
cox.path(
  x,
  y,
  weights = NULL,
  offset = NULL,
  alpha = 1,
  nlambda = 100,
  lambda.min.ratio = ifelse(nobs < nvars, 0.01, 1e-04),
  lambda = NULL,
  standardize = TRUE,
  thresh = 1e-10,
  exclude = NULL,
  penalty.factor = rep(1, nvars),
  lower.limits = -Inf,
  upper.limits = Inf,
  maxit = 1e+05,
  trace.it = 0,
  ...
)
```

Arguments

x	See glmnet help file
y	Survival response variable, must be a Surv or stratifySurv object.
weights	See glmnet help file
offset	See glmnet help file
alpha	See glmnet help file
nlambda	See glmnet help file
lambda.min.ratio	See glmnet help file
lambda	See glmnet help file
standardize	See glmnet help file

thresh	Convergence threshold for coordinate descent. Each inner coordinate-descent loop continues until the maximum change in the objective after any coefficient update is less than thresh times the null deviance. Default value is $1e-10$.
exclude	See glmnet help file
penalty.factor	See glmnet help file
lower.limits	See glmnet help file
upper.limits	See glmnet help file
maxit	See glmnet help file
trace.it	Controls how much information is printed to screen. Default is trace.it=0 (no information printed). If trace.it=1, a progress bar is displayed. If trace.it=2, some information about the fitting procedure is printed to the console as the model is being fitted.
...	Other arguments passed from glmnet (not used right now).

Details

Sometimes the sequence is truncated before `nlambda` values of `lambda` have been used. This happens when `cox.path` detects that the decrease in deviance is marginal (i.e. we are near a saturated fit).

Value

An object of class "coxnet" and "glmnet".

a0	Intercept value, NULL for "cox" family.
beta	A <code>nvars x length(lambda)</code> matrix of coefficients, stored in sparse matrix format.
df	The number of nonzero coefficients for each value of <code>lambda</code> .
dim	Dimension of coefficient matrix.
lambda	The actual sequence of <code>lambda</code> values used. When <code>alpha=0</code> , the largest <code>lambda</code> reported does not quite give the zero coefficients reported (<code>lambda=inf</code> would in principle). Instead, the largest <code>lambda</code> for <code>alpha=0.001</code> is used, and the sequence of <code>lambda</code> values is derived from this.
dev.ratio	The fraction of (null) deviance explained. The deviance calculations incorporate weights if present in the model. The deviance is defined to be $2*(\text{loglike_sat} - \text{loglike})$, where <code>loglike_sat</code> is the log-likelihood for the saturated model (a model with a free parameter per observation). Hence <code>dev.ratio=1-dev/nulldev</code> .
nulldev	Null deviance (per observation). This is defined to be $2*(\text{loglike_sat} - \text{loglike}(\text{Null}))$. The null model refers to the 0 model.
npasses	Total passes over the data summed over all <code>lambda</code> values.
jerr	Error flag, for warnings and errors (largely for internal debugging).
offset	A logical variable indicating whether an offset was included in the model.
call	The call that produced this object.
nobs	Number of observations.

Examples

```

set.seed(2)
nobs <- 100; nvars <- 15
xvec <- rnorm(nobs * nvars)
xvec[sample.int(nobs * nvars, size = 0.4 * nobs * nvars)] <- 0
x <- matrix(xvec, nrow = nobs)
beta <- rnorm(nvars / 3)
fx <- x[, seq(nvars / 3)] %*% beta / 3
ty <- rexp(nobs, exp(fx))
tcens <- rbinom(n = nobs, prob = 0.3, size = 1)
jsurv <- survival::Surv(ty, tcens)
fit1 <- glmnet::cox.path(x, jsurv)

# works with sparse x matrix
x_sparse <- Matrix::Matrix(x, sparse = TRUE)
fit2 <- glmnet::cox.path(x_sparse, jsurv)

# example with (start, stop] data
set.seed(2)
start_time <- runif(100, min = 0, max = 5)
stop_time <- start_time + runif(100, min = 0.1, max = 3)
status <- rbinom(n = nobs, prob = 0.3, size = 1)
jsurv_ss <- survival::Surv(start_time, stop_time, status)
fit3 <- glmnet::cox.path(x, jsurv_ss)

# example with strata
jsurv_ss2 <- stratifySurv(jsurv_ss, rep(1:2, each = 50))
fit4 <- glmnet::cox.path(x, jsurv_ss2)

```

CoxExample

*Synthetic dataset with right-censored survival response***Description**

Randomly generated data for Cox regression example.

Usage

```
data(CoxExample)
```

Format

List containing the following elements:

x 1,000 by 30 matrix of numeric values.

y 1,000 by 2 matrix with column names "time" and "status". The first column consists of positive numbers representing time to event, while the second column represents the status indicator (0=right-censored, 1=observed).

coxgrad	<i>Compute gradient for Cox model</i>
---------	---------------------------------------

Description

Compute the gradient of the log partial likelihood at a particular fit for Cox model.

Usage

```
coxgrad(eta, y, w, std.weights = TRUE, diag.hessian = FALSE)
```

Arguments

eta	Fit vector (usually from glmnet at a particular lambda).
y	Survival response variable, must be a Surv or stratifySurv object.
w	Observation weights (default is all equal to 1).
std.weights	If TRUE (default), observation weights are standardized to sum to 1.
diag.hessian	If TRUE, compute the diagonal of the Hessian of the log partial likelihood as well. Default is FALSE.

Details

Compute a gradient vector at the fitted vector for the log partial likelihood. This is like a residual vector, and useful for manual screening of predictors for glmnet in applications where p is very large (as in GWAS). Uses the Breslow approach to ties.

This function is essentially a wrapper: it checks whether the response provided is right-censored or (start, stop] survival data, and calls the appropriate internal routine.

Value

A single gradient vector the same length as eta. If diag.hessian=TRUE, the diagonal of the Hessian is included as an attribute "diag_hessian".

See Also

coxnet.deviance

Examples

```
set.seed(1)
eta <- rnorm(10)
time <- runif(10, min = 1, max = 10)
d <- ifelse(rnorm(10) > 0, 1, 0)
y <- survival::Surv(time, d)
coxgrad(eta, y)

# return diagonal of Hessian as well
```

```

coxgrad(eta, y, diag.hessian = TRUE)

# example with (start, stop] data
y2 <- survival::Surv(time, time + runif(10), d)
coxgrad(eta, y2)

# example with strata
y2 <- stratifySurv(y, rep(1:2, length.out = 10))
coxgrad(eta, y2)

```

coxnet.deviance	<i>Compute deviance for Cox model</i>
-----------------	---------------------------------------

Description

Compute the deviance (-2 log partial likelihood) for Cox model.

Usage

```

coxnet.deviance(
  pred = NULL,
  y,
  x = NULL,
  offset = NULL,
  weights = NULL,
  std.weights = TRUE,
  beta = NULL
)

```

Arguments

pred	Fit vector or matrix (usually from glmnet at a particular lambda or a sequence of lambdas).
y	Survival response variable, must be a Surv or stratifySurv object.
x	Optional x matrix, to be supplied if pred = NULL.
offset	Optional offset vector.
weights	Observation weights (default is all equal to 1).
std.weights	If TRUE (default), observation weights are standardized to sum to 1.
beta	Optional coefficient vector/matrix, to be supplied if pred = NULL.

Details

Computes the deviance for a single set of predictions, or for a matrix of predictions. The user can either supply the predictions directly through the `pred` option, or by supplying the `x` matrix and beta coefficients. Uses the Breslow approach to ties.

The function first checks if `pred` is passed: if so, it is used as the predictions. If `pred` is not passed but `x` and `beta` are passed, then these values are used to compute the predictions. If neither `x` nor `beta` are passed, then the predictions are all taken to be 0.

`coxnet.deviance()` is a wrapper: it calls the appropriate internal routine based on whether the response is right-censored data or `(start, stop]` survival data.

Value

A vector of deviances, one for each column of predictions.

See Also

`coxgrad`

Examples

```
set.seed(1)
eta <- rnorm(10)
time <- runif(10, min = 1, max = 10)
d <- ifelse(rnorm(10) > 0, 1, 0)
y <- survival::Surv(time, d)
coxnet.deviance(pred = eta, y = y)

# if pred not provided, it is set to zero vector
coxnet.deviance(y = y)

# example with x and beta
x <- matrix(rnorm(10 * 3), nrow = 10)
beta <- matrix(1:3, ncol = 1)
coxnet.deviance(y = y, x = x, beta = beta)

# example with (start, stop] data
y2 <- survival::Surv(time, time + runif(10), d)
coxnet.deviance(pred = eta, y = y2)

# example with strata
y2 <- stratifySurv(y, rep(1:2, length.out = 10))
coxnet.deviance(pred = eta, y = y2)
```

cox_obj_function	<i>Elastic net objective function value for Cox regression model</i>
------------------	----------------------------------------------------------------------

Description

Returns the elastic net objective function value for Cox regression model.

Usage

```
cox_obj_function(y, pred, weights, lambda, alpha, coefficients, vp)
```

Arguments

y	Survival response variable, must be a Surv or stratifySurv object.
pred	Model's predictions for y.
weights	Observation weights.
lambda	A single value for the lambda hyperparameter.
alpha	The elasticnet mixing parameter, with $0 \leq \alpha \leq 1$.
coefficients	The model's coefficients.
vp	Penalty factors for each of the coefficients.

cv.glmnet	<i>Cross-validation for glmnet</i>
-----------	------------------------------------

Description

Does k-fold cross-validation for glmnet, produces a plot, and returns a value for lambda (and gamma if relax=TRUE)

Usage

```
cv.glmnet(
  x,
  y,
  weights = NULL,
  offset = NULL,
  lambda = NULL,
  type.measure = c("default", "mse", "deviance", "class", "auc", "mae", "C"),
  nfolds = 10,
  foldid = NULL,
  alignment = c("lambda", "fraction"),
  grouped = TRUE,
  keep = FALSE,
```

```

parallel = FALSE,
gamma = c(0, 0.25, 0.5, 0.75, 1),
relax = FALSE,
trace.it = 0,
...
)

```

Arguments

<code>x</code>	x matrix as in <code>glmnet</code> .
<code>y</code>	response y as in <code>glmnet</code> .
<code>weights</code>	Observation weights; defaults to 1 per observation
<code>offset</code>	Offset vector (matrix) as in <code>glmnet</code>
<code>lambda</code>	Optional user-supplied lambda sequence; default is NULL, and <code>glmnet</code> chooses its own sequence. Note that this is done for the full model (master sequence), and separately for each fold. The fits are then aligned using the master sequence (see the <code>alignment</code> argument for additional details). Adapting lambda for each fold leads to better convergence. When lambda is supplied, the same sequence is used everywhere, but in some GLMs can lead to convergence issues.
<code>type.measure</code>	loss to use for cross-validation. Currently five options, not all available for all models. The default is <code>type.measure="deviance"</code> , which uses squared-error for gaussian models (a.k.a <code>type.measure="mse"</code> there), deviance for logistic and poisson regression, and partial-likelihood for the Cox model. <code>type.measure="class"</code> applies to binomial and multinomial logistic regression only, and gives misclassification error. <code>type.measure="auc"</code> is for two-class logistic regression only, and gives area under the ROC curve. <code>type.measure="mse"</code> or <code>type.measure="mae"</code> (mean absolute error) can be used by all models except the "cox"; they measure the deviation from the fitted mean to the response. <code>type.measure="C"</code> is Harrel's concordance measure, only available for cox models.
<code>nfolds</code>	number of folds - default is 10. Although <code>nfolds</code> can be as large as the sample size (leave-one-out CV), it is not recommended for large datasets. Smallest value allowable is <code>nfolds=3</code>
<code>foldid</code>	an optional vector of values between 1 and <code>nfolds</code> identifying what fold each observation is in. If supplied, <code>nfolds</code> can be missing.
<code>alignment</code>	This is an experimental argument, designed to fix the problems users were having with CV, with possible values "lambda" (the default) else "fraction". With "lambda" the lambda values from the master fit (on all the data) are used to line up the predictions from each of the folds. In some cases this can give strange values, since the effective lambda values in each fold could be quite different. With "fraction" we line up the predictions in each fold according to the fraction of progress along the regularization. If in the call a lambda argument is also provided, <code>alignment="fraction"</code> is ignored (with a warning).
<code>grouped</code>	This is an experimental argument, with default TRUE, and can be ignored by most users. For all models except the "cox", this refers to computing <code>nfolds</code> separate statistics, and then using their mean and estimated standard error to describe the CV curve. If <code>grouped=FALSE</code> , an error matrix is built up at the observation level

from the predictions from the `nfold` fits, and then summarized (does not apply to `type.measure="auc"`). For the "cox" family, `grouped=TRUE` obtains the CV partial likelihood for the `K`th fold by *subtraction*; by subtracting the log partial likelihood evaluated on the full dataset from that evaluated on the on the $(K-1)/K$ dataset. This makes more efficient use of risk sets. With `grouped=FALSE` the log partial likelihood is computed only on the `K`th fold

<code>keep</code>	If <code>keep=TRUE</code> , a <i>prevalidated</i> array is returned containing fitted values for each observation and each value of <code>lambda</code> . This means these fits are computed with this observation and the rest of its fold omitted. The <code>foldid</code> vector is also returned. Default is <code>keep=FALSE</code> . If <code>relax=TRUE</code> , then a list of such arrays is returned, one for each value of 'gamma'. Note: if the value 'gamma=1' is omitted, this case is included in the list since it corresponds to the original 'glmnet' fit.
<code>parallel</code>	If <code>TRUE</code> , use <code>parallel foreach</code> to fit each fold. Must register <code>parallel</code> before hand, such as <code>doMC</code> or others. See the example below.
<code>gamma</code>	The values of the parameter for mixing the relaxed fit with the regularized fit, between 0 and 1; default is <code>gamma = c(0, 0.25, 0.5, 0.75, 1)</code>
<code>relax</code>	If <code>TRUE</code> , then CV is done with respect to the mixing parameter <code>gamma</code> as well as <code>lambda</code> . Default is <code>relax=FALSE</code>
<code>trace.it</code>	If <code>trace.it=1</code> , then progress bars are displayed; useful for big models that take a long time to fit. Limited tracing if <code>parallel=TRUE</code>
<code>...</code>	Other arguments that can be passed to <code>glmnet</code>

Details

The function runs `glmnet` `nfolds+1` times; the first to get the `lambda` sequence, and then the remainder to compute the fit with each of the folds omitted. The error is accumulated, and the average error and standard deviation over the folds is computed. Note that `cv.glmnet` does NOT search for values for `alpha`. A specific value should be supplied, else `alpha=1` is assumed by default. If users would like to cross-validate `alpha` as well, they should call `cv.glmnet` with a pre-computed vector `foldid`, and then use this same fold vector in separate calls to `cv.glmnet` with different values of `alpha`. Note also that the results of `cv.glmnet` are random, since the folds are selected at random. Users can reduce this randomness by running `cv.glmnet` many times, and averaging the error curves.

If `relax=TRUE` then the values of `gamma` are used to mix the fits. If η is the fit for lasso/elastic net, and η_R is the relaxed fit (with unpenalized coefficients), then a relaxed fit mixed by γ is

$$\eta(\gamma) = (1 - \gamma)\eta_R + \gamma\eta.$$

There is practically no extra cost for having a lot of values for `gamma`. However, 5 seems sufficient for most purposes. CV then selects both `gamma` and `lambda`.

Value

an object of class "cv.glmnet" is returned, which is a list with the ingredients of the cross-validation fit. If the object was created with `relax=TRUE` then this class has a prefix class of "cv.relaxed".

lambda	the values of lambda used in the fits.
cvm	The mean cross-validated error - a vector of length length(lambda).
cvsd	estimate of standard error of cvm.
cvup	upper curve = cvm+cvsd.
cvlo	lower curve = cvm-cvsd.
nzero	number of non-zero coefficients at each lambda.
name	a text string indicating type of measure (for plotting purposes).
glmnet.fit	a fitted glmnet object for the full data.
lambda.min	value of lambda that gives minimum cvm.
lambda.1se	largest value of lambda such that error is within 1 standard error of the minimum.
fit.preval	if keep=TRUE, this is the array of prevalidated fits. Some entries can be NA, if that and subsequent values of lambda are not reached for that fold
foldid	if keep=TRUE, the fold assignments used
index	a one column matrix with the indices of lambda.min and lambda.1se in the sequence of coefficients, fits etc.
relaxed	if relax=TRUE, this additional item has the CV info for each of the mixed fits. In particular it also selects lambda, gamma pairs corresponding to the 1se rule, as well as the minimum error. It also has a component index, a two-column matrix which contains the lambda and gamma indices corresponding to the "min" and "1se" solutions.

Author(s)

Jerome Friedman, Trevor Hastie and Rob Tibshirani
 Noah Simon helped develop the 'coxnet' function.
 Jeffrey Wong and B. Narasimhan helped with the parallel option
 Maintainer: Trevor Hastie <hastie@stanford.edu>

References

- Friedman, J., Hastie, T. and Tibshirani, R. (2008) *Regularization Paths for Generalized Linear Models via Coordinate Descent (2010)*, *Journal of Statistical Software*, Vol. 33(1), 1-22, doi:10.18637/jss.v033.i01.
- Simon, N., Friedman, J., Hastie, T. and Tibshirani, R. (2011) *Regularization Paths for Cox's Proportional Hazards Model via Coordinate Descent*, *Journal of Statistical Software*, Vol. 39(5), 1-13, doi:10.18637/jss.v039.i05.

See Also

glmnet and plot, predict, and coef methods for "cv.glmnet" and "cv.relaxed" objects.

Examples

```

set.seed(1010)
n = 1000
p = 100
nzc = trunc(p/10)
x = matrix(rnorm(n * p), n, p)
beta = rnorm(nzc)
fx = x[, seq(nzc)] %*% beta
eps = rnorm(n) * 5
y = drop(fx + eps)
px = exp(fx)
px = px/(1 + px)
ly = rbinom(n = length(px), prob = px, size = 1)
set.seed(1011)
cvob1 = cv.glmnet(x, y)
plot(cvob1)
coef(cvob1)
predict(cvob1, newx = x[1:5, ], s = "lambda.min")
title("Gaussian Family", line = 2.5)
set.seed(1011)
cvob1a = cv.glmnet(x, y, type.measure = "mae")
plot(cvob1a)
title("Gaussian Family", line = 2.5)
set.seed(1011)
par(mfrow = c(2, 2), mar = c(4.5, 4.5, 4, 1))
cvob2 = cv.glmnet(x, ly, family = "binomial")
plot(cvob2)
title("Binomial Family", line = 2.5)
frame()
set.seed(1011)
cvob3 = cv.glmnet(x, ly, family = "binomial", type.measure = "class")
plot(cvob3)
title("Binomial Family", line = 2.5)
## Not run:
cvob1r = cv.glmnet(x, y, relax = TRUE)
plot(cvob1r)
predict(cvob1r, newx = x[, 1:5])
set.seed(1011)
cvob3a = cv.glmnet(x, ly, family = "binomial", type.measure = "auc")
plot(cvob3a)
title("Binomial Family", line = 2.5)
set.seed(1011)
mu = exp(fx/10)
y = rpois(n, mu)
cvob4 = cv.glmnet(x, y, family = "poisson")
plot(cvob4)
title("Poisson Family", line = 2.5)

# Multinomial
n = 500
p = 30

```

```

nzc = trunc(p/10)
x = matrix(rnorm(n * p), n, p)
beta3 = matrix(rnorm(30), 10, 3)
beta3 = rbind(beta3, matrix(0, p - 10, 3))
f3 = x %*% beta3
p3 = exp(f3)
p3 = p3/apply(p3, 1, sum)
g3 = glmnet:::rmult(p3)
set.seed(10101)
cvfit = cv.glmnet(x, g3, family = "multinomial")
plot(cvfit)
title("Multinomial Family", line = 2.5)
# Cox
beta = rnorm(nzc)
fx = x[, seq(nzc)] %*% beta/3
hx = exp(fx)
ty = rexp(n, hx)
tcens = rbinom(n = n, prob = 0.3, size = 1) # censoring indicator
y = cbind(time = ty, status = 1 - tcens) # y=Surv(ty,1-tcens) with library(survival)
foldid = sample(rep(seq(10), length = n))
fit1_cv = cv.glmnet(x, y, family = "cox", foldid = foldid)
plot(fit1_cv)
title("Cox Family", line = 2.5)
# Parallel
require(doMC)
registerDoMC(cores = 4)
x = matrix(rnorm(1e+05 * 100), 1e+05, 100)
y = rnorm(1e+05)
system.time(cv.glmnet(x, y))
system.time(cv.glmnet(x, y, parallel = TRUE))

## End(Not run)

```

deviance.glmnet

Extract the deviance from a glmnet object

Description

Compute the deviance sequence from the glmnet object

Usage

```
## S3 method for class 'glmnet'
deviance(object, ...)
```

Arguments

object	fitted glmnet object
...	additional print arguments

Details

A glmnet object has components dev.ratio and nulldev. The former is the fraction of (null) deviance explained. The deviance calculations incorporate weights if present in the model. The deviance is defined to be $2 * (\text{loglike_sat} - \text{loglike})$, where loglike_sat is the log-likelihood for the saturated model (a model with a free parameter per observation). Null deviance is defined to be $2 * (\text{loglike_sat} - \text{loglike}(\text{Null}))$; The NULL model refers to the intercept model, except for the Cox, where it is the 0 model. Hence $\text{dev.ratio} = 1 - \text{deviance} / \text{nulldev}$, and this deviance method returns $(1 - \text{dev.ratio}) * \text{nulldev}$.

Value

$(1 - \text{dev.ratio}) * \text{nulldev}$

Author(s)

Jerome Friedman, Trevor Hastie and Rob Tibshirani
Maintainer: Trevor Hastie hastie@stanford.edu

References

Friedman, J., Hastie, T. and Tibshirani, R. (2008) *Regularization Paths for Generalized Linear Models via Coordinate Descent*

See Also

glmnet, predict, print, and coef methods.

Examples

```
x = matrix(rnorm(100 * 20), 100, 20)
y = rnorm(100)
fit1 = glmnet(x, y)
deviance(fit1)
```

dev_function

Elastic net deviance value

Description

Returns the elastic net deviance value.

Usage

```
dev_function(y, mu, weights, family)
```

Arguments

y	Quantitative response variable.
mu	Model's predictions for y.
weights	Observation weights.
family	A description of the error distribution and link function to be used in the model. This is the result of a call to a family function.

elnet.fit	<i>Solve weighted least squares (WLS) problem for a single lambda value</i>
-----------	-----------------------------------------------------------------------------

Description

Solves the weighted least squares (WLS) problem for a single lambda value. Internal function that users should not call directly.

Usage

```
elnet.fit(
  x,
  y,
  weights,
  lambda,
  alpha = 1,
  intercept = TRUE,
  thresh = 1e-07,
  maxit = 1e+05,
  penalty.factor = rep(1, nvars),
  exclude = c(),
  lower.limits = -Inf,
  upper.limits = Inf,
  warm = NULL,
  from.glmnet.fit = FALSE,
  save.fit = FALSE
)
```

Arguments

x	Input matrix, of dimension nobs x nvars; each row is an observation vector. If it is a sparse matrix, it is assumed to be unstandardized. It should have attributes xm and xs, where xm(j) and xs(j) are the centering and scaling factors for variable j respectively. If it is not a sparse matrix, it is assumed that any standardization needed has already been done.
y	Quantitative response variable.
weights	Observation weights. elnet.fit does NOT standardize these weights.
lambda	A single value for the lambda hyperparameter.

alpha	The elasticnet mixing parameter, with $0 \leq \alpha \leq 1$. The penalty is defined as $(1 - \alpha)/2\ \beta\ _2^2 + \alpha\ \beta\ _1.$ alpha=1 is the lasso penalty, and alpha=0 the ridge penalty.
intercept	Should intercept be fitted (default=TRUE) or set to zero (FALSE)?
thresh	Convergence threshold for coordinate descent. Each inner coordinate-descent loop continues until the maximum change in the objective after any coefficient update is less than thresh times the null deviance. Default value is 1e-7.
maxit	Maximum number of passes over the data; default is 10^5. (If a warm start object is provided, the number of passes the warm start object performed is included.)
penalty.factor	Separate penalty factors can be applied to each coefficient. This is a number that multiplies lambda to allow differential shrinkage. Can be 0 for some variables, which implies no shrinkage, and that variable is always included in the model. Default is 1 for all variables (and implicitly infinity for variables listed in exclude). Note: the penalty factors are internally rescaled to sum to nvars.
exclude	Indices of variables to be excluded from the model. Default is none. Equivalent to an infinite penalty factor.
lower.limits	Vector of lower limits for each coefficient; default -Inf. Each of these must be non-positive. Can be presented as a single value (which will then be replicated), else a vector of length nvars.
upper.limits	Vector of upper limits for each coefficient; default Inf. See lower.limits.
warm	Either a glmnetfit object or a list (with names beta and a0 containing coefficients and intercept respectively) which can be used as a warm start. Default is NULL, indicating no warm start. For internal use only.
from.glmnet.fit	Was elnet.fit() called from glmnet.fit()? Default is FALSE. This has implications for computation of the penalty factors.
save.fit	Return the warm start object? Default is FALSE.

Details

WARNING: Users should not call `elnet.fit` directly. Higher-level functions in this package call `elnet.fit` as a subroutine. If a warm start object is provided, some of the other arguments in the function may be overridden.

`elnet.fit` is essentially a wrapper around a C++ subroutine which minimizes

$$1/2 \sum w_i (y_i - X_i^T \beta)^2 + \sum \lambda \gamma_j [(1 - \alpha)/2\beta^2 + \alpha|\beta|],$$

over β , where γ_j is the relative penalty factor on the j th variable. If `intercept = TRUE`, then the term in the first sum is $w_i (y_i - \beta_0 - X_i^T \beta)^2$, and we are minimizing over both β_0 and β .

None of the inputs are standardized except for `penalty.factor`, which is standardized so that they sum up to `nvars`.

Value

An object with class "glmnetfit" and "glmnet". The list returned has the same keys as that of a glmnet object, except that it might have an additional warm_fit key.

a0	Intercept value.
beta	A nvars x 1 matrix of coefficients, stored in sparse matrix format.
df	The number of nonzero coefficients.
dim	Dimension of coefficient matrix.
lambda	Lambda value used.
dev.ratio	The fraction of (null) deviance explained. The deviance calculations incorporate weights if present in the model. The deviance is defined to be $2*(\text{loglike_sat} - \text{loglike})$, where loglike_sat is the log-likelihood for the saturated model (a model with a free parameter per observation). Hence dev.ratio=1-dev/nulldev.
nulldev	Null deviance (per observation). This is defined to be $2*(\text{loglike_sat} - \text{loglike}(\text{Null}))$. The null model refers to the intercept model.
npasses	Total passes over the data.
jerr	Error flag, for warnings and errors (largely for internal debugging).
offset	Always FALSE, since offsets do not appear in the WLS problem. Included for compability with glmnet output.
call	The call that produced this object.
nobs	Number of observations.
warm_fit	If save_fit=TRUE, output of C++ routine, used for warm starts. For internal use only.

 fid

Helper function for Cox deviance and gradient

Description

Helps to find ties in death times of data.

Usage

```
fid(x, index)
```

Arguments

x	Sorted vector of death times.
index	Vector of indices for the death times.

Value

A list with two arguments.

`index_first` A vector of indices for the first observation at each death time as they appear in the sorted list.

`index_ties` If there are no ties at all, this is NULL. If not, this is a list with length equal to the number of unique times with ties. For each time with ties, `index_ties` gives the indices of the observations with a death at that time.

Examples

```
# Example with no ties
glmnet::fid(c(1, 4, 5, 6), 1:5)

# Example with ties
glmnet::fid(c(1, 1, 1, 2, 3, 3, 4, 4, 4), 1:9)
```

`get_cox_lambda_max` *Get lambda max for Cox regression model*

Description

Return the lambda max value for Cox regression model, used for computing initial lambda values. For internal use only.

Usage

```
get_cox_lambda_max(
  x,
  y,
  alpha,
  weights = rep(1, nrow(x)),
  offset = rep(0, nrow(x)),
  exclude = c(),
  vp = rep(1, ncol(x))
)
```

Arguments

`x` Input matrix, of dimension `nobs x nvars`; each row is an observation vector. If it is a sparse matrix, it is assumed to be unstandardized. It should have attributes `xm` and `xs`, where `xm(j)` and `xs(j)` are the centering and scaling factors for variable `j` respectively. If it is not a sparse matrix, it is assumed to be standardized.

`y` Survival response variable, must be a `Surv` or `stratifySurv` object.

`alpha` The elasticnet mixing parameter, with $0 \leq \alpha \leq 1$.

`weights` Observation weights.

offset	Offset for the model. Default is a zero vector of length <code>nrow(y)</code> .
exclude	Indices of variables to be excluded from the model.
vp	Separate penalty factors can be applied to each coefficient.

Details

This function is called by `cox.path` for the value of `lambda.max`.

When `x` is not sparse, it is expected to already be centered and scaled. When `x` is sparse, the function will get its attributes `xm` and `xs` for its centering and scaling factors. The value of `lambda.max` changes depending on whether `x` is centered and scaled or not, so we need `xm` and `xs` to get the correct value.

<code>get_eta</code>	<i>Helper function to get etas (linear predictions)</i>
----------------------	---------------------------------------------------------

Description

Given `x`, coefficients and intercept, return linear predictions. Wrapper that works with both regular and sparse `x`. Only works for single set of coefficients and intercept.

Usage

```
get_eta(x, beta, a0)
```

Arguments

<code>x</code>	Input matrix, of dimension <code>nobs x nvars</code> ; each row is an observation vector. If it is a sparse matrix, it is assumed to be unstandardized. It should have attributes <code>xm</code> and <code>xs</code> , where <code>xm(j)</code> and <code>xs(j)</code> are the centering and scaling factors for variable <code>j</code> respectively. If it is not a sparse matrix, it is assumed to be standardized.
<code>beta</code>	Feature coefficients.
<code>a0</code>	Intercept.

<code>get_start</code>	<i>Get null deviance, starting mu and lambda max</i>
------------------------	------------------------------------------------------

Description

Return the null deviance, starting `mu` and `lambda.max` values for initialization. For internal use only.

Usage

```
get_start(
  x,
  y,
  weights,
  family,
  intercept,
  is.offset,
  offset,
  exclude,
  vp,
  alpha
)
```

Arguments

x	Input matrix, of dimension nobs x nvars; each row is an observation vector. If it is a sparse matrix, it is assumed to be unstandardized. It should have attributes xm and xs, where xm(j) and xs(j) are the centering and scaling factors for variable j respectively. If it is not a sparse matrix, it is assumed to be standardized.
y	Quantitative response variable.
weights	Observation weights.
family	A description of the error distribution and link function to be used in the model. This is the result of a call to a family function. (See family for details on family functions.)
intercept	Does the model we are fitting have an intercept term or not?
is.offset	Is the model being fit with an offset or not?
offset	Offset for the model. If is.offset=FALSE, this should be a zero vector of the same length as y.
exclude	Indices of variables to be excluded from the model.
vp	Separate penalty factors can be applied to each coefficient.
alpha	The elasticnet mixing parameter, with $0 \leq \alpha \leq 1$.

Details

This function is called by `glmnet.path` for null deviance, starting mu and lambda max values. It is also called by `glmnet.fit` when used without `warmstart`, but they only use the null deviance and starting mu values.

When x is not sparse, it is expected to already be centered and scaled. When x is sparse, the function will get its attributes xm and xs for its centering and scaling factors.

Note that whether x is centered & scaled or not, the values of mu and nulldev don't change. However, the value of lambda_max does change, and we need xm and xs to get the correct value.

 glmnet

fit a GLM with lasso or elasticnet regularization

Description

Fit a generalized linear model via penalized maximum likelihood. The regularization path is computed for the lasso or elasticnet penalty at a grid of values for the regularization parameter lambda. Can deal with all shapes of data, including very large sparse data matrices. Fits linear, logistic and multinomial, poisson, and Cox regression models.

Usage

```
glmnet(
  x,
  y,
  family = c("gaussian", "binomial", "poisson", "multinomial", "cox", "mgaussian"),
  weights = NULL,
  offset = NULL,
  alpha = 1,
  nlambda = 100,
  lambda.min.ratio = ifelse(nobs < nvars, 0.01, 1e-04),
  lambda = NULL,
  standardize = TRUE,
  intercept = TRUE,
  thresh = 1e-07,
  dfmax = nvars + 1,
  pmax = min(dfmax * 2 + 20, nvars),
  exclude = NULL,
  penalty.factor = rep(1, nvars),
  lower.limits = -Inf,
  upper.limits = Inf,
  maxit = 1e+05,
  type.gaussian = ifelse(nvars < 500, "covariance", "naive"),
  type.logistic = c("Newton", "modified.Newton"),
  standardize.response = FALSE,
  type.multinomial = c("ungrouped", "grouped"),
  relax = FALSE,
  trace.it = 0,
  ...
)
```

```
relax.glmnet(fit, x, ..., maxp = n - 3, path = FALSE, check.args = TRUE)
```

Arguments

x input matrix, of dimension nobs x nvars; each row is an observation vector. Can be in sparse matrix format (inherit from class "sparseMatrix" as in package Matrix)

<code>y</code>	response variable. Quantitative for <code>family="gaussian"</code> , or <code>family="poisson"</code> (non-negative counts). For <code>family="binomial"</code> should be either a factor with two levels, or a two-column matrix of counts or proportions (the second column is treated as the target class; for a factor, the last level in alphabetical order is the target class). For <code>family="multinomial"</code> , can be a <code>nc >= 2</code> level factor, or a matrix with <code>nc</code> columns of counts or proportions. For either <code>"binomial"</code> or <code>"multinomial"</code> , if <code>y</code> is presented as a vector, it will be coerced into a factor. For <code>family="cox"</code> , preferably a <code>Surv</code> object from the survival package: see Details section for more information. For <code>family="mgaussian"</code> , <code>y</code> is a matrix of quantitative responses.
<code>family</code>	Either a character string representing one of the built-in families, or else a <code>glm()</code> family object. For more information, see Details section below or the documentation for response type (above).
<code>weights</code>	observation weights. Can be total counts if responses are proportion matrices. Default is 1 for each observation
<code>offset</code>	A vector of length <code>nobs</code> that is included in the linear predictor (a <code>nobs x nc</code> matrix for the <code>"multinomial"</code> family). Useful for the <code>"poisson"</code> family (e.g. log of exposure time), or for refining a model by starting at a current fit. Default is <code>NULL</code> . If supplied, then values must also be supplied to the <code>predict</code> function.
<code>alpha</code>	The elasticnet mixing parameter, with $0 \leq \alpha \leq 1$. The penalty is defined as $(1 - \alpha)/2 \ \beta\ _2^2 + \alpha \ \beta\ _1.$ <p><code>alpha=1</code> is the lasso penalty, and <code>alpha=0</code> the ridge penalty.</p>
<code>nlambda</code>	The number of <code>lambda</code> values - default is 100.
<code>lambda.min.ratio</code>	Smallest value for <code>lambda</code> , as a fraction of <code>lambda.max</code> , the (data derived) entry value (i.e. the smallest value for which all coefficients are zero). The default depends on the sample size <code>nobs</code> relative to the number of variables <code>nvars</code> . If <code>nobs > nvars</code> , the default is <code>0.0001</code> , close to zero. If <code>nobs < nvars</code> , the default is <code>0.01</code> . A very small value of <code>lambda.min.ratio</code> will lead to a saturated fit in the <code>nobs < nvars</code> case. This is undefined for <code>"binomial"</code> and <code>"multinomial"</code> models, and <code>glmnet</code> will exit gracefully when the percentage deviance explained is almost 1.
<code>lambda</code>	A user supplied <code>lambda</code> sequence. Typical usage is to have the program compute its own <code>lambda</code> sequence based on <code>nlambda</code> and <code>lambda.min.ratio</code> . Supplying a value of <code>lambda</code> overrides this. WARNING: use with care. Avoid supplying a single value for <code>lambda</code> (for predictions after CV use <code>predict()</code> instead). Supply instead a decreasing sequence of <code>lambda</code> values. <code>glmnet</code> relies on its warm starts for speed, and its often faster to fit a whole path than compute a single fit.
<code>standardize</code>	Logical flag for <code>x</code> variable standardization, prior to fitting the model sequence. The coefficients are always returned on the original scale. Default is <code>standardize=TRUE</code> . If variables are in the same units already, you might not wish to standardize. See details below for <code>y</code> standardization with <code>family="gaussian"</code> .
<code>intercept</code>	Should intercept(s) be fitted (default= <code>TRUE</code>) or set to zero (<code>FALSE</code>)

thresh	Convergence threshold for coordinate descent. Each inner coordinate-descent loop continues until the maximum change in the objective after any coefficient update is less than thresh times the null deviance. Defaults value is 1E-7.
dfmax	Limit the maximum number of variables in the model. Useful for very large nvars, if a partial path is desired.
pmax	Limit the maximum number of variables ever to be nonzero
exclude	Indices of variables to be excluded from the model. Default is none. Equivalent to an infinite penalty factor for the variables excluded (next item). Users can supply instead an exclude function that generates the list of indices. This function is most generally defined as <code>function(x, y, weights, ...)</code> , and is called inside <code>glmnet</code> to generate the indices for excluded variables. The <code>...</code> argument is required, the others are optional. This is useful for filtering wide data, and works correctly with <code>cv.glmnet</code> . See the vignette 'Introduction' for examples.
penalty.factor	Separate penalty factors can be applied to each coefficient. This is a number that multiplies lambda to allow differential shrinkage. Can be 0 for some variables, which implies no shrinkage, and that variable is always included in the model. Default is 1 for all variables (and implicitly infinity for variables listed in <code>exclude</code>). Note: the penalty factors are internally rescaled to sum to nvars, and the lambda sequence will reflect this change.
lower.limits	Vector of lower limits for each coefficient; default -Inf. Each of these must be non-positive. Can be presented as a single value (which will then be replicated), else a vector of length nvars
upper.limits	Vector of upper limits for each coefficient; default Inf. See <code>lower.limits</code>
maxit	Maximum number of passes over the data for all lambda values; default is 10^5.
type.gaussian	Two algorithm types are supported for (only) <code>family="gaussian"</code> . The default when <code>nvar < 500</code> is <code>type.gaussian="covariance"</code> , and saves all inner-products ever computed. This can be much faster than <code>type.gaussian="naive"</code> , which loops through nobs every time an inner-product is computed. The latter can be far more efficient for <code>nvar >> nobs</code> situations, or when <code>nvar > 500</code> .
type.logistic	If "Newton" then the exact hessian is used (default), while "modified.Newton" uses an upper-bound on the hessian, and can be faster.
standardize.response	This is for the <code>family="mgaussian"</code> family, and allows the user to standardize the response variables
type.multinomial	If "grouped" then a grouped lasso penalty is used on the multinomial coefficients for a variable. This ensures they are all in or out together. The default is "ungrouped"
relax	If TRUE then for each <i>active set</i> in the path of solutions, the model is refit without any regularization. See details for more information. This argument is new, and users may experience convergence issues with small datasets, especially with non-gaussian families. Limiting the value of 'maxp' can alleviate these issues in some cases.
trace.it	If <code>trace.it=1</code> , then a progress bar is displayed; useful for big models that take a long time to fit.

...	Additional argument used in <code>relax.glmnet</code> . These include some of the original arguments to <code>'glmnet'</code> , and each must be named if used.
<code>fit</code>	For <code>relax.glmnet</code> a fitted <code>'glmnet'</code> object
<code>maxp</code>	a limit on how many relaxed coefficients are allowed. Default is <code>'n-3'</code> , where <code>'n'</code> is the sample size. This may not be sufficient for non-gaussian families, in which case users should supply a smaller value. This argument can be supplied directly to <code>'glmnet'</code> .
<code>path</code>	Since <code>glmnet</code> does not do stepsize optimization, the Newton algorithm can get stuck and not converge, especially with relaxed fits. With <code>path=TRUE</code> , each relaxed fit on a particular set of variables is computed pathwise using the original sequence of <code>lambda</code> values (with a zero attached to the end). Not needed for Gaussian models, and should not be used unless needed, since will lead to longer compute times. Default is <code>path=FALSE</code> . appropriate subset of variables
<code>check.args</code>	Should <code>relax.glmnet</code> make sure that all the data dependent arguments used in creating <code>'fit'</code> have been resupplied. Default is <code>'TRUE'</code> .

Details

The sequence of models implied by `lambda` is fit by coordinate descent. For `family="gaussian"` this is the lasso sequence if `alpha=1`, else it is the elasticnet sequence.

The objective function for "gaussian" is

$$1/2RSS/nobs + \lambda * penalty,$$

and for the other models it is

$$-loglik/nobs + \lambda * penalty.$$

Note also that for "gaussian", `glmnet` standardizes `y` to have unit variance (using `1/n` rather than `1/(n-1)` formula) before computing its `lambda` sequence (and then unstandardizes the resulting coefficients); if you wish to reproduce/compare results with other software, best to supply a standardized `y`. The coefficients for any predictor variables with zero variance are set to zero for all values of `lambda`.

Details on family option:

From version 4.0 onwards, `glmnet` supports both the original built-in families, as well as *any* family object as used by `stats:glm()`. This opens the door to a wide variety of additional models. For example `family=binomial(link=cloglog)` or `family=negative.binomial(theta=1.5)` (from the MASS library). Note that the code runs faster for the built-in families.

The built in families are specified via a character string. For all families, the object produced is a lasso or elasticnet regularization path for fitting the generalized linear regression paths, by maximizing the appropriate penalized log-likelihood (partial likelihood for the "cox" model). Sometimes the sequence is truncated before `nlambda` values of `lambda` have been used, because of instabilities in the inverse link functions near a saturated fit. `glmnet(..., family="binomial")` fits a traditional logistic regression model for the log-odds. `glmnet(..., family="multinomial")` fits a symmetric multinomial model, where each class is represented by a linear model (on the log-scale). The penalties take care of redundancies. A two-class "multinomial" model will produce the same fit as the corresponding "binomial" model, except the pair of coefficient matrices will be equal in magnitude and opposite in sign, and half the "binomial" values. Two useful

additional families are the `family="mgaussian"` family and the `type.multinomial="grouped"` option for multinomial fitting. The former allows a multi-response gaussian model to be fit, using a "group -lasso" penalty on the coefficients for each variable. Tying the responses together like this is called "multi-task" learning in some domains. The grouped multinomial allows the same penalty for the `family="multinomial"` model, which is also multi-responses. For both of these the penalty on the coefficient vector for variable j is

$$(1 - \alpha)/2 \|\beta_j\|_2^2 + \alpha \|\beta_j\|_2.$$

When $\alpha=1$ this is a group-lasso penalty, and otherwise it mixes with quadratic just like elasticnet. A small detail in the Cox model: if death times are tied with censored times, we assume the censored times occurred just *before* the death times in computing the Breslow approximation; if users prefer the usual convention of *after*, they can add a small number to all censoring times to achieve this effect.

Details on response for `family="cox"`:

For Cox models, the response should preferably be a `Surv` object, created by the `Surv()` function in **survival** package. For right-censored data, this object should have type "right", and for (start, stop] data, it should have type "counting". To fit stratified Cox models, `strata` should be added to the response via the `stratifySurv()` function before passing the response to `glmnet()`. (For backward compatibility, right-censored data can also be passed as a two-column matrix with columns named 'time' and 'status'. The latter is a binary variable, with '1' indicating death, and '0' indicating right censored.)

Details on `relax` option:

If `relax=TRUE` a duplicate sequence of models is produced, where each active set in the elasticnet path is refit without regularization. The result of this is a matching "glmnet" object which is stored on the original object in a component named "relaxed", and is part of the `glmnet` output. Generally users will not call `relax.glmnet` directly, unless the original 'glmnet' object took a long time to fit. But if they do, they must supply the fit, and all the original arguments used to create that fit. They can limit the length of the relaxed path via 'maxp'.

Value

An object with S3 class "glmnet", "*" , where "*" is "elnet", "lognet", "multnet", "fishnet" (poisson), "coxnet" or "mrelnet" for the various types of models. If the model was created with `relax=TRUE` then this class has a prefix class of "relaxed".

<code>call</code>	the call that produced this object
<code>a0</code>	Intercept sequence of length <code>length(lambda)</code>
<code>beta</code>	For "elnet", "lognet", "fishnet" and "coxnet" models, a <code>nvars x length(lambda)</code> matrix of coefficients, stored in sparse column format ("CsparseMatrix"). For "multnet" and "mgaussian", a list of <code>nc</code> such matrices, one for each class.
<code>lambda</code>	The actual sequence of lambda values used. When $\alpha=0$, the largest lambda reported does not quite give the zero coefficients reported (<code>lambda=inf</code> would in principle). Instead, the largest lambda for $\alpha=0.001$ is used, and the sequence of lambda values is derived from this.

dev.ratio	The fraction of (null) deviance explained (for "elnet", this is the R-square). The deviance calculations incorporate weights if present in the model. The deviance is defined to be $2*(\text{loglike_sat} - \text{loglike})$, where loglike_sat is the log-likelihood for the saturated model (a model with a free parameter per observation). Hence dev.ratio=1-dev/nulldev.
nulldev	Null deviance (per observation). This is defined to be $2*(\text{loglike_sat} - \text{loglike}(\text{Null}))$; The NULL model refers to the intercept model, except for the Cox, where it is the 0 model.
df	The number of nonzero coefficients for each value of lambda. For "multnet", this is the number of variables with a nonzero coefficient for <i>any</i> class.
dfmat	For "multnet" and "mrelnet" only. A matrix consisting of the number of nonzero coefficients per class
dim	dimension of coefficient matrix (ices)
nobs	number of observations
npasses	total passes over the data summed over all lambda values
offset	a logical variable indicating whether an offset was included in the model
jerr	error flag, for warnings and errors (largely for internal debugging).
relaxed	If relax=TRUE, this additional item is another glmnet object with different values for beta and dev.ratio

Author(s)

Jerome Friedman, Trevor Hastie, Balasubramanian Narasimhan, Noah Simon, Kenneth Tay and Rob Tibshirani
 Maintainer: Trevor Hastie <hastie@stanford.edu>

References

- Friedman, J., Hastie, T. and Tibshirani, R. (2008) *Regularization Paths for Generalized Linear Models via Coordinate Descent* (2010), *Journal of Statistical Software*, Vol. 33(1), 1-22, doi:10.18637/jss.v033.i01.
- Simon, N., Friedman, J., Hastie, T. and Tibshirani, R. (2011) *Regularization Paths for Cox's Proportional Hazards Model via Coordinate Descent*, *Journal of Statistical Software*, Vol. 39(5), 1-13, doi:10.18637/jss.v039.i05.
- Tibshirani, Robert, Bien, J., Friedman, J., Hastie, T., Simon, N., Taylor, J. and Tibshirani, Ryan. (2012) *Strong Rules for Discarding Predictors in Lasso-type Problems*, *JRSSB*, Vol. 74(2), 245-266, <https://arxiv.org/abs/1011.2234>.
- Hastie, T., Tibshirani, Robert and Tibshirani, Ryan (2020) *Best Subset, Forward Stepwise or Lasso? Analysis and Recommendations Based on Extensive Comparisons*, *Statist. Sc.* Vol. 35(4), 579-592, <https://arxiv.org/abs/1707.08692>.
- Glmnet webpage with four vignettes: <https://glmnet.stanford.edu>.

See Also

print, predict, coef and plot methods, and the cv.glmnet function.

Examples

```

# Gaussian
x = matrix(rnorm(100 * 20), 100, 20)
y = rnorm(100)
fit1 = glmnet(x, y)
print(fit1)
coef(fit1, s = 0.01) # extract coefficients at a single value of lambda
predict(fit1, newx = x[1:10, ], s = c(0.01, 0.005)) # make predictions

# Relaxed
fit1r = glmnet(x, y, relax = TRUE) # can be used with any model

# multivariate gaussian
y = matrix(rnorm(100 * 3), 100, 3)
fit1m = glmnet(x, y, family = "mgaussian")
plot(fit1m, type.coef = "2norm")

# binomial
g2 = sample(c(0,1), 100, replace = TRUE)
fit2 = glmnet(x, g2, family = "binomial")
fit2n = glmnet(x, g2, family = binomial(link=cloglog))
fit2r = glmnet(x,g2, family = "binomial", relax=TRUE)
fit2rp = glmnet(x,g2, family = "binomial", relax=TRUE, path=TRUE)

# multinomial
g4 = sample(1:4, 100, replace = TRUE)
fit3 = glmnet(x, g4, family = "multinomial")
fit3a = glmnet(x, g4, family = "multinomial", type.multinomial = "grouped")
# poisson
N = 500
p = 20
nzc = 5
x = matrix(rnorm(N * p), N, p)
beta = rnorm(nzc)
f = x[, seq(nzc)] %*% beta
mu = exp(f)
y = rpois(N, mu)
fit = glmnet(x, y, family = "poisson")
plot(fit)
pfit = predict(fit, x, s = 0.001, type = "response")
plot(pfit, y)

# Cox
set.seed(10101)
N = 1000
p = 30
nzc = p/3
x = matrix(rnorm(N * p), N, p)
beta = rnorm(nzc)
fx = x[, seq(nzc)] %*% beta/3
hx = exp(fx)

```



```

ty = rexp(N, hx)
tcens = rbinom(n = N, prob = 0.3, size = 1) # censoring indicator
y = cbind(time = ty, status = 1 - tcens) # y=Surv(ty,1-tcens) with library(survival)
fit = glmnet(x, y, family = "cox")
plot(fit)

# Cox example with (start, stop] data
set.seed(2)
nobs <- 100; nvars <- 15
xvec <- rnorm(nobs * nvars)
xvec[sample.int(nobs * nvars, size = 0.4 * nobs * nvars)] <- 0
x <- matrix(xvec, nrow = nobs)
start_time <- runif(100, min = 0, max = 5)
stop_time <- start_time + runif(100, min = 0.1, max = 3)
status <- rbinom(n = nobs, prob = 0.3, size = 1)
jsurv_ss <- survival::Surv(start_time, stop_time, status)
fit <- glmnet(x, jsurv_ss, family = "cox")

# Cox example with strata
jsurv_ss2 <- stratifySurv(jsurv_ss, rep(1:2, each = 50))
fit <- glmnet(x, jsurv_ss2, family = "cox")

# Sparse
n = 10000
p = 200
nzc = trunc(p/10)
x = matrix(rnorm(n * p), n, p)
iz = sample(1:(n * p), size = n * p * 0.85, replace = FALSE)
x[iz] = 0
sx = Matrix(x, sparse = TRUE)
inherits(sx, "sparseMatrix") #confirm that it is sparse
beta = rnorm(nzc)
fx = x[, seq(nzc)] %*% beta
eps = rnorm(n)
y = fx + eps
px = exp(fx)
px = px/(1 + px)
ly = rbinom(n = length(px), prob = px, size = 1)
system.time(fit1 <- glmnet(sx, y))
system.time(fit2n <- glmnet(x, y))

```

glmnet.control

internal glmnet parameters

Description

View and/or change the factory default parameters in glmnet

Usage

```
glmnet.control(
  fdev = 1e-05,
  devmax = 0.999,
  eps = 1e-06,
  big = 9.9e+35,
  mnlam = 5,
  pmin = 1e-09,
  exmx = 250,
  prec = 1e-10,
  mxit = 100,
  itrace = 0,
  epsnr = 1e-06,
  mxitnr = 25,
  factory = FALSE
)
```

Arguments

fdev	minimum fractional change in deviance for stopping path; factory default = 1.0e-5
devmax	maximum fraction of explained deviance for stopping path; factory default = 0.999
eps	minimum value of lambda.min.ratio (see glmnet); factory default= 1.0e-6
big	large floating point number; factory default = 9.9e35. Inf in definition of upper.limit is set to big
mnlam	minimum number of path points (lambda values) allowed; factory default = 5
pmin	minimum probability for any class. factory default = 1.0e-9. Note that this implies a pmax of 1-pmin.
exmx	maximum allowed exponent. factory default = 250.0
prec	convergence threshold for multi response bounds adjustment solution. factory default = 1.0e-10
mxit	maximum iterations for multiresponse bounds adjustment solution. factory default = 100
itrace	If 1 then progress bar is displayed when running glmnet and cv.glmnet. factory default = 0
epsnr	convergence threshold for glmnet.fit. factory default = 1.0e-6
mxitnr	maximum iterations for the IRLS loop in glmnet.fit. factory default = 25
factory	If TRUE, reset all the parameters to the factory default; default is FALSE

Details

If called with no arguments, `glmnet.control()` returns a list with the current settings of these parameters. Any arguments included in the call sets those parameters to the new values, and then silently returns. The values set are persistent for the duration of the R session.

Value

A list with named elements as in the argument list

Author(s)

Jerome Friedman, Kenneth Tay, Trevor Hastie
Maintainer: Trevor Hastie <hastie@stanford.edu>

See Also

glmnet

Examples

```
glmnet.control(fdev = 0) #continue along path even though not much changes
glmnet.control() # view current settings
glmnet.control(factory = TRUE) # reset all the parameters to their default
```

glmnet.fit

Fit a GLM with elastic net regularization for a single value of lambda

Description

Fit a generalized linear model via penalized maximum likelihood for a single value of lambda. Can deal with any GLM family.

Usage

```
glmnet.fit(
  x,
  y,
  weights,
  lambda,
  alpha = 1,
  offset = rep(0, nobs),
  family = gaussian(),
  intercept = TRUE,
  thresh = 1e-10,
  maxit = 1e+05,
  penalty.factor = rep(1, nvars),
  exclude = c(),
  lower.limits = -Inf,
  upper.limits = Inf,
  warm = NULL,
  from.glmnet.path = FALSE,
```

```

    save.fit = FALSE,
    trace.it = 0
  )

```

Arguments

x	Input matrix, of dimension nobs x nvars; each row is an observation vector. If it is a sparse matrix, it is assumed to be unstandardized. It should have attributes xm and xs, where xm(j) and xs(j) are the centering and scaling factors for variable j respectively. If it is not a sparse matrix, it is assumed that any standardization needed has already been done.
y	Quantitative response variable.
weights	Observation weights. glmnet.fit does NOT standardize these weights.
lambda	A single value for the lambda hyperparameter.
alpha	The elasticnet mixing parameter, with $0 \leq \alpha \leq 1$. The penalty is defined as $(1 - \alpha)/2 \ \beta\ _2^2 + \alpha \ \beta\ _1.$ alpha=1 is the lasso penalty, and alpha=0 the ridge penalty.
offset	A vector of length nobs that is included in the linear predictor. Useful for the "poisson" family (e.g. log of exposure time), or for refining a model by starting at a current fit. Default is NULL. If supplied, then values must also be supplied to the predict function.
family	A description of the error distribution and link function to be used in the model. This is the result of a call to a family function. Default is gaussian(). (See family for details on family functions.)
intercept	Should intercept be fitted (default=TRUE) or set to zero (FALSE)?
thresh	Convergence threshold for coordinate descent. Each inner coordinate-descent loop continues until the maximum change in the objective after any coefficient update is less than thresh times the null deviance. Default value is 1e-10.
maxit	Maximum number of passes over the data; default is 10^5. (If a warm start object is provided, the number of passes the warm start object performed is included.)
penalty.factor	Separate penalty factors can be applied to each coefficient. This is a number that multiplies lambda to allow differential shrinkage. Can be 0 for some variables, which implies no shrinkage, and that variable is always included in the model. Default is 1 for all variables (and implicitly infinity for variables listed in exclude). Note: the penalty factors are internally rescaled to sum to nvars.
exclude	Indices of variables to be excluded from the model. Default is none. Equivalent to an infinite penalty factor.
lower.limits	Vector of lower limits for each coefficient; default -Inf. Each of these must be non-positive. Can be presented as a single value (which will then be replicated), else a vector of length nvars.
upper.limits	Vector of upper limits for each coefficient; default Inf. See lower.limits.

warm	Either a <code>glmnetfit</code> object or a list (with names <code>beta</code> and <code>a0</code> containing coefficients and intercept respectively) which can be used as a warm start. Default is <code>NULL</code> , indicating no warm start. For internal use only.
<code>from.glmnet.path</code>	Was <code>glmnet.fit()</code> called from <code>glmnet.path()</code> ? Default is <code>FALSE</code> . This has implications for computation of the penalty factors.
<code>save.fit</code>	Return the warm start object? Default is <code>FALSE</code> .
<code>trace.it</code>	Controls how much information is printed to screen. If <code>trace.it=2</code> , some information about the fitting procedure is printed to the console as the model is being fitted. Default is <code>trace.it=0</code> (no information printed). (<code>trace.it=1</code> not used for compatibility with <code>glmnet.path</code> .)

Details

WARNING: Users should not call `glmnet.fit` directly. Higher-level functions in this package call `glmnet.fit` as a subroutine. If a warm start object is provided, some of the other arguments in the function may be overridden.

`glmnet.fit` solves the elastic net problem for a single, user-specified value of `lambda`. `glmnet.fit` works for any GLM family. It solves the problem using iteratively reweighted least squares (IRLS). For each IRLS iteration, `glmnet.fit` makes a quadratic (Newton) approximation of the log-likelihood, then calls `elnet.fit` to minimize the resulting approximation.

In terms of standardization: `glmnet.fit` does not standardize `x` and `weights`. `penalty.factor` is standardized so that they sum up to `nvars`.

Value

An object with class `"glmnetfit"` and `"glmnet"`. The list returned contains more keys than that of a `"glmnet"` object.

<code>a0</code>	Intercept value.
<code>beta</code>	A <code>nvars x 1</code> matrix of coefficients, stored in sparse matrix format.
<code>df</code>	The number of nonzero coefficients.
<code>dim</code>	Dimension of coefficient matrix.
<code>lambda</code>	Lambda value used.
<code>dev.ratio</code>	The fraction of (null) deviance explained. The deviance calculations incorporate weights if present in the model. The deviance is defined to be $2*(\text{loglike_sat} - \text{loglike})$, where <code>loglike_sat</code> is the log-likelihood for the saturated model (a model with a free parameter per observation). Hence <code>dev.ratio=1-dev/nulldev</code> .
<code>nulldev</code>	Null deviance (per observation). This is defined to be $2*(\text{loglike_sat} - \text{loglike}(\text{Null}))$. The null model refers to the intercept model.
<code>npasses</code>	Total passes over the data.
<code>jerr</code>	Error flag, for warnings and errors (largely for internal debugging).
<code>offset</code>	A logical variable indicating whether an offset was included in the model.
<code>call</code>	The call that produced this object.
<code>nobs</code>	Number of observations.

warm_fit	If save.fit=TRUE, output of C++ routine, used for warm starts. For internal use only.
family	Family used for the model.
converged	A logical variable: was the algorithm judged to have converged?
boundary	A logical variable: is the fitted value on the boundary of the attainable values?
obj_function	Objective function value at the solution.

glmnet.measures	<i>Display the names of the measures used in CV for different "glmnet" families</i>
-----------------	-------------------------------------------------------------------------------------

Description

Produces a list of names of measures

Usage

```
glmnet.measures(
  family = c("all", "gaussian", "binomial", "poisson", "multinomial", "cox",
            "mgaussian", "GLM")
)
```

Arguments

family	If a "glmnet" family is supplied, a list of the names of measures available for that family are produced. Default is "all", in which case the names of measures for all families are produced.
--------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Details

Try it and see. A very simple function to provide information

Author(s)

Trevor Hastie
 Maintainer: Trevor Hastie <hastie@stanford.edu>

See Also

cv.glmnet and assess.glmnet.

glmnet.path

*Fit a GLM with elastic net regularization for a path of lambda values***Description**

Fit a generalized linear model via penalized maximum likelihood for a path of lambda values. Can deal with any GLM family.

Usage

```
glmnet.path(
  x,
  y,
  weights = NULL,
  lambda = NULL,
  nlambda = 100,
  lambda.min.ratio = ifelse(nobs < nvars, 0.01, 1e-04),
  alpha = 1,
  offset = NULL,
  family = gaussian(),
  standardize = TRUE,
  intercept = TRUE,
  thresh = 1e-10,
  maxit = 1e+05,
  penalty.factor = rep(1, nvars),
  exclude = integer(0),
  lower.limits = -Inf,
  upper.limits = Inf,
  trace.it = 0
)
```

Arguments

<code>x</code>	Input matrix, of dimension <code>nobs</code> x <code>nvars</code> ; each row is an observation vector. Can be a sparse matrix.
<code>y</code>	Quantitative response variable.
<code>weights</code>	Observation weights. Default is 1 for each observation.
<code>lambda</code>	A user supplied lambda sequence. Typical usage is to have the program compute its own lambda sequence based on <code>nlambda</code> and <code>lambda.min.ratio</code> . Supplying a value of lambda overrides this.
<code>nlambda</code>	The number of lambda values, default is 100.
<code>lambda.min.ratio</code>	Smallest value for lambda as a fraction of lambda.max, the (data derived) entry value (i.e. the smallest value for which all coefficients are zero). The default depends on the sample size <code>nobs</code> relative to the number of variables <code>nvars</code> . If <code>nobs</code> \geq <code>nvars</code> , the default is 0.0001, close to zero. If <code>nobs</code> $<$ <code>nvars</code> , the default

is 0.01. A very small value of `lambda.min.ratio` will lead to a saturated fit in the `nobs < nvars` case. This is undefined for some families of models, and the function will exit gracefully when the percentage deviance explained is almost 1.

<code>alpha</code>	The elasticnet mixing parameter, with $0 \leq \alpha \leq 1$. The penalty is defined as $(1 - \alpha)/2 \ \beta\ _2^2 + \alpha \ \beta\ _1.$ <code>alpha=1</code> is the lasso penalty, and <code>alpha=0</code> the ridge penalty.
<code>offset</code>	A vector of length <code>nobs</code> that is included in the linear predictor. Useful for the "poisson" family (e.g. log of exposure time), or for refining a model by starting at a current fit. Default is <code>NULL</code> . If supplied, then values must also be supplied to the <code>predict</code> function.
<code>family</code>	A description of the error distribution and link function to be used in the model. This is the result of a call to a family function. Default is <code>gaussian()</code> . (See family for details on family functions.)
<code>standardize</code>	Logical flag for x variable standardization, prior to fitting the model sequence. The coefficients are always returned on the original scale. Default is <code>standardize=TRUE</code> . If variables are in the same units already, you might not wish to standardize.
<code>intercept</code>	Should intercept be fitted (default= <code>TRUE</code>) or set to zero (<code>FALSE</code>)?
<code>thresh</code>	Convergence threshold for coordinate descent. Each inner coordinate-descent loop continues until the maximum change in the objective after any coefficient update is less than <code>thresh</code> times the null deviance. Default value is $1e-10$.
<code>maxit</code>	Maximum number of passes over the data; default is 10^5 .
<code>penalty.factor</code>	Separate penalty factors can be applied to each coefficient. This is a number that multiplies <code>lambda</code> to allow differential shrinkage. Can be 0 for some variables, which implies no shrinkage, and that variable is always included in the model. Default is 1 for all variables (and implicitly infinity for variables listed in <code>exclude</code>). Note: the penalty factors are internally rescaled to sum to <code>nvars</code> .
<code>exclude</code>	Indices of variables to be excluded from the model. Default is none. Equivalent to an infinite penalty factor.
<code>lower.limits</code>	Vector of lower limits for each coefficient; default <code>-Inf</code> . Each of these must be non-positive. Can be presented as a single value (which will then be replicated), else a vector of length <code>nvars</code> .
<code>upper.limits</code>	Vector of upper limits for each coefficient; default <code>Inf</code> . See <code>lower.limits</code> .
<code>trace.it</code>	Controls how much information is printed to screen. Default is <code>trace.it=0</code> (no information printed). If <code>trace.it=1</code> , a progress bar is displayed. If <code>trace.it=2</code> , some information about the fitting procedure is printed to the console as the model is being fitted.

Details

`glmnet.path` solves the elastic net problem for a path of `lambda` values. It generalizes `glmnet::glmnet` in that it works for any GLM family.

Sometimes the sequence is truncated before `nlambda` values of `lambda` have been used. This happens when `glmnet.path` detects that the decrease in deviance is marginal (i.e. we are near a saturated fit).

Value

An object with class "glmnetfit" and "glmnet".

a0	Intercept sequence of length length(lambda).
beta	A nvars x length(lambda) matrix of coefficients, stored in sparse matrix format.
df	The number of nonzero coefficients for each value of lambda.
dim	Dimension of coefficient matrix.
lambda	The actual sequence of lambda values used. When alpha=0, the largest lambda reported does not quite give the zero coefficients reported (lambda=inf would in principle). Instead, the largest lambda for alpha=0.001 is used, and the sequence of lambda values is derived from this.
dev.ratio	The fraction of (null) deviance explained. The deviance calculations incorporate weights if present in the model. The deviance is defined to be $2*(\text{loglike_sat} - \text{loglike})$, where loglike_sat is the log-likelihood for the saturated model (a model with a free parameter per observation). Hence dev.ratio=1-dev/nulldev.
nulldev	Null deviance (per observation). This is defined to be $2*(\text{loglike_sat} - \text{loglike}(\text{Null}))$. The null model refers to the intercept model.
npasses	Total passes over the data summed over all lambda values.
jerr	Error flag, for warnings and errors (largely for internal debugging).
offset	A logical variable indicating whether an offset was included in the model.
call	The call that produced this object.
family	Family used for the model.
nobs	Number of observations.

Examples

```
set.seed(1)
x <- matrix(rnorm(100 * 20), nrow = 100)
y <- ifelse(rnorm(100) > 0, 1, 0)

# binomial with probit link
fit1 <- glmnet::glmnet.path(x, y, family = binomial(link = "probit"))
```

makeX

convert a data frame to a data matrix with one-hot encoding

Description

Converts a data frame to a data matrix suitable for input to glmnet. Factors are converted to dummy matrices via "one-hot" encoding. Options deal with missing values and sparsity.

Usage

```
makeX(train, test = NULL, na.impute = FALSE, sparse = FALSE, ...)
```

Arguments

<code>train</code>	Required argument. A dataframe consisting of vectors, matrices and factors
<code>test</code>	Optional argument. A dataframe matching 'train' for use as testing data
<code>na.impute</code>	Logical, default FALSE. If TRUE, missing values for any column in the resultant 'x' matrix are replaced by the means of the nonmissing values derived from 'train'
<code>sparse</code>	Logical, default FALSE. If TRUE then the returned matrice(s) are converted to matrices of class "CsparseMatrix". Useful if some factors have a large number of levels, resulting in very big matrices, mostly zero
<code>...</code>	additional arguments, currently unused

Details

The main function is to convert factors to dummy matrices via "one-hot" encoding. Having the 'train' and 'test' data present is useful if some factor levels are missing in either. Since a factor with k levels leads to a submatrix with 1/k entries zero, with large k the `sparse=TRUE` option can be helpful; a large matrix will be returned, but stored in sparse matrix format. Finally, the function can deal with missing data. The current version has the option to replace missing observations with the mean from the training data. For dummy submatrices, these are the mean proportions at each level.

Value

If only 'train' was provided, the function returns a matrix 'x'. If missing values were imputed, this matrix has an attribute containing its column means (before imputation). If 'test' was provided as well, a list with two components is returned: 'x' and 'xtest'.

Author(s)

Trevor Hastie
 Maintainer: Trevor Hastie hastie@stanford.edu

See Also

`glmnet`

Examples

```
set.seed(101)
### Single data frame
X = matrix(rnorm(20), 10, 2)
X3 = sample(letters[1:3], 10, replace = TRUE)
X4 = sample(LETTERS[1:3], 10, replace = TRUE)
df = data.frame(X, X3, X4)
makeX(df)
makeX(df, sparse = TRUE)

### Single data freame with missing values
Xn = X
```

```
Xn[3, 1] = NA
Xn[5, 2] = NA
X3n = X3
X3n[6] = NA
X4n = X4
X4n[9] = NA
dfn = data.frame(Xn, X3n, X4n)

makeX(dfn)
makeX(dfn, sparse = TRUE)
makeX(dfn, na.impute = TRUE)
makeX(dfn, na.impute = TRUE, sparse = TRUE)

### Test data as well
X = matrix(rnorm(10), 5, 2)
X3 = sample(letters[1:3], 5, replace = TRUE)
X4 = sample(LETTERS[1:3], 5, replace = TRUE)
dft = data.frame(X, X3, X4)

makeX(df, dft)
makeX(df, dft, sparse = TRUE)

### Missing data in test as well
Xn = X
Xn[3, 1] = NA
Xn[5, 2] = NA
X3n = X3
X3n[1] = NA
X4n = X4
X4n[2] = NA
dftn = data.frame(Xn, X3n, X4n)

makeX(dfn, dftn)
makeX(dfn, dftn, sparse = TRUE)
makeX(dfn, dftn, na.impute = TRUE)
makeX(dfn, dftn, sparse = TRUE, na.impute = TRUE)
```

MultiGaussianExample *Synthetic dataset with multiple Gaussian responses*

Description

Randomly generated data for multi-response Gaussian regression example.

Usage

```
data(MultiGaussianExample)
```

Format

List containing the following elements:

x 100 by 20 matrix of numeric values.

y 100 by 4 matrix of numeric values, each column representing one response vector.

MultinomialExample	<i>Synthetic dataset with multinomial response</i>
--------------------	----------------------------------------------------

Description

Randomly generated data for multinomial regression example.

Usage

```
data(MultinomialExample)
```

Format

List containing the following elements:

x 500 by 30 matrix of numeric values.

y Numeric vector of length 500 containing 142 ones, 174 twos and 184 threes.

mycoxph	<i>Helper function to fit coxph model for survfit.coxnet</i>
---------	--------------------------------------------------------------

Description

This function constructs the coxph call needed to run the "hack" of coxph with 0 iterations. It's a separate function as we have to deal with function options like strata, offset and observation weights.

Usage

```
mycoxph(object, s, ...)
```

Arguments

object	A class coxnet object.
s	The value of the penalty parameter lambda at which the survival curve is required.
...	The same ... that was passed to survfit.coxnet.

mycoxpred	<i>Helper function to amend ... for new data in survfit.coxnet</i>
-----------	--------------------------------------------------------------------

Description

This function amends the function arguments passed to `survfit.coxnet` via ... if new data was passed to `survfit.coxnet`. It's a separate function as we have to deal with function options like `newstrata` and `newoffset`.

Usage

```
mycoxpred(object, s, ...)
```

Arguments

object	A class <code>coxnet</code> object.
s	The response for the fitted model.
...	The same ... that was passed to <code>survfit.coxnet</code> .

na.replace	<i>Replace the missing entries in a matrix columnwise with the entries in a supplied vector</i>
------------	-------------------------------------------------------------------------------------------------

Description

Missing entries in any given column of the matrix are replaced by the column means or the values in a supplied vector.

Usage

```
na.replace(x, m = rowSums(x, na.rm = TRUE))
```

Arguments

x	A matrix with potentially missing values, and also potentially in sparse matrix format (i.e. inherits from "sparseMatrix")
m	Optional argument. A vector of values used to replace the missing entries, columnwise. If missing, the column means of 'x' are used

Details

This is a simple imputation scheme. This function is called by `makeX` if the `na.impute=TRUE` option is used, but of course can be used on its own. If 'x' is sparse, the result is sparse, and the replacements are done so as to maintain sparsity.

Value

A version of 'x' is returned with the missing values replaced.

Author(s)

Trevor Hastie

Maintainer: Trevor Hastie hastie@stanford.edu

See Also

makeX and glmnet

Examples

```
set.seed(101)
### Single data frame
X = matrix(rnorm(20), 10, 2)
X[3, 1] = NA
X[5, 2] = NA
X3 = sample(letters[1:3], 10, replace = TRUE)
X3[6] = NA
X4 = sample(LETTERS[1:3], 10, replace = TRUE)
X4[9] = NA
dfn = data.frame(X, X3, X4)

x = makeX(dfn)
m = rowSums(x, na.rm = TRUE)
na.replace(x, m)

x = makeX(dfn, sparse = TRUE)
na.replace(x, m)
```

obj_function

Elastic net objective function value

Description

Returns the elastic net objective function value.

Usage

```
obj_function(y, mu, weights, family, lambda, alpha, coefficients, vp)
```

Arguments

y	Quantitative response variable.
mu	Model's predictions for y.
weights	Observation weights.
family	A description of the error distribution and link function to be used in the model. This is the result of a call to a family function.
lambda	A single value for the lambda hyperparameter.
alpha	The elasticnet mixing parameter, with $0 \leq \alpha \leq 1$.
coefficients	The model's coefficients (excluding intercept).
vp	Penalty factors for each of the coefficients.

pen_function	<i>Elastic net penalty value</i>
--------------	----------------------------------

Description

Returns the elastic net penalty value without the lambda factor.

Usage

```
pen_function(coefficients, alpha = 1, vp = 1)
```

Arguments

coefficients	The model's coefficients (excluding intercept).
alpha	The elasticnet mixing parameter, with $0 \leq \alpha \leq 1$.
vp	Penalty factors for each of the coefficients.

Details

The penalty is defined as

$$(1 - \alpha)/2 \sum vp_j \beta_j^2 + \alpha \sum vp_j |\beta_j|.$$

Note the omission of the multiplicative lambda factor.

`plot.cv.glmnet`*plot the cross-validation curve produced by cv.glmnet*

Description

Plots the cross-validation curve, and upper and lower standard deviation curves, as a function of the lambda values used. If the object has class "cv.relaxed" a different plot is produced, showing both lambda and gamma

Usage

```
## S3 method for class 'cv.glmnet'  
plot(x, sign.lambda = 1, ...)  
  
## S3 method for class 'cv.relaxed'  
plot(x, se.bands = TRUE, ...)
```

Arguments

<code>x</code>	fitted "cv.glmnet" object
<code>sign.lambda</code>	Either plot against $\log(\lambda)$ (default) or its negative if <code>sign.lambda=-1</code> .
<code>...</code>	Other graphical parameters to plot
<code>se.bands</code>	Should shading be produced to show standard-error bands; default is TRUE

Details

A plot is produced, and nothing is returned.

Author(s)

Jerome Friedman, Trevor Hastie and Rob Tibshirani
Maintainer: Trevor Hastie hastie@stanford.edu

References

Friedman, J., Hastie, T. and Tibshirani, R. (2008) *Regularization Paths for Generalized Linear Models via Coordinate Descent*

See Also

`glmnet` and `cv.glmnet`.

Examples

```

set.seed(1010)
n = 1000
p = 100
nzc = trunc(p/10)
x = matrix(rnorm(n * p), n, p)
beta = rnorm(nzc)
fx = (x[, seq(nzc)] %*% beta)
eps = rnorm(n) * 5
y = drop(fx + eps)
px = exp(fx)
px = px/(1 + px)
ly = rbinom(n = length(px), prob = px, size = 1)
cvob1 = cv.glmnet(x, y)
plot(cvob1)
title("Gaussian Family", line = 2.5)
cvob1r = cv.glmnet(x, y, relax = TRUE)
plot(cvob1r)
frame()
set.seed(1011)
par(mfrow = c(2, 2), mar = c(4.5, 4.5, 4, 1))
cvob2 = cv.glmnet(x, ly, family = "binomial")
plot(cvob2)
title("Binomial Family", line = 2.5)
## set.seed(1011)
## cvob3 = cv.glmnet(x, ly, family = "binomial", type = "class")
## plot(cvob3)
## title("Binomial Family", line = 2.5)

```

plot.glmnet

plot coefficients from a "glmnet" object

Description

Produces a coefficient profile plot of the coefficient paths for a fitted "glmnet" object.

Usage

```

## S3 method for class 'glmnet'
plot(x, xvar = c("norm", "lambda", "dev"), label = FALSE, ...)

## S3 method for class 'mrelnet'
plot(
  x,
  xvar = c("norm", "lambda", "dev"),
  label = FALSE,
  type.coef = c("coef", "2norm"),

```

```

    ...
  )

  ## S3 method for class 'multnet'
  plot(
    x,
    xvar = c("norm", "lambda", "dev"),
    label = FALSE,
    type.coef = c("coef", "2norm"),
    ...
  )

  ## S3 method for class 'relaxed'
  plot(x, xvar = c("lambda", "dev"), label = FALSE, gamma = 1, ...)

```

Arguments

x	fitted "glmnet" model
xvar	What is on the X-axis. "norm" plots against the L1-norm of the coefficients, "lambda" against the log-lambda sequence, and "dev" against the percent deviance explained.
label	If TRUE, label the curves with variable sequence numbers.
...	Other graphical parameters to plot
type.coef	If type.coef="2norm" then a single curve per variable, else if type.coef="coef", a coefficient plot per response
gamma	Value of the mixing parameter for a "relaxed" fit

Details

A coefficient profile plot is produced. If x is a multinomial model, a coefficient plot is produced for each class.

Author(s)

Jerome Friedman, Trevor Hastie and Rob Tibshirani
 Maintainer: Trevor Hastie hastie@stanford.edu

References

Friedman, J., Hastie, T. and Tibshirani, R. (2008) *Regularization Paths for Generalized Linear Models via Coordinate Descent*

See Also

glmnet, and print, predict and coef methods.

Examples

```
x=matrix(rnorm(100*20),100,20)
y=rnorm(100)
g2=sample(1:2,100,replace=TRUE)
g4=sample(1:4,100,replace=TRUE)
fit1=glmnet(x,y)
plot(fit1)
plot(fit1,xvar="lambda",label=TRUE)
fit3=glmnet(x,g4,family="multinomial")
plot(fit3,pch=19)
```

PoissonExample

Synthetic dataset with count response

Description

Randomly generated data for Poisson regression example.

Usage

```
data(PoissonExample)
```

Format

List containing the following elements:

x 500 by 20 matrix of numeric values.

y Numeric vector of length 500 consisting of non-negative integers.

predict.cv.glmnet

make predictions from a "cv.glmnet" object.

Description

This function makes predictions from a cross-validated glmnet model, using the stored "glmnet.fit" object, and the optimal value chosen for lambda (and gamma for a 'relaxed' fit).

Usage

```
## S3 method for class 'cv.glmnet'
predict(object, newx, s = c("lambda.1se", "lambda.min"), ...)
```

```
## S3 method for class 'cv.relaxed'
predict(
  object,
  newx,
```

```

s = c("lambda.1se", "lambda.min"),
gamma = c("gamma.1se", "gamma.min"),
...
)

```

Arguments

object	Fitted "cv.glmnet" or "cv.relaxed" object.
newx	Matrix of new values for x at which predictions are to be made. Must be a matrix; can be sparse as in <code>Matrix</code> package. See documentation for <code>predict.glmnet</code> .
s	Value(s) of the penalty parameter lambda at which predictions are required. Default is the value <code>s="lambda.1se"</code> stored on the CV object. Alternatively <code>s="lambda.min"</code> can be used. If s is numeric, it is taken as the value(s) of lambda to be used. (For historical reasons we use the symbol 's' rather than 'lambda' to reference this parameter)
...	Not used. Other arguments to <code>predict</code> .
gamma	Value (single) of 'gamma' at which predictions are to be made

Details

This function makes it easier to use the results of cross-validation to make a prediction.

Value

The object returned depends on the ... argument which is passed on to the `predict` method for `glmnet` objects.

Author(s)

Jerome Friedman, Trevor Hastie and Rob Tibshirani
 Maintainer: Trevor Hastie hastie@stanford.edu

References

- Friedman, J., Hastie, T. and Tibshirani, R. (2008) *Regularization Paths for Generalized Linear Models via Coordinate Descent* (2010), *Journal of Statistical Software*, Vol. 33(1), 1-22, [doi:10.18637/jss.v033.i01](https://doi.org/10.18637/jss.v033.i01).
- Simon, N., Friedman, J., Hastie, T. and Tibshirani, R. (2011) *Regularization Paths for Cox's Proportional Hazards Model via Coordinate Descent*, *Journal of Statistical Software*, Vol. 39(5), 1-13, [doi:10.18637/jss.v039.i05](https://doi.org/10.18637/jss.v039.i05).
- Hastie, T., Tibshirani, Robert and Tibshirani, Ryan (2020) *Best Subset, Forward Stepwise or Lasso? Analysis and Recommendations Based on Extensive Comparisons*, *Statist. Sc.* Vol. 35(4), 579-592, <https://arxiv.org/abs/1707.08692>.
- Glmnet webpage with four vignettes, <https://glmnet.stanford.edu>.

See Also

`glmnet`, and `print`, and `coef` methods, and `cv.glmnet`.

Examples

```
x = matrix(rnorm(100 * 20), 100, 20)
y = rnorm(100)
cv.fit = cv.glmnet(x, y)
predict(cv.fit, newx = x[1:5, ])
coef(cv.fit)
coef(cv.fit, s = "lambda.min")
predict(cv.fit, newx = x[1:5, ], s = c(0.001, 0.002))
cv.fitr = cv.glmnet(x, y, relax = TRUE)
predict(cv.fitr, newx = x[1:5, ])
coef(cv.fitr)
coef(cv.fitr, s = "lambda.min", gamma = "gamma.min")
predict(cv.fitr, newx = x[1:5, ], s = c(0.001, 0.002), gamma = "gamma.min")
```

predict.glmnetfit	<i>Get predictions from a glmnetfit fit object</i>
-------------------	----------------------------------------------------

Description

Gives fitted values, linear predictors, coefficients and number of non-zero coefficients from a fitted glmnetfit object.

Usage

```
## S3 method for class 'glmnetfit'
predict(
  object,
  newx,
  s = NULL,
  type = c("link", "response", "coefficients", "nonzero"),
  exact = FALSE,
  newoffset,
  ...
)
```

Arguments

object	Fitted "glmnetfit" object.
newx	Matrix of new values for x at which predictions are to be made. Must be a matrix. This argument is not used for type = c("coefficients", "nonzero").
s	Value(s) of the penalty parameter lambda at which predictions are required. Default is the entire sequence used to create the model.
type	Type of prediction required. Type "link" gives the linear predictors (eta scale); Type "response" gives the fitted values (mu scale). Type "coefficients" computes the coefficients at the requested values for s. Type "nonzero" returns a list of the indices of the nonzero coefficients for each value of s.

exact	This argument is relevant only when predictions are made at values of s (lambda) <i>different</i> from those used in the fitting of the original model. If <code>exact=FALSE</code> (default), then the <code>predict</code> function uses linear interpolation to make predictions for values of s (lambda) that do not coincide with those used in the fitting algorithm. While this is often a good approximation, it can sometimes be a bit coarse. With <code>exact=TRUE</code> , these different values of s are merged (and sorted) with <code>object\$lambda</code> , and the model is refit before predictions are made. In this case, it is required to supply the original data <code>x=</code> and <code>y=</code> as additional named arguments to <code>predict()</code> or <code>coef()</code> . The workhorse <code>predict.glmnet()</code> needs to update the model, and so needs the data used to create it. The same is true of <code>weights</code> , <code>offset</code> , <code>penalty.factor</code> , <code>lower.limits</code> , <code>upper.limits</code> if these were used in the original call. Failure to do so will result in an error.
newoffset	If an <code>offset</code> is used in the fit, then one must be supplied for making predictions (except for <code>type="coefficients"</code> or <code>type="nonzero"</code>).
...	This is the mechanism for passing arguments like <code>x=</code> when <code>exact=TRUE</code> ; see <code>exact</code> argument.

Value

The object returned depends on `type`.

print.cv.glmnet	<i>print a cross-validated glmnet object</i>
-----------------	----------------------------------------------

Description

Print a summary of the results of cross-validation for a `glmnet` model.

Usage

```
## S3 method for class 'cv.glmnet'
print(x, digits = max(3, getOption("digits") - 3), ...)
```

Arguments

<code>x</code>	fitted 'cv.glmnet' object
<code>digits</code>	significant digits in printout
...	additional print arguments

Details

A summary of the cross-validated fit is produced, slightly different for a 'cv.relaxed' object than for a 'cv.glmnet' object. Note that a 'cv.relaxed' object inherits from class 'cv.glmnet', so by directly invoking `print.cv.glmnet(object)` will print the summary as if `relax=TRUE` had not been used.

Author(s)

Jerome Friedman, Trevor Hastie and Rob Tibshirani
 Maintainer: Trevor Hastie hastie@stanford.edu

References

Friedman, J., Hastie, T. and Tibshirani, R. (2008) *Regularization Paths for Generalized Linear Models via Coordinate Descent*
<https://arxiv.org/abs/1707.08692>
 Hastie, T., Tibshirani, Robert, Tibshirani, Ryan (2019) *Extended Comparisons of Best Subset Selection, Forward Stepwise Selection, and the Lasso*

See Also

glmnet, predict and coef methods.

Examples

```
x = matrix(rnorm(100 * 20), 100, 20)
y = rnorm(100)
fit1 = cv.glmnet(x, y)
print(fit1)
fit1r = cv.glmnet(x, y, relax = TRUE)
print(fit1r)
## print.cv.glmnet(fit1r) ## CHECK WITH TREVOR
```

print.glmnet	<i>print a glmnet object</i>
--------------	------------------------------

Description

Print a summary of the glmnet path at each step along the path.

Usage

```
## S3 method for class 'glmnet'
print(x, digits = max(3, getOption("digits") - 3), ...)
```

Arguments

x	fitted glmnet object
digits	significant digits in printout
...	additional print arguments

Details

The call that produced the object `x` is printed, followed by a three-column matrix with columns `Df`, `%Dev` and `Lambda`. The `Df` column is the number of nonzero coefficients (`Df` is a reasonable name only for lasso fits). `%Dev` is the percent deviance explained (relative to the null deviance). In the case of a 'relaxed' fit, an additional column is inserted, `%Dev R` which gives the percent deviance explained by the relaxed model. For a "bigGlm" model, a simpler summary is printed.

Value

The matrix above is silently returned

References

Friedman, J., Hastie, T. and Tibshirani, R. (2008). Regularization Paths for Generalized Linear Models via Coordinate Descent

See Also

`glmnet`, `predict` and `coef` methods.

Examples

```
x = matrix(rnorm(100 * 20), 100, 20)
y = rnorm(100)
fit1 = glmnet(x, y)
print(fit1)
```

QuickStartExample *Synthetic dataset with Gaussian response*

Description

Randomly generated data for Gaussian regression example.

Usage

```
data(QuickStartExample)
```

Format

List containing the following elements:

x 100 by 20 matrix of numeric values.

y Numeric vector of length 100.

response.coxnet	<i>Make response for coxnet</i>
-----------------	---------------------------------

Description

Internal function to make the response `y` passed to `glmnet` suitable for `coxnet` (i.e. `glmnet` with `family = "cox"`). Sanity checks are performed here too.

Usage

```
response.coxnet(y)
```

Arguments

`y` Response variable. Either a class "Surv" object or a two-column matrix with columns named 'time' and 'status'.

Details

If `y` is a class "Surv" object, this function returns `y` with no changes. If `y` is a two-column matrix with columns named 'time' and 'status', it is converted into a "Surv" object.

Value

A class "Surv" object.

rmult	<i>Generate multinomial samples from a probability matrix</i>
-------	---------------------------------------------------------------

Description

Generate multinomial samples

Usage

```
rmult(p)
```

Arguments

`p` matrix of probabilities, with number of columns the number of classes

Details

Simple function that calls the `rmultinom` function. It generates a class label for each row of its input matrix of class probabilities.

Value

a vector of class memberships

Author(s)

Trevor Hastie

Maintainer: Trevor Hastie hastie@stanford.edu

SparseExample

Synthetic dataset with sparse design matrix

Description

Randomly generated data for Gaussian regression example with the design matrix x being in sparse matrix format.

Usage

```
data(SparseExample)
```

Format

List containing the following elements:

x 100 by 20 matrix of numeric values. x is in sparse matrix format, having class "dgCMatrix".

y Numeric vector of length 100.

stratifySurv

Add strata to a Surv object

Description

Helper function to add strata as an attribute to a Surv object. The output of this function can be used as the response in `glmnet()` for fitting stratified Cox models.

Usage

```
stratifySurv(y, strata = rep(1, length(y)))
```

Arguments

y A Surv object.

strata A vector of length equal to the number of observations in y , indicating strata membership. Default is all belong to same strata.

Details

When fitting a stratified Cox model with `glmnet()`, `strata` should be added to a `Surv` response with this helper function. Note that it is not sufficient to add `strata` as an attribute to the `Surv` response manually: if the result does not have class `stratifySurv`, subsetting of the response will not work properly.

Value

An object of class `stratifySurv` (in addition to all the classes `y` belonged to).

Examples

```
y <- survival::Surv(1:10, rep(0:1, length.out = 10))
strata <- rep(1:3, length.out = 10)
y2 <- stratifySurv(y, strata) # returns stratifySurv object
```

<code>survfit.coxnet</code>	<i>Compute a survival curve from a coxnet object</i>
-----------------------------	------------------------------------------------------

Description

Computes the predicted survivor function for a Cox proportional hazards model with elastic net penalty.

Usage

```
## S3 method for class 'coxnet'
survfit(formula, s = NULL, ...)
```

Arguments

<code>formula</code>	A class <code>coxnet</code> object.
<code>s</code>	Value(s) of the penalty parameter <code>lambda</code> at which the survival curve is required. Default is the entire sequence used to create the model. However, it is recommended that <code>survfit.coxnet</code> is called for a single penalty parameter.
<code>...</code>	This is the mechanism for passing additional arguments like (i) <code>x=</code> and <code>y=</code> for the <code>x</code> and <code>y</code> used to fit the model, (ii) <code>weights=</code> and <code>offset=</code> when the model was fit with these options, (iii) arguments for new data (<code>newx</code> , <code>newoffset</code> , <code>newstrata</code>), and (iv) arguments to be passed to <code>survfit.coxph()</code> .

Details

To be consistent with other functions in `glmnet`, if `s` is not specified, survival curves are returned for the entire `lambda` sequence. This is not recommended usage: it is best to call `survfit.coxnet` with a single value of the penalty parameter for the `s` option.

Value

If `s` is a single value, an object of class "survfitcox" and "survfit" containing one or more survival curves. Otherwise, a list of such objects, one element for each value in `s`. Methods defined for survfit objects are print, summary and plot.

Examples

```
set.seed(2)
nobs <- 100; nvars <- 15
xvec <- rnorm(nobs * nvars)
xvec[sample.int(nobs * nvars, size = 0.4 * nobs * nvars)] <- 0
x <- matrix(xvec, nrow = nobs)
beta <- rnorm(nvars / 3)
fx <- x[, seq(nvars / 3)] %*% beta / 3
ty <- rexp(nobs, exp(fx))
tcens <- rbinom(n = nobs, prob = 0.3, size = 1)
y <- survival::Surv(ty, tcens)
fit1 <- glmnet(x, y, family = "cox")

# survfit object for Cox model where lambda = 0.1
sf1 <- survival::survfit(fit1, s = 0.1, x = x, y = y)
plot(sf1)

# example with new data
sf2 <- survival::survfit(fit1, s = 0.1, x = x, y = y, newx = x[1:3, ])
plot(sf2)

# example with strata
y2 <- stratifySurv(y, rep(1:2, length.out = nobs))
fit2 <- glmnet(x, y2, family = "cox")
sf3 <- survival::survfit(fit2, s = 0.1, x = x, y = y2)
sf4 <- survival::survfit(fit2, s = 0.1, x = x, y = y2,
                        newx = x[1:3, ], newstrata = c(1, 1, 1))
```

survfit.cv.glmnet

Compute a survival curve from a cv.glmnet object

Description

Computes the predicted survivor function for a Cox proportional hazards model with elastic net penalty from a cross-validated glmnet model.

Usage

```
## S3 method for class 'cv.glmnet'
survfit(formula, s = c("lambda.1se", "lambda.min"), ...)
```

Arguments

formula	A class <code>cv.glmnet</code> object. The object should have been fit with <code>family = "cox"</code> .
s	Value(s) of the penalty parameter <code>lambda</code> at which predictions are required. Default is the value <code>s="lambda.1se"</code> stored on the CV object. Alternatively <code>s="lambda.min"</code> can be used. If <code>s</code> is numeric, it is taken as the value(s) of <code>lambda</code> to be used.
...	Other arguments to be passed to <code>survfit.coxnet</code> .

Details

This function makes it easier to use the results of cross-validation to compute a survival curve.

Value

If `s` is a single value, an object of class `"survfitcox"` and `"survfit"` containing one or more survival curves. Otherwise, a list of such objects, one element for each value in `s`. Methods defined for `survfit` objects are `print`, `summary` and `plot`.

Examples

```
set.seed(2)
nobs <- 100; nvars <- 15
xvec <- rnorm(nobs * nvars)
x <- matrix(xvec, nrow = nobs)
beta <- rnorm(nvars / 3)
fx <- x[, seq(nvars / 3)] %*% beta / 3
ty <- rexp(nobs, exp(fx))
tcens <- rbinom(n = nobs, prob = 0.3, size = 1)
y <- survival::Surv(ty, tcens)
cvfit <- cv.glmnet(x, y, family = "cox")
# default: s = "lambda.1se"
survival::survfit(cvfit, x = x, y = y)

# s = "lambda.min"
survival::survfit(cvfit, s = "lambda.min", x = x, y = y)
```

use.cox.path

Check if glmnet should call cox.path

Description

Helper function to check if `glmnet()` should call `cox.path()`.

Usage

```
use.cox.path(x, y)
```

Arguments

x	Design matrix.
y	Response variable.

Details

For family="cox", we only call the original coxnet() function if (i) x is not sparse, (ii) y is right-censored data, and (iii) we are not fitting a stratified Cox model. This function also throws an error if y has a "strata" attribute but is not of type "stratifySurv".

Value

TRUE if cox.path() should be called, FALSE otherwise.

weighted_mean_sd	<i>Helper function to compute weighted mean and standard deviation</i>
------------------	------------------------------------------------------------------------

Description

Helper function to compute weighted mean and standard deviation. Deals gracefully whether x is sparse matrix or not.

Usage

```
weighted_mean_sd(x, weights = rep(1, nrow(x)))
```

Arguments

x	Observation matrix.
weights	Optional weight vector.

Value

A list with components.

mean	vector of weighted means of columns of x
sd	vector of weighted standard deviations of columns of x

Index

- * **Cox**
 - Cindex, 8
 - coxgrad, 18
 - coxnet.deviance, 19
- * **classification**
 - assess.glmnet, 4
- * **cross-validation**
 - Cindex, 8
- * **datasets**
 - beta_CVX, 6
- * **data**
 - BinomialExample, 8
 - CoxExample, 17
 - MultiGaussianExample, 51
 - MultinomialExample, 52
 - PoissonExample, 59
 - QuickStartExample, 64
 - SparseExample, 66
- * **models**
 - assess.glmnet, 4
 - bigGlm, 7
 - Cindex, 8
 - coef.glmnet, 10
 - cv.glmnet, 21
 - deviance.glmnet, 26
 - glmnet, 34
 - glmnet-package, 3
 - glmnet.control, 41
 - glmnet.measures, 46
 - makeX, 49
 - na.replace, 53
 - plot.cv.glmnet, 56
 - plot.glmnet, 57
 - predict.cv.glmnet, 59
 - print.cv.glmnet, 62
 - print.glmnet, 63
- * **model**
 - coxgrad, 18
 - coxnet.deviance, 19
- * **package**
 - glmnet-package, 3
- * **regression**
 - bigGlm, 7
 - coef.glmnet, 10
 - cv.glmnet, 21
 - deviance.glmnet, 26
 - glmnet, 34
 - glmnet-package, 3
 - glmnet.control, 41
 - plot.cv.glmnet, 56
 - plot.glmnet, 57
 - predict.cv.glmnet, 59
 - print.cv.glmnet, 62
 - print.glmnet, 63
- assess.glmnet, 4
- beta_CVX, 6
- bigGlm, 7
- BinomialExample, 8
- Cindex, 8
- coef.cv.glmnet (predict.cv.glmnet), 59
- coef.cv.relaxed (predict.cv.glmnet), 59
- coef.glmnet, 10
- coef.relaxed (coef.glmnet), 10
- confusion.glmnet (assess.glmnet), 4
- cox.fit, 12
- cox.path, 15
- cox_obj_function, 21
- CoxExample, 17
- coxgrad, 18
- coxnet.deviance, 19
- cv.glmnet, 21
- dev_function, 27
- deviance.glmnet, 26
- elnet.fit, 28

family, [33](#), [44](#), [48](#)
fid, [30](#)

get_cox_lambda_max, [31](#)
get_eta, [32](#)
get_start, [32](#)
glmnet, [34](#)
glmnet-package, [3](#)
glmnet.control, [41](#)
glmnet.fit, [43](#)
glmnet.measures, [46](#)
glmnet.path, [47](#)

makeX, [49](#)
MultiGaussianExample, [51](#)
MultinomialExample, [52](#)
mycoxph, [52](#)
mycoxpred, [53](#)

na.replace, [53](#)

obj_function, [54](#)

pen_function, [55](#)
plot.cv.glmnet, [56](#)
plot.cv.relaxed (plot.cv.glmnet), [56](#)
plot.glmnet, [57](#)
plot.mrelnet (plot.glmnet), [57](#)
plot.multnet (plot.glmnet), [57](#)
plot.relaxed (plot.glmnet), [57](#)
PoissonExample, [59](#)
predict.coxnet (coef.glmnet), [10](#)
predict.cv.glmnet, [59](#)
predict.cv.relaxed (predict.cv.glmnet),
[59](#)
predict.elnet (coef.glmnet), [10](#)
predict.fishnet (coef.glmnet), [10](#)
predict.glmnet (coef.glmnet), [10](#)
predict.glmnetfit, [61](#)
predict.lognet (coef.glmnet), [10](#)
predict.mrelnet (coef.glmnet), [10](#)
predict.multnet (coef.glmnet), [10](#)
predict.relaxed (coef.glmnet), [10](#)
print.bigGlm (print.glmnet), [63](#)
print.cv.glmnet, [62](#)
print.cv.relaxed (print.cv.glmnet), [62](#)
print.glmnet, [63](#)
print.relaxed (print.glmnet), [63](#)

QuickStartExample, [64](#)

relax.glmnet (glmnet), [34](#)
response.coxnet, [65](#)
rmult, [65](#)
roc.glmnet (assess.glmnet), [4](#)

SparseExample, [66](#)
stratifySurv, [66](#)
survfit.coxnet, [67](#)
survfit.cv.glmnet, [68](#)

use.cox.path, [69](#)

weighted_mean_sd, [70](#)

x (beta_CVX), [6](#)

y (beta_CVX), [6](#)