

Package ‘stopp’

April 18, 2024

Title Spatio-Temporal Point Pattern Methods, Model Fitting,
Diagnostics, Simulation, Local Tests

Version 0.2.3

Date 2024-04-17

Type Package

Description Toolbox for different kinds of spatio-temporal analyses to be performed on observed point patterns, following the growing stream of literature on point process theory. This R package implements functions to perform different kinds of analyses on point processes, proposed in the papers (Siino, Adelfio, and Mateu 2018<[doi:10.1007/s00477-018-1579-0](https://doi.org/10.1007/s00477-018-1579-0)>; Siino et al. 2018<[doi:10.1002/env.2463](https://doi.org/10.1002/env.2463)>; Adelfio et al. 2020<[doi:10.1007/s00477-019-01748-1](https://doi.org/10.1007/s00477-019-01748-1)>; D’Angelo, Adelfio, and Mateu 2021<[doi:10.1016/j.spasta.2021.100534](https://doi.org/10.1016/j.spasta.2021.100534)>; D’Angelo, Adelfio, and Mateu 2022<[doi:10.1007/s00362-022-01338-4](https://doi.org/10.1007/s00362-022-01338-4)>; D’Angelo, Adelfio, and Mateu 2023<[doi:10.1016/j.csda.2022.107679](https://doi.org/10.1016/j.csda.2022.107679)>). The main topics include modeling, statistical inference, and simulation issues on spatio-temporal point processes on Euclidean space and linear networks.

License GPL (>= 2)

Encoding UTF-8

Depends R (>= 4.0.0)

Imports stats, graphics, KernSmooth, MASS, fields, optimx, plot3D,
sparr, spatstat.explore, spatstat.geom, spatstat.linnet,
spatstat.random, splancs, spatstat.model, spatstat.utils,
stlnpp, stpp, mgcv

LazyData true

Author Nicoletta D’Angelo [aut, cre] (<<https://orcid.org/0000-0002-8878-5986>>),
Giada Adelfio [aut] (<<https://orcid.org/0000-0002-3194-4296>>)

Maintainer Nicoletta D’Angelo <nicoletta.dangelo@unipa.it>

RoxygenNote 7.3.1

Config/testthat/edition 3

NeedsCompilation no

Repository CRAN

Date/Publication 2024-04-18 09:30:02 UTC

R topics documented:

stopp-package	3
chicagonet	4
globaldiag	5
greececatalog	6
infl	8
localdiag	9
localplot	11
localSTLginhom	12
localSTLKinhom	13
localsummary	15
localtest	16
locstppm	18
plot.globaldiag	20
plot.lista	22
plot.localdiag	23
plot.localtest	24
plot.locstppm	26
plot.sepstlppm	27
plot.sepstppm	28
plot.stcov	29
plot.stlgcppm	30
plot.stlp	31
plot.stlpm	32
plot.stp	33
plot.stpm	34
plot.stppm	35
print.globaldiag	37
print.lista	38
print.localdiag	39
print.localtest	40
print.locstppm	41
print.sepstlppm	42
print.sepstppm	43
print.stcov	44
print.stlgcppm	45
print.stlp	46
print.stlpm	47
print.stp	47
print.stpm	48
print.stppm	49
rETASlp	50
rETASp	52
rstlpp	54
rstpp	55
sepstlppm	57
sepstppm	58

stcov	58
stlgcppm	60
stp	63
stpm	64
stppm	65
summary.globaldiag	68
summary.lista	69
summary.localdiag	70
summary.localtest	71
summary.locstppm	72
summary.sepstlppm	73
summary.sepstppm	74
summary.stcov	75
summary.stlgcppm	76
summary.stlp	77
summary.stlpm	78
summary.stp	78
summary.stpm	79
summary.stppm	80
valenciacrimes	81
valencianet	82

Index	83
--------------	-----------

stopp-package	<i>Spatio-Temporal Point Pattern Methods, Model Fitting, Diagnostics, Simulation, Local Tests</i>
---------------	---------------------------------------------------------------------------------------------------

Description

Toolbox for different kinds of spatio-temporal analyses to be performed on observed point patterns, following the growing stream of literature on point process theory. This R package implements functions to perform different kinds of analyses on point processes, proposed in the papers: Siino, Adelfio, and Mateu (2018), Siino et al. (2018), Adelfio et al. (2020), D’Angelo, Adelfio, and Mateu (2021), D’Angelo, Adelfio, and Mateu (2022), and D’Angelo, Adelfio, and Mateu (2023). The main topics include modeling, statistical inference, and simulation issues on spatio-temporal point processes on Euclidean space and linear networks.

Author(s)

Nicoletta D’Angelo [aut,cre] nicoletta.dangelo@unipa.it, Giada Adelfio [aut]

References

Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.

D'Angelo, N., Adelfio, G., and Mateu, J. (2021). Assessing local differences between the spatio-temporal second-order structure of two point patterns occurring on the same linear network. *Spatial Statistics*, 45, 100534.

D'Angelo, N., Adelfio, G. and Mateu, J. (2022) Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

Siino, M., Adelfio, G., and Mateu, J. (2018). Joint second-order parameter estimation for spatio-temporal log-Gaussian Cox processes. *Stochastic environmental research and risk assessment*, 32(12), 3525-3539.

Siino, M., Rodríguez-Cortés, F. J., Mateu, J. ,and Adelfio, G. (2018). Testing for local structure in spatiotemporal point pattern data. *Environmetrics*, 29(5-6), e2463.

chicagonet

Rescaled roads of Chicago (Illinois, USA)

Description

A linear network of class `linnet` of the roads of Chicago (Illinois, USA) close to the University of Chicago. The window has been rescaled to be enclosed in a unit square.

Usage

```
data(chicagonet)
```

Format

A linear network of class `linnet`

Author(s)

Nicoletta D'Angelo

References

Ang, Q.W., Baddeley, A. and Nair, G. (2012) Geometrically corrected second-order analysis of events on a linear network, with applications to ecology and criminology. *Scandinavian Journal of Statistics* 39, 591–617.

Examples

```
data(chicagonet)
```

globaldiag	<i>Global diagnostics of a spatio-temporal point process first-order intensity</i>
------------	------------------------------------------------------------------------------------

Description

This function performs global diagnostics of a model fitted for the first-order intensity of a spatio-temporal point pattern, by returning the inhomogeneous K-function weighted by the provided intensity to diagnose, its theoretical value, and their difference.

Usage

```
globaldiag(x, intensity)
```

Arguments

x	A stp object
intensity	A vector of intensity values, of the same length as the number of point in x

Details

If applied to a stp object, it resorts to the spatio-temporal inhomogeneous K-function (Gabriel and Diggle, 2009) documented by the function [STIKhat](#) of the stpp package (Gabriel et al, 2013).

If applied to a stlp object, it uses the spatio-temporal inhomogeneous K-function on a linear network (Moradi and Mateu, 2020) documented by the function [STLKinhom](#) of the stlnpp package (Moradi et al., 2020).

Value

A list of class globaldiag, containing

x	The observed point pattern
dist	The spatial ranges of the K-function
times	The temporal ranges of the K-function
est	The estimated K-function weighted by the intensity function in input
theo	The theoretical K-function
diffK	The difference between the estimated and the theoretical K-functions
squared.diff	The sum of the squared differences between the estimated and the theoretical K-functions

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

- Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.
- D'Angelo, N., Adelfio, G. and Mateu, J. (2022) Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>
- Gabriel, E., and Diggle, P. J. (2009). Second-order analysis of inhomogeneous spatio-temporal point process data. *Statistica Neerlandica*, 63(1), 43-51.
- Gabriel, E., Rowlingson, B. S., & Diggle, P. J. (2013). stpp: An R Package for Plotting, Simulating and Analyzing Spatio-Temporal Point Patterns. *Journal of Statistical Software*, 53(2), 1–29. <https://doi.org/10.18637/jss.v053.i02>
- Moradi M, Cronie O, and Mateu J (2020). stlnpp: Spatio-temporal analysis of point patterns on linear networks.
- Moradi, M. M., and Mateu, J. (2020). First-and second-order characteristics of spatio-temporal point processes on linear networks. *Journal of Computational and Graphical Statistics*, 29(3), 432-443.

See Also

[plot.globaldiag](#), [print.globaldiag](#), [summary.globaldiag](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)}, par = c(.3, 6))

mod1 <- stppm(inh, formula = ~ 1)
mod2 <- stppm(inh, formula = ~ x)

g1 <- globaldiag(inh, mod1$1)
g2 <- globaldiag(inh, mod2$1)
```

Description

A dataset in stp format containing the catalog of Greek earthquakes of magnitude at least 4.0 from year 2005 to year 2014. Data come from the Hellenic Unified Seismic Network (H.U.S.N.).

Usage

```
data(greececatalog)
```

Format

A stp object for a spatio-temporal point pattern with 1111 points

Details

The variables are as follows:

- x. longitude, ranging from 20.02 to 27.98
- y. latitude, ranging from 33.75 to 40.45
- t. time, ranging from 38354, 42000

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Siino, M., D'Alessandro, A., and Adelfio, G. (2022). Local spatial log-Gaussian Cox processes for seismic data. *AStA Advances in Statistical Analysis*, 1-39.

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

Gabriel, E., Rodriguez-Cortes, F., Coville, J., Mateu, J., and Chadoeuf, J. (2022). Mapping the intensity function of a non-stationary point process in unobserved areas. *Stochastic Environmental Research and Risk Assessment*, 1-17.

Siino, M., Adelfio, G., Mateu, J., Chiodi, M., and D'alessandro, A. (2017). Spatial pattern analysis using hybrid models: an application to the Hellenic seismicity. *Stochastic Environmental Research and Risk Assessment*, 31(7), 1633-1648.

Examples

```
data(greececatalog)
```

```
plot(greececatalog)
```

infl *Display outlying LISTA functions*

Description

This function works on the objects of class `localdiag`, as returned by `localdiag`, plotting the identified 'outlying' LISTA functions. These correspond to the influential points in the fitting of the model provided by `localdiag`

Usage

```
infl(x, id = NULL)
```

Arguments

<code>x</code>	An object of class <code>localdiag</code>
<code>id</code>	The id of the LISTA to display. Default is set to the ids identified and stored in the <code>localdiag</code> object

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.

D'Angelo, N., Adelfio, G. and Mateu, J. (2022) Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

See Also

[localdiag](#), [plot.localdiag](#), [print.localdiag](#), [summary.localdiag](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)}, par = c(.3, 6))

mod1 <- stppm(inh, formula = ~ 1)

resmod1 <- localdiag(inh, mod1$1, p = .9)

infl(resmod1)
```


localdiag

*Local diagnostics of spatio-temporal point process models***Description**

This function performs local diagnostics of a model fitted for the first-order intensity of a spatio-temporal point pattern, returning the points identified as outlying following the diagnostics procedure on individual points of an observed point pattern, as introduced in Adelfio et al. (2020), and applied in D’Angelo et al. (2022) for the linear network case.

The points resulting from the local diagnostic procedure provided by this function can be inspected via the [plot](#), [print](#), [summary](#), and [infi](#) functions.

Usage

```
localdiag(x, intensity, p = 0.95)
```

Arguments

x	Either a <code>stp</code> or a <code>stlp</code> object
intensity	A vector of intensity values, of the same length as the number of point in x
p	The percentile to consider as threshold for the outlying points. Default to 0.95.

Details

This function performs local diagnostics of a model fitted for the first-order intensity of a spatio-temporal point pattern, by means of the local spatio-temporal inhomogeneous K-function (Adelfio et al, 2020) documented by the function [KLISTAhat](#) of the `stpp` package (Gabriel et al, 2013).

The function can also perform local diagnostics of a model fitted for the first-order intensity of an spatio-temporal point pattern on a linear network, by means of the local spatio-temporal inhomogeneous K-function on linear networks (D’Angelo et al, 2021) documented by the function [localSTLKinhom](#).

In both cases, it returns the points identified as outlying following the diagnostics procedure on individual points of an observed point pattern, as introduced in Adelfio et al. (2020), and applied in D’Angelo et al. (2022) for the linear network case.

This function computes discrepancies by means of the χ_i^2 values, obtained following the expression

$$\chi_i^2 = \int_L \int_T \left(\frac{(\hat{K}_I^i(r, h) - \mathbb{E}[\hat{K}^i(r, h)])^2}{\mathbb{E}[\hat{K}^i(r, h)]} \right) dh dr,$$

one for each point in the point pattern.

Note that the Euclidean procedure is implemented by the local K-functions of Adelfio et al. (2020), documented in [KLISTAhat](#) of the `stpp` package (Gabriel et al, 2013). The network case uses the local K-functions on networks (D’Angelo et al., 2021), documented in [localSTLKinhom](#).

Value

A list object of class `localdiag`, containing

`x` The `stp` object provided as input

`listas` The LISTA functions, in a list object

`ids` The ids of the points identified as outlying

`x2` A vector with the individual contributions to the Chi-squared statistics, normalized

`p` The percentile considered

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.

D'Angelo, N., Adelfio, G. and Mateu, J. (2022) Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

Gabriel, E., Rowlingson, B. S., and Diggle, P. J. (2013). `stpp`: An R Package for Plotting, Simulating and Analyzing Spatio-Temporal Point Patterns. *Journal of Statistical Software*, 53(2), 1–29. <https://doi.org/10.18637/jss.v053.i02>

See Also

[infl](#), [plot.localdiag](#), [print.localdiag](#), [summary.localdiag](#), [globaldiag](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
            par = c(.3, 6))

mod1 <- stppm(inh, formula = ~ 1)

resmod1 <- localdiag(inh, mod1$1, p = .9)
```

localplot	<i>Plot the coefficients of a fitted local spatio-temporal Poisson process or local LGCP model</i>
-----------	----------------------------------------------------------------------------------------------------

Description

The function plots the local estimates of a fitted local spatio-temporal Poisson process or local LGCP model

Usage

```
localplot(x, par = TRUE)
```

Arguments

x	An object of class locstppm or stlgcppm
par	Default to TRUE.

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

See Also

[locstppm](#), [stlgcppm](#)

Examples

```
# Local spatio-temporal Poisson process model

set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(0.005, 5))
inh_local <- locstppm(inh, formula = ~ x)

localplot(inh_local)

# Local LGCP
catsub <- stp(greececatalog$df[1:200, ])

lgcp_loc <- stlgcppm(catsub, formula = ~ x, first = "local")
```

```
localplot(lgcp_loc)
```

localSTLginhom	<i>Local inhomogeneous Spatio-temporal pair correlation functions on a linear network</i>
----------------	-------------------------------------------------------------------------------------------

Description

The functions `localSTLKinhom` and `localSTLginhom` implement the inhomogeneous LISTA functions proposed in D'Angelo et al. (2022).

Usage

```
localSTLginhom(x, lambda, normalize = FALSE, r = NULL, t = NULL, nxy = 10)
```

Arguments

<code>x</code>	A realisation of a spatio-temporal point processes on a linear network in <code>stlp</code> format
<code>lambda</code>	values of estimated intensity.
<code>normalize</code>	normalization factor to be considered.
<code>r</code>	values of argument <code>r</code> where pair correlation function will be evaluated. optional.
<code>t</code>	values of argument <code>t</code> where pair correlation function will be evaluated. optional.
<code>nxy</code>	pixel array dimensions. optional.

Details

The homogeneous K-function and pair correlation functions, in D'Angelo et al. (2021), can be obtained easily with `localSTLKinhom` and `localSTLginhom`, by imputing a `lambda` vector of constant intensity values, the same for each point.

Value

A list of class `lista`. The objects are of class `sumstlpp` (Moradi and Mateu, 2020).

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2021). Assessing local differences between the spatio-temporal second-order structure of two point patterns occurring on the same linear network. *Spatial Statistics*, 45, 100534.

D'Angelo, N., Adelfio, G. and Mateu, J. (2022). Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

See Also

[localSTLginhom](#), [STLKinhom](#), [STLginhom](#)

Examples

```
set.seed(2)
df_net <- data.frame(x = runif(25, 0, 0.85), y = runif(25, 0, 0.85), t = runif(25))
stlp1 <- stp(df_net, L = chicagonet)
lambda <- rep(diff(range(stlp1$df$x)) * diff(range(stlp1$df$y))
* diff(range(stlp1$df$t)) / spatstat.geom::volume(stlp1$L),
nrow(stlp1$df))

g <- localSTLginhom(stlp1, lambda = lambda, normalize = TRUE)
```

localSTLKinhom	<i>Local inhomogeneous Spatio-temporal K-functions on a linear network</i>
----------------	----------------------------------------------------------------------------

Description

The functions `localSTLKinhom` and `localSTLginhom` implement the inhomogeneous LISTA functions proposed in D'Angelo et al. (2022).

Usage

```
localSTLKinhom(
  x,
  lambda = lambda,
  normalize = FALSE,
  r = NULL,
  t = NULL,
  nxy = 10
)
```

Arguments

x	A realisation of a spatio-temporal point processes on a linear network in stlp format
lambda	values of estimated intensity.
normalize	normalization factor to be considered.
r	values of argument r where K-function will be evaluated. optional.
t	values of argument t where K-function will be evaluated. optional.
nxy	pixel array dimensions. optional.

Details

The homogeneous K-function and pair correlation functions, in D'Angelo et al. (2021), can be obtained easily with `localSTLKinhom` and `localSTLginhom`, by imputing a lambda vector of constant intensity values, the same for each point.

Value

A list of class `lista`. The objects are of class `sumstlpp` (Moradi and Mateu, 2020).

Author(s)

Nicoletta D'Angelo

References

- D'Angelo, N., Adelfio, G., and Mateu, J. (2021). Assessing local differences between the spatio-temporal second-order structure of two point patterns occurring on the same linear network. *Spatial Statistics*, 45, 100534.
- D'Angelo, N., Adelfio, G., and Mateu, J. (2022). Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

See Also

[localSTLginhom](#), [STLKinhom](#), [STLginhom](#)

Examples

```
set.seed(2)
df_net <- data.frame(x = runif(25, 0, 0.85), y = runif(25, 0, 0.85), t = runif(25))
stlp1 <- stp(df_net, L = chicagonet)
lambda <- rep(diff(range(stlp1$df$x)) * diff(range(stlp1$df$y))
  * diff(range(stlp1$df$t)) / spatstat.geom::volume(stlp1$L),
  nrow(stlp1$df))

k <- localSTLKinhom(stlp1, lambda = lambda, normalize = TRUE)
```

localsummary	<i>Summary plots of the fitted coefficient of a local spatio-temporal Poisson process or a local LGCP model</i>
--------------	-----------------------------------------------------------------------------------------------------------------

Description

The function breaks up the contribution of the local estimates to the fitted intensity, by plotting the overall intensity and the density kernel smoothing of some artificial intensities, obtained by imputing the quartiles of the local parameters' distributions.

Usage

```
localsummary(
  x,
  scaler = c("silverman", "IQR", "sd", "var"),
  do.points = TRUE,
  print.bw = FALSE,
  zap = 1e-05,
  par = TRUE
)
```

Arguments

x	An object of class <code>locstppm</code> or <code>stlgcppm</code>
scaler	Optional. Controls the value for a scalar representation of the spatial scale of the data. Either a character string, "silverman" (default), "IQR", "sd", or "var"; or positive numeric value(s). See OS .
do.points	Add points to plot
print.bw	It prints the estimated oversmoothing (OS) bandwidth selector
zap	Noise threshold factor (default to 0.00001). A numerical value greater than or equal to 1. If the range of pixel values is less than $\text{zap} * \text{.Machine\$double.eps}$, the image will be treated as constant. This avoids displaying images which should be constant but contain small numerical errors.
par	Default to TRUE.

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

Davies, T.M. and Hazelton, M.L. (2010). Adaptive kernel estimation of spatial relative risk, *Statistics in Medicine*, 29(23) 2423-2437.

Terrell, G.R. (1990). The maximal smoothing principle in density estimation, *Journal of the American Statistical Association*, 85, 470-477.

See Also

[locstppm](#), [stlgcppm](#)

Examples

```
# Local spatio-temporal Poisson process model

set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(0.005, 5))
inh_local <- locstppm(inh, formula = ~ x)

localsummary(inh_local)

# Local LGCP

catsub <- stp(greececatalog$df[1:200, ])

lgcp_loc <- stlgcppm(catsub, formula = ~ x, first = "local")

localsummary(lgcp_loc)
```

localtest

Test of local structure for spatio-temporal point processes

Description

This function performs the permutation test of the local structure for spatio-temporal point pattern data, proposed in Siino et al. (2018), as well as for spatio-temporal point pattern data occurring on the same linear network, following D'Angelo et al. (2021).

Usage

```
localtest(X, Z, method = c("K", "g"), k, alpha = 0.05, verbose = TRUE)
```


Arguments

X	Background spatio-temporal point pattern. Usually, the most clustered between X and Z. Must be either a <code>stp</code> or <code>stlp</code> object.
Z	Other spatio-temporal point pattern. Must also be of the same class as X.
method	Character string indicating which version of LISTA function to use: either "K" or "g". If "K", the local spatio-temporal K-function is used to run the test. If "g", the local spatio-temporal pair correlation function is used.
k	Number of permutations
alpha	Significance level
verbose	If TRUE (default) the progress of the test is printed

Details

The test detects local differences between \mathbf{x} and \mathbf{z} occurring on the same space-time region.

The test ends providing a vector p of p -values, one for each point in \mathbf{x} .

If the test is performed for spatio-temporal point patterns as in Siino et al. (2018), that is, on an object of class `stp`, the LISTA functions $\hat{L}^{(i)}$ employed are the local functions of Adelfio et al. (2020), documented in [KLISTAhat](#) and [LISTAhat](#) of the `stpp` package (Gabriel et al, 2013).

If the function is applied to a `stlp` object, that is, on two spatio-temporal point patterns observed on the same linear network L , the LISTA function $\hat{L}^{(i)}$ used are the ones proposed in D'Angelo et al. (2021), documented in [localSTLkinhom](#) and [localSTLginhom](#).

Details on the performance of the test are found in Siino et al. (2018) and D'Angelo et al. (2021), for Euclidean and network spaces, respectively.

Value

A list of class `localtest`, containing

`p` A vector of p -values, one for each of the points in X

`X` The background spatio-temporal point pattern given in input

`Z` The alternative spatio-temporal point pattern given in input

`alpha` The threshold given in input

`Xsig` A `stp` object storing the resulting significant points

`Xnosig` A `stp` object storing the resulting non-significant points

`id` The ids of the resulting significant points

Author(s)

Nicoletta D'Angelo and Marianna Siino

References

- Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.
- D'Angelo, N., Adelfio, G., and Mateu, J. (2021). Assessing local differences between the spatio-temporal second-order structure of two point patterns occurring on the same linear network. *Spatial Statistics*, 45, 100534.
- Gabriel, E., Rowlingson, B. S., and Diggle, P. J. (2013). stpp: An R Package for Plotting, Simulating and Analyzing Spatio-Temporal Point Patterns. *Journal of Statistical Software*, 53(2), 1–29. <https://doi.org/10.18637/jss.v053.i02>
- Siino, M., Rodríguez-Cortés, F. J., Mateu, J., and Adelfio, G. (2018). Testing for local structure in spatiotemporal point pattern data. *Environmetrics*, 29(5-6), e2463.

See Also

[print.localtest](#), [summary.localtest](#), [plot.localtest](#)

Examples

```
set.seed(2)
X <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
           par = c(.005, 5))
Z <- rstpp(lambda = 30)

test <- localtest(X, Z, method = "K", k = 3)
```

locstppm

Fit a local Poisson process model to a spatio-temporal point pattern

Description

This function fits a Poisson process model to an observed spatio-temporal point pattern stored in a stp object, that is, a Poisson model with a set of parameters θ_i for each point i .

Usage

```
locstppm(
  X,
  formula,
  verbose = TRUE,
  mult = 4,
  seed = NULL,
  hs = c("global", "local"),
  npx0 = 10,
  npt0 = 10
)
```

Arguments

<code>X</code>	A stp object
<code>formula</code>	An object of class "formula": a symbolic description of the model to be fitted. The current version only supports formulas depending on the spatial and temporal coordinates: x, y, t .
<code>verbose</code>	Default to TRUE
<code>mult</code>	The multiplicand of the number of data points, for setting the number of dummy points to generate for the quadrature scheme
<code>seed</code>	The seed used for the simulation of the dummy points. Default to NULL.
<code>hs</code>	Character string indicating whether to select fixed or variable bandwidths for the kernel weights to be used in the log-likelihood. In any of those cases, the well-supported rule-of-thumb for choosing the bandwidth of a Gaussian kernel density estimator is employed. If <code>hs = "global"</code> (default), a fixed bandwidth is selected. If <code>hs = "local"</code> , an individual bandwidth is selected for each point in the pattern X .
<code>npx0</code>	Number of lags for the space grid period for variable bandwidths kernel
<code>npt0</code>	Number of lags for the time period for variable bandwidths kernel

Details

We assume that the template model is a Poisson process, with a parametric intensity or rate function $\lambda(\mathbf{u}, t; \theta_i)$ with space and time locations $\mathbf{u} \in W, t \in T$ and parameters $\theta_i \in \Theta$.

Estimation is performed through the fitting of a glm using a localized version of the quadrature scheme by Berman and Turner (1992), firstly introduced in the purely spatial context by Baddeley (2017), and in the spatio-temporal framework by D'Angelo et al. (2023).

Value

An object of class `locstppm`. A list of

- `IntCoefs` The fitted global coefficients
- `IntCoefs_local` The fitted local coefficients
- `X` The stp object provided as input

`nX` The number of points in X
`I` Vector indicating which points are dummy or data
`y_resp` The response variable of the model fitted to the quadrature scheme
`formula` The formula provided as input
`l` Fitted intensity through the global parameters
`l_local` Fitted intensity through the local parameters
`mod_global` The `glm` object of the model fitted to the quadrature scheme
`newdata` The data used to fit the model, without the dummy points
`time` Time elapsed to fit the model, in minutes

Author(s)

Nicoletta D'Angelo

References

Baddeley, A. (2017). Local composite likelihood for spatial point processes. *Spatial Statistics*, 22, 261-295.
 D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

See Also

[stppm](#)

Examples

```

set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(0.005, 5))
inh_local <- locstppm(inh, formula = ~ x)
  
```

plot.globaldiag	<i>Plot of the global diagnostics of a spatio-temporal point process first-order intensity</i>
-----------------	------------------------------------------------------------------------------------------------

Description

This function performs global diagnostics of a model fitted for the first-order intensity of a spatio-temporal point pattern, by returning the plots of the inhomogeneous K-function weighted by the provided intensity to diagnose, its theoretical value, and their difference.

Usage

```
## S3 method for class 'globaldiag'  
plot(x, samescale = TRUE, ...)
```

Arguments

x	A globaldiag object
samescale	Logical value. It indicates whether to plot the observed and the theoretical K-function in the same or different scale. Default to TRUE.
...	additional unused argument

Value

It plots three panels: the observed K-function, as returned by [STLKinhom](#); the theoretical one; their difference. The function also prints the sum of squared differences between the observed and theoretical K-function on the console.

Author(s)

Nicoletta D'Angelo

References

Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.

D'Angelo, N., Adelfio, G. and Mateu, J. (2022) Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

Gabriel, E., and Diggle, P. J. (2009). Second-order analysis of inhomogeneous spatio-temporal point process data. *Statistica Neerlandica*, 63(1), 43-51.

Gabriel, E., Rowlingson, B. S., & Diggle, P. J. (2013). *stpp: An R Package for Plotting, Simulating and Analyzing Spatio-Temporal Point Patterns*. *Journal of Statistical Software*, 53(2), 1–29. <https://doi.org/10.18637/jss.v053.i02>

Moradi M, Cronie O, and Mateu J (2020). *stlnpp: Spatio-temporal analysis of point patterns on linear networks*.

Moradi, M. M., and Mateu, J. (2020). First-and second-order characteristics of spatio-temporal point processes on linear networks. *Journal of Computational and Graphical Statistics*, 29(3), 432-443.

See Also

[globaldiag](#), [print.globaldiag](#), [summary.globaldiag](#)

Examples

```

set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(.3, 6))

mod1 <- stppm(inh, formula = ~ 1)
mod2 <- stppm(inh, formula = ~ x)

g1 <- globaldiag(inh, mod1$1)
g2 <- globaldiag(inh, mod2$1)

plot(g1)
plot(g2)

```

plot.lista

Display LISTA functions

Description

This function works on the objects of class `lista`, as returned by `localSTLkinhom` or `localSTLginhom`, plotting the specified LISTA functions.

Usage

```

## S3 method for class 'lista'
plot(x, id, ...)

```

Arguments

<code>x</code>	An object of class <code>lista</code>
<code>id</code>	The id of the LISTA to display
<code>...</code>	additional unused argument

Author(s)

Nicoletta D'Angelo

References

- D'Angelo, N., Adelfio, G., and Mateu, J. (2021). Assessing local differences between the spatio-temporal second-order structure of two point patterns occurring on the same linear network. *Spatial Statistics*, 45, 100534.
- D'Angelo, N., Adelfio, G., and Mateu, J. (2022). Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

See Also

[localSTLKinhom](#), [localSTLginhom](#)

Examples

```
set.seed(2)
df_net <- data.frame(x = runif(25, 0, 0.85), y = runif(25, 0, 0.85), t = runif(25))
stlp1 <- stp(df_net, L = chicagonet)
lambda <- rep(diff(range(stlp1$df$x)) * diff(range(stlp1$df$y))
  * diff(range(stlp1$df$t)) / spatstat.geom::volume(stlp1$L),
  nrow(stlp1$df))

k <- localSTLKinhom(stlp1, lambda = lambda, normalize = TRUE)

plot(k, id = 1:9)
```

plot.localdiag	<i>Plot of the local diagnostics' result on a spatio-temporal point process model</i>
----------------	---------------------------------------------------------------------------------------

Description

This function plots the result of the local diagnostics performed with [localdiag](#) on either a `stp` or `stlp` object. It highlights the points of the analysed spatio-temporal point pattern X which are identified as outlying by the previously performed local diagnostics; the remaining points of X are also represented.

It also shows the underlying linear network, if the local diagnostics has been applied to point patterns occurring on the same linear network, that is, if [localdiag](#) has been applied to a `stlp` object.

Usage

```
## S3 method for class 'localdiag'
plot(x, marg = TRUE, col = "grey", col2 = "red", cols = "lightgrey", ...)
```

Arguments

<code>x</code>	A <code>localdiag</code> object
<code>marg</code>	Default to TRUE. If <code>marg = F</code> , only the spatio-temporal point pattern is plotted
<code>col</code>	Color of the outlying points
<code>col2</code>	Color of the network (if applicable)
<code>cols</code>	Color of the non-outlying points
<code>...</code>	additional unused argument

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.

D'Angelo, N., Adelfio, G. and Mateu, J. (2022) Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

See Also

[infl](#), [print.localdiag](#), [summary.localdiag](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(.3, 6))

mod1 <- stppm(inh, formula = ~ 1)

resmod1 <- localdiag(inh, mod1$l, p = .9)

plot(resmod1)
plot(resmod1, marg = FALSE)
```

plot.localtest

Plot of the result of the local permutation test

Description

This function plots the result of the local permutation test performed with `localtest` on either a `stp` or `stlp` object. It highlights the points of the background pattern X , which exhibit local differences in the second-order structure with respect to Z , according to the previously performed test. The remaining points of X are also represented.

It also shows the underlying linear network, if the local test has been applied to point patterns occurring on the same linear network, that is, if `localtest` has been applied to a `stlp` object.

Usage

```
## S3 method for class 'localtest'
plot(x, col = "grey", cols = "lightgrey", col2 = "red", ...)
```


Arguments

<code>x</code>	An object of class <code>localtest</code>
<code>col</code>	Color of the significant points
<code>cols</code>	Color of the linear network. If applicable.
<code>col2</code>	Color of the non-significant points
<code>...</code>	additional unused argument

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2021). Assessing local differences between the spatio-temporal second-order structure of two point patterns occurring on the same linear network. *Spatial Statistics*, 45, 100534.

Siino, M., Rodríguez-Cortés, F. J., Mateu, J., and Adelfio, G. (2018). Testing for local structure in spatiotemporal point pattern data. *Environmetrics*, 29(5-6), e2463.

See Also

[localtest](#), [print.localtest](#), [summary.localtest](#)

Examples

```
set.seed(2)
X <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
           par = c(.005, 5))
Z <- rstpp(lambda = 30)

test <- localtest(X, Z, method = "K", k = 3)

plot(test)
```

plot.locstppm	<i>Plot of the fitted intensity of a local spatio-temporal Poisson process model</i>
---------------	--------------------------------------------------------------------------------------

Description

The function plots the local fitted intensity, displayed both in space and in space and time.

Usage

```
## S3 method for class 'locstppm'
plot(
  x,
  scaler = c("silverman", "IQR", "sd", "var"),
  do.points = TRUE,
  print.bw = FALSE,
  zap = 1e-05,
  par = TRUE,
  ...
)
```

Arguments

x	An object of class locstppm
scaler	Optional. Controls the value for a scalar representation of the spatial scale of the data. Either a character string, "silverman" (default), "IQR", "sd", or "var"; or positive numeric value(s). See OS .
do.points	Add points to plot
print.bw	It prints the estimated oversmoothing (OS) bandwidth selector
zap	Noise threshold factor (default to 0.00001). A numerical value greater than or equal to 1. If the range of pixel values is less than $\text{zap} * \text{.Machine\$double.eps}$, the image will be treated as constant. This avoids displaying images which should be constant but contain small numerical errors.
par	Default to TRUE.
...	additional unused argument

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

Davies, T.M. and Hazelton, M.L. (2010), Adaptive kernel estimation of spatial relative risk, *Statistics in Medicine*, 29(23) 2423-2437.

Terrell, G.R. (1990). The maximal smoothing principle in density estimation, *Journal of the American Statistical Association*, 85, 470-477.

See Also

[locstppm](#), [print.locstppm](#), [summary.locstppm](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(0.005, 5))
inh_local <- locstppm(inh, formula = ~ x)

plot(inh_local)
```

plot.sepstlppm	<i>Plot of the fitted intensity of a separable spatio-temporal Poisson model</i>
----------------	----------------------------------------------------------------------------------

Description

The function plots the fitted intensity, displayed both in space and in space and time.

Usage

```
## S3 method for class 'sepstlppm'
plot(x, do.points = TRUE, par = TRUE, ...)
```

Arguments

x	An object of class sepstlppm
do.points	Add points to plot
par	Default to TRUE. If par=FALSE, the user is asked for input, before a new figure is drawn.
...	additional unused argument

Author(s)

Nicoletta D'Angelo

Examples

```

crimesub <- stpm(valenciacrimes$df[101:200, ],
                names = colnames(valenciacrimes$df)[-c(1:3)],
                L = valencianet)

mod1 <- sepstlppm(crimesub, spaceformula = ~x ,
                  timeformula = ~ day)

plot(mod1)

```

plot.sepstppm	<i>Plot of the fitted intensity of a separable spatio-temporal Poisson model</i>
---------------	----------------------------------------------------------------------------------

Description

The function plots the fitted intensity, displayed both in space and in space and time.

Usage

```

## S3 method for class 'sepstppm'
plot(
  x,
  scaler = c("silverman", "IQR", "sd", "var"),
  do.points = TRUE,
  print.bw = FALSE,
  zap = 1e-05,
  par = TRUE,
  sig = NULL,
  ...
)

```

Arguments

x	An object of class sepstppm
scaler	Optional. Controls the value for a scalar representation of the spatial scale of the data. Either a character string, "silverman" (default), "IQR", "sd", or "var"; or positive numeric value(s). See OS .
do.points	Add points to plot
print.bw	It prints the estimated oversmoothing (OS) bandwidth selector
zap	Noise threshold factor (default to 0.00001). A numerical value greater than or equal to 1. If the range of pixel values is less than $\text{zap} * \text{.Machine}\$double.eps$, the image will be treated as constant. This avoids displaying images which should be constant but contain small numerical errors.

par	Default to TRUE. If par=FALSE, the user is asked for input, before a new figure is drawn.
sig	Smoothing bandwidth for spatial representation
...	additional unused argument

Author(s)

Nicoletta D'Angelo

Examples

```
crimesub <- stpm(valenciacrimes$df[1:100, ],
               names = colnames(valenciacrimes$df)[-c(1:3)])

mod1 <- sepstppm(crimesub, spaceformula = ~x ,
                timeformula = ~ day)

plot(mod1)
```

plot.stcov

Plot a stcov object

Description

This function plots the covariate stored in the stcov object given in input, in a three panel plot representing the 3Dplot of the coordinates, and the covariate values.

Usage

```
## S3 method for class 'stcov'
plot(x, ...)
```

Arguments

x	An object of class stcov
...	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also[stcov](#)

Examples

```
set.seed(2)
df <- data.frame(runif(100), runif(100), runif(100), rpois(100, 15))

cov <- stcov(df, interp = FALSE)

plot(cov)
```

plot.stlgcppm

Plot of the fitted intensity of a LGCP model

Description

The function plots the fitted intensity, displayed both in space and in space and time. In the case of local covariance parameters, the function returns the mean of the random intensity, displayed both in space and in space and time.

Usage

```
## S3 method for class 'stlgcppm'
plot(
  x,
  scaler = c("silverman", "IQR", "sd", "var"),
  do.points = TRUE,
  print.bw = FALSE,
  zap = 1e-05,
  par = TRUE,
  ...
)
```

Arguments

x	An object of class stlgcppm
scaler	Optional. Controls the value for a scalar representation of the spatial scale of the data. Either a character string, "silverman" (default), "IQR", "sd", or "var"; or positive numeric value(s). See OS .
do.points	Add points to plot
print.bw	It prints the estimated oversmoothing (OS) bandwidth selector
zap	Noise threshold factor (default to 0.00001). A numerical value greater than or equal to 1. If the range of pixel values is less than $\text{zap} * \text{.Machine}\double.eps , the image will be treated as constant. This avoids displaying images which should be constant but contain small numerical errors.
par	Default to TRUE.
...	additional unused argument

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

Davies, T.M. and Hazelton, M.L. (2010), Adaptive kernel estimation of spatial relative risk, *Statistics in Medicine*, 29(23) 2423-2437.

Siino, M., Adelfio, G., and Mateu, J. (2018). Joint second-order parameter estimation for spatio-temporal log-Gaussian Cox processes. *Stochastic environmental research and risk assessment*, 32(12), 3525-3539.

Terrell, G.R. (1990). The maximal smoothing principle in density estimation, *Journal of the American Statistical Association*, 85, 470-477.

See Also

[stlgcppm](#), [print.stlgcppm](#), [summary.stlgcppm](#), [localsummary](#), [localplot](#)

Examples

```
catsub <- stp(greececatalog$df[1:200, ])  
  
lgcp_loc <- stlgcppm(catsub, formula = ~ x, first = "local")  
  
plot(lgcp_loc)
```

plot.stlp

Plot a stlp object

Description

This function plots the point pattern on a linear network stored in the `stlp` object given in input, in a three panel plot representing the [plot3D](#) of the coordinates, and the marginal spatial and temporal coordinates.

Usage

```
## S3 method for class 'stlp'  
plot(x, tcum = TRUE, marg = TRUE, col = 1, cols = "grey", ...)
```

Arguments

x	An object of class stp
tcum	If TRUE (default option), the temporal point pattern is displayed cumulatively. A barplot is automatically plotted if there are repeated counts (typically with discrete times).
marg	Default to TRUE. If FALSE, only the spatio-temporal point pattern is plotted.
col	The color of the points. Default to "black"
cols	The color of the linear network. Default to "grey"
...	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also

[stp](#), [summary.stlp](#), [print.stlp](#)

Examples

```
set.seed(2)
df_net <- data.frame(cbind(runif(100, 0, 0.85), runif(100, 0, 0.85), runif(100)))

stlp1 <- stp(df_net, L = chicagonet)

plot(stlp1)
```

plot.stlpm

Plot a stlpm object

Description

This function plots the covariate stored in the stcov object given in input, in a three panel plot representing the 3Dplot of the coordinates, and the mark values.

Usage

```
## S3 method for class 'stlpm'
plot(x, ...)
```

Arguments

x	An object of class stpm
...	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also[stppm](#)**Examples**

```
set.seed(2)
df <- data.frame(x = runif(100, 0, 0.8), y = runif(100, 0, 0.8), t = runif(100), m = rpois(100, 15))

stlpm1 <- stpm(df, L = chicagonet)

plot(stlpm1)
```

plot.stp

*Plot a stp object***Description**

This function plots the point pattern stored in the stp object given in input, in a three panel plot representing the 3Dplot of the coordinates, and the marginal spatial and temporal coordinates.

Usage

```
## S3 method for class 'stp'
plot(x, tcum = TRUE, marg = TRUE, col = 1, ...)
```

Arguments

x	An object of class stp
tcum	If TRUE (default option), the temporal point pattern is displayed cumulatively. A barplot is automatically plotted if there are repeated counts (typically with discrete times).
marg	Default to TRUE. If FALSE, only the spatio-temporal point pattern is plotted.
col	The color of the points. Default to "black"
...	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also

[stp](#), [print.stp](#), [summary.stp](#)

Examples

```
set.seed(2)
df <- data.frame(cbind(runif(100), runif(100), runif(100)))

stp1 <- stp(df)
#plot
plot(stp1)

#cumulative time occurrences
plot(stp1, tcum = FALSE)

#change color of points
plot(stp1, col = "blue")

#display only in space-time
plot(stp1, marg = FALSE)

#discrete times
set.seed(2)
stp2 <- stp(data.frame(cbind(runif(100), runif(100), round(runif(100) * 100))))
plot(stp2)
```

plot.stpm

Plot a stpm object

Description

This function plots the marked point pattern stored in the `stpm` object given in input, in a three panel plot representing the 3Dplot of the coordinates, and the mark values.

Usage

```
## S3 method for class 'stpm'
plot(x, ...)
```

Arguments

<code>x</code>	An object of class <code>stpm</code>
<code>...</code>	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also[stppm](#)**Examples**

```
df <- data.frame(cbind(runif(100), runif(100), runif(100), rpois(100, 15),
  rpois(100, 30)))

stpm1 <- stpm(df)

plot(stpm1)

## Categorical marks

dfA <- data.frame(x = runif(100), y = runif(100), t = runif(100),
  m1 = rnorm(100), m2 = rep(c("C"), times = 100))
dfB <- data.frame(x = runif(50), y = runif(50), t = runif(50),
  m1 = rnorm(25), m2 = rep(c("D"), times = 50))

stpm2 <- stpm(rbind(dfA, dfB), names = c("continuous", "dichotomous"))

plot(stpm2)
```

`plot.stppm`*Plot of the fitted intensity of a spatio-temporal Poisson process model*

Description

The function plots the fitted intensity, displayed both in space and in space and time.

Usage

```
## S3 method for class 'stppm'
plot(
  x,
  scaler = c("silverman", "IQR", "sd", "var"),
  do.points = TRUE,
  print.bw = FALSE,
  zap = 1e-05,
  par = TRUE,
  ...
)
```

Arguments

x	An object of class stppm
scaler	Optional. Controls the value for a scalar representation of the spatial scale of the data. Either a character string, "silverman" (default), "IQR", "sd", or "var"; or positive numeric value(s). See OS.
do.points	Add points to plot
print.bw	It prints the estimated oversmoothing (OS) bandwidth selector
zap	Noise threshold factor (default to 0.00001). A numerical value greater than or equal to 1. If the range of pixel values is less than $\text{zap} * \text{.Machine\$double.eps}$, the image will be treated as constant. This avoids displaying images which should be constant but contain small numerical errors.
par	Default to TRUE.
...	additional unused argument

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

- D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.
- Davies, T.M. and Hazelton, M.L. (2010), Adaptive kernel estimation of spatial relative risk, *Statistics in Medicine*, 29(23) 2423-2437.
- Terrell, G.R. (1990). The maximal smoothing principle in density estimation, *Journal of the American Statistical Association*, 85, 470-477.

See Also

[stppm](#), [print.stppm](#), [summary.stppm](#)

Examples

```
set.seed(2)
pin <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)}, par = c(2, 6),
  nsim = 1, verbose = TRUE)
inh1 <- stppm(pin, formula = ~ x)

plot(inh1)
```

print.globaldiag	<i>Print global diagnostics of a spatio-temporal point process first-order intensity</i>
------------------	------------------------------------------------------------------------------------------

Description

This function performs global diagnostics of a model fitted for the first-order intensity of a spatio-temporal point pattern, by returning the sum of the squared differences between the estimated and the theoretical K-functions obtained through `globaldiag`.

Usage

```
## S3 method for class 'globaldiag'  
print(x, ...)
```

Arguments

x	A <code>globaldiag</code> object
...	additional unused argument

Value

It returns the sum of the squared differences between the estimated and the theoretical K-functions obtained through `globaldiag`

Author(s)

Nicoletta D'Angelo

References

- Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.
- D'Angelo, N., Adelfio, G. and Mateu, J. (2022) Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>
- Gabriel, E., and Diggle, P. J. (2009). Second-order analysis of inhomogeneous spatio-temporal point process data. *Statistica Neerlandica*, 63(1), 43-51.
- Gabriel, E., Rowlingson, B. S., & Diggle, P. J. (2013). `stpp`: An R Package for Plotting, Simulating and Analyzing Spatio-Temporal Point Patterns. *Journal of Statistical Software*, 53(2), 1–29. <https://doi.org/10.18637/jss.v053.i02>
- Moradi M, Cronie O, and Mateu J (2020). `stlnpp`: Spatio-temporal analysis of point patterns on linear networks.
- Moradi, M. M., and Mateu, J. (2020). First-and second-order characteristics of spatio-temporal point processes on linear networks. *Journal of Computational and Graphical Statistics*, 29(3), 432-443.

See Also

[globaldiag](#), [plot.globaldiag](#), [summary.globaldiag](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
            par = c(.3, 6))

mod1 <- stppm(inh, formula = ~ 1)
mod2 <- stppm(inh, formula = ~ x)

g1 <- globaldiag(inh, mod1$1)
g2 <- globaldiag(inh, mod2$1)

g1
g2
```

print.lista

Print a lista object

Description

It prints the main information on the local network summary statistics stored in a `lista` object.

Usage

```
## S3 method for class 'lista'
print(x, ...)
```

Arguments

`x` An object of class `lista`
`...` additional unused argument

Author(s)

Nicoletta D'Angelo

Examples

```
set.seed(2)
df_net <- data.frame(x = runif(25, 0, 0.85), y = runif(25, 0, 0.85), t = runif(25))
stlp1 <- stp(df_net, L = chicagonet)
lambda <- rep(diff(range(stlp1$df$x)) * diff(range(stlp1$df$y))
  * diff(range(stlp1$df$t)) / spatstat.geom::volume(stlp1$L),
  nrow(stlp1$df))

k <- localSTLKinhom(stlp1, lambda = lambda, normalize = TRUE)

k
```

print.localdiag	<i>Print of the diagnostics' result on a spatio-temporal point process model</i>
-----------------	----------------------------------------------------------------------------------

Description

It prints the main information on the result of the local diagnostics performed with `localdiag` on either a `stp` or `stlp` object: whether the local test was run on point patterns lying on a linear network or not; the number of points in the analysed spatio-temporal point pattern X ; the number of points of X which are identified as outlying by the previously performed local diagnostics.

Usage

```
## S3 method for class 'localdiag'
print(x, ...)
```

Arguments

<code>x</code>	A <code>localdiag</code> object
<code>...</code>	additional unused argument

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.

D'Angelo, N., Adelfio, G. and Mateu, J. (2022) Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

See Also

[infl](#), [plot.localdiag](#), [summary.localdiag](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(.3, 6))

mod1 <- stppm(inh, formula = ~ 1)

resmod1 <- localdiag(inh, mod1$l, p = .9)

resmod1
```

print.localtest

Print of the result of the permutation local test

Description

It prints the main information on the result of the local permutation test performed with `localtest` on either a `stp` or `stlp` object: whether the local test was run on point patterns lying on a linear network or not; the number of points in the background X and alternative Z patterns; the number of points in X which exhibit local differences in the second-order structure with respect to Z , according to the performed test.

Usage

```
## S3 method for class 'localtest'
print(x, ...)
```

Arguments

<code>x</code>	An object of class <code>localtest</code>
<code>...</code>	additional unused argument

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2021). Assessing local differences between the spatio-temporal second-order structure of two point patterns occurring on the same linear network. *Spatial Statistics*, 45, 100534.

Siino, M., Rodríguez-Cortés, F. J., Mateu, J., and Adelfio, G. (2018). Testing for local structure in spatiotemporal point pattern data. *Environmetrics*, 29(5-6), e2463.

See Also

[localtest](#), [summary.localtest](#), [plot.localtest](#)

Examples

```
set.seed(2)
X <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
           par = c(.005, 5))
Z <- rstpp(lambda = 30)

test <- localtest(X, Z, method = "K", k = 3)

test
```

```
print.locstppm
```

Print of a fitted local spatio-temporal Poisson process model

Description

The function prints the main information of the distribution of the parameters of a fitted local spatio-temporal Poisson process model.

Usage

```
## S3 method for class 'locstppm'
print(x, ...)
```

Arguments

x	An object of class locstppm
...	additional unused argument

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

See Also

[locstppm](#), [summary.locstppm](#), [plot.locstppm](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(0.005, 5))
inh_local <- locstppm(inh, formula = ~ x)

inh_local
```

print.sepstlppm	<i>Print of a fitted separable spatio-temporal Poisson process model on a linear network</i>
-----------------	----------------------------------------------------------------------------------------------

Description

The function prints the main information of the fitted model.

Usage

```
## S3 method for class 'sepstlppm'
print(x, ...)
```

Arguments

x	An object of class sepstlppm
...	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also[sepstlppm](#)**Examples**

```
crimesub <- stpm(valenciacrimes$df[101:200, ],
                names = colnames(valenciacrimes$df)[-c(1:3)],
                L = valencianet)

mod1 <- sepstlppm(crimesub, spaceformula = ~x ,
                 timeformula = ~ day)

mod1
```

`print.sepstppm`*Print of a fitted separable spatio-temporal Poisson process model*

Description

The function prints the main information of the fitted model.

Usage

```
## S3 method for class 'sepstppm'
print(x, ...)
```

Arguments

<code>x</code>	An object of class <code>sepstppm</code>
<code>...</code>	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also[sepstppm](#)

Examples

```

crimesub <- stpm(valenciacrimes$df[101:200, ],
                names = colnames(valenciacrimes$df)[-c(1:3)])

mod1 <- sepstppm(crimesub, spaceformula = ~x ,
                 timeformula = ~ day)

mod1

```

```
print.stcov
```

```
Print a stcov object
```

Description

It prints the main information on the spatio-temporal covariate stored in the `stcov` object: the number of points; the enclosing spatial window; the temporal time period; information on the covariate values.

Usage

```

## S3 method for class 'stcov'
print(x, ...)

```

Arguments

```

x           An object of class stcov
...        additional unused argument

```

Author(s)

Nicoletta D'Angelo

Examples

```

set.seed(2)
df <- data.frame(runif(100), runif(100), runif(100), rpois(100, 15))

cov <- stcov(df, interp = FALSE)
cov

```

print.stlgcppm	<i>Print of a fitted LGCP model</i>
----------------	-------------------------------------

Description

The function prints the main information on the fitted model. In this case of local parameters (both first- and second-order), the summary function contains information on their distributions.

Usage

```
## S3 method for class 'stlgcppm'  
print(x, ...)
```

Arguments

x	An object of class stlgcppm
...	additional unused argument

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

Siino, M., Adelfio, G., and Mateu, J. (2018). Joint second-order parameter estimation for spatio-temporal log-Gaussian Cox processes. *Stochastic environmental research and risk assessment*, 32(12), 3525-3539.

See Also

[stlgcppm](#), [print.stlgcppm](#), [localsummary](#), [plot.stlgcppm](#), [localplot](#)

Examples

```
catsub <- stp(greececatalog$df[1:200, ])  
  
lgcp1 <- stlgcppm(catsub)  
  
lgcp1
```

print.stlp	<i>Print a stlp object</i>
------------	----------------------------

Description

It prints the main information on the spatio-temporal point pattern on a linear network stored in the stlp object: the number of points; vertices and lines of the linear network; the enclosing spatial window; the temporal time period.

Usage

```
## S3 method for class 'stlp'  
print(x, ...)
```

Arguments

x	An object of class stlp
...	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also

[stp](#), [plot.stlp](#), [summary.stlp](#)

Examples

```
set.seed(2)  
df_net <- data.frame(cbind(runif(100, 0, 0.85), runif(100, 0, 0.85), runif(100)))  
  
stlp1 <- stp(df_net, L = chicagonet)  
stlp1
```

print.stlpm	<i>Print a stlpm object</i>
-------------	-----------------------------

Description

It prints the main information on the spatio-temporal point pattern stored in the stlpm object: the number of points; the enclosing spatial window; the temporal time period; information on marks.

Usage

```
## S3 method for class 'stlpm'  
print(x, ...)
```

Arguments

x	An object of class stlpm
...	additional unused argument

Author(s)

Nicoletta D'Angelo

Examples

```
set.seed(2)  
df <- data.frame(x = runif(100, 0, 0.8), y = runif(100, 0, 0.8), t = runif(100), m = rpois(100, 15))  
  
stlpm1 <- stpm(df, L = chicagonet)  
  
stlpm1
```

print.stp	<i>Print a stp object</i>
-----------	---------------------------

Description

It prints the main information on the spatio-temporal point pattern stored in the stp object: the number of points; the enclosing spatial window; the temporal time period.

Usage

```
## S3 method for class 'stp'  
print(x, ...)
```

Arguments

x An object of class stp
... additional unused argument

Author(s)

Nicoletta D'Angelo

See Also

[stp](#), [summary.stp](#), [plot.stp](#)

Examples

```
set.seed(2)
df <- data.frame(cbind(runif(100), runif(100), runif(100)))

stp1 <- stp(df)
stp1
```

print.stpm

Print a stpm object

Description

It prints the main information on the spatio-temporal point pattern stored in the stpm object: the number of points; the enclosing spatial window; the temporal time period; information on marks.

Usage

```
## S3 method for class 'stpm'
print(x, ...)
```

Arguments

x An object of class stpm
... additional unused argument

Author(s)

Nicoletta D'Angelo

Examples

```
set.seed(2)
df <- data.frame(cbind(runif(100), runif(100), runif(100), rpois(100, 15),
  rpois(100, 30)))

stpm1 <- stpm(df)

summary(stpm1)
```

print.stppm

Print of a fitted spatio-temporal Poisson process model

Description

The function prints the main information of the fitted model.

Usage

```
## S3 method for class 'stppm'
print(x, ...)
```

Arguments

x	An object of class stppm
...	additional unused argument

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

See Also

[stppm](#), [print.stppm](#), [plot.stppm](#)

Examples

```
set.seed(2)
pin <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)}, par = c(2, 6))
inh1 <- stppm(pin, formula = ~ x)

inh1
```

rETASlp

Simulation of a spatio-temporal ETAS (Epidemic Type Aftershock Sequence) model on a linear network

Description

This function simulates a spatio-temporal ETAS (Epidemic Type Aftershock Sequence) process on a linear network as a `stpm` object.

It is firstly introduced and employed for simulation studies in D'Angelo et al. (2021).

It follows the generating scheme for simulating a pattern from an Epidemic Type Aftershocks-Sequences (ETAS) process (Ogata and Katsura 1988) with conditional intensity function (CIF) as in Adelfio and Chiodi (2020), adapted for the space location of events to be constrained on a linear network.

The simulation on the network is guaranteed by the homogeneous spatial Poisson processes being generated on the network.

Usage

```
rETASlp(
  pars = NULL,
  betacov = 0.39,
  m0 = 2.5,
  b = 1.0789,
  tmin = 0,
  t.lag = 200,
  covsim = FALSE,
  L,
  all.marks = FALSE
)
```

Arguments

<code>pars</code>	A vector of parameters of the ETAS model to be simulated. See the 'Details' section.
<code>betacov</code>	Numerical array. Parameters of the covariates ETAS model

m0	Parameter for the background general intensity of the ETAS model. In the common seismic analyses it represents the threshold magnitude.
b	1.0789
tmin	Minimum value of time.
t.lag	200
covsim	Default FALSE
L	linear network
all.marks	Logical value indicating whether to store all the simulation information as marks in the stlpm object. If FALSE (default option) only the magnitude is returned.

Details

The CIF of an ETAS process as in Adelfio and Chiodi (2020) can be written as

$$\lambda_{\theta}(t, \mathbf{u} | \mathcal{H}_t) = \mu f(\mathbf{u}) + \sum_{t_j < t} \frac{\kappa_0 \exp(\eta_j)}{(t - t_j + c)^p} \{(\mathbf{u} - \mathbf{u}_j)^2 + d\}^{-q},$$

where

\mathcal{H}_t is the past history of the process up to time t

μ is the large-scale general intensity

$f(\mathbf{u})$ is the spatial density

$\eta_j = \boldsymbol{\beta}' \mathbf{Z}_j$ is a linear predictor

\mathbf{Z}_j the external known covariate vector, including the magnitude

$\boldsymbol{\theta} = (\mu, \kappa_0, c, p, d, q, \boldsymbol{\beta})$ are the parameters to be estimated

κ_0 is a normalising constant

c and p are characteristic parameters of the seismic activity of the given region,

and d and q are two parameters related to the spatial influence of the mainshock

In the usual ETAS model for seismic analyses, the only external covariate represents the magnitude, $\boldsymbol{\beta} = \alpha$, as $\eta_j = \boldsymbol{\beta}' \mathbf{Z}_j = \alpha(m_j - m_0)$, where m_j is the magnitude of the j^{th} event and m_0 the threshold magnitude, that is, the lower bound for which earthquakes with higher values of magnitude are surely recorded in the catalogue.

Value

A stlpm object

Author(s)

Nicoletta D'Angelo and Marcello Chiodi

References

Adelfio, G., and Chiodi, M. (2021). Including covariates in a space-time point process with application to seismicity. *Statistical Methods & Applications*, 30(3), 947-971.

D'Angelo, N., Adelfio, G., and Mateu, J. (2021). Assessing local differences between the spatio-temporal second-order structure of two point patterns occurring on the same linear network. *Spatial Statistics*, 45, 100534.

Ogata, Y., and Katsura, K. (1988). Likelihood analysis of spatial inhomogeneity for marked point patterns. *Annals of the Institute of Statistical Mathematics*, 40(1), 29-39.

Examples

```
set.seed(95)
X <- rETASlp(pars = c(0.1293688525, 0.003696, 0.013362, 1.2, 0.424466, 1.164793),
  L = chicagonet)
```

rETASp

Simulation of a spatio-temporal ETAS (Epidemic Type Aftershock Sequence) model

Description

This function simulates a spatio-temporal ETAS (Epidemic Type Aftershock Sequence) process as a `stpm` object.

It follows the generating scheme for simulating a pattern from an Epidemic Type Aftershocks-Sequences (ETAS) process (Ogata and Katsura 1988) with conditional intensity function (CIF) as in Adelfio and Chiodi (2020), adapted for the space location of events to be constrained.

See the 'Details' section.

Usage

```
rETASp(
  pars = NULL,
  betacov = 0.39,
  m0 = 2.5,
  b = 1.0789,
  tmin = 0,
  t.lag = 200,
  xmin = 0,
  xmax = 1,
  ymin = 0,
  ymax = 1,
  covsim = FALSE,
  all.marks = FALSE
)
```

Arguments

pars	A vector of parameters of the ETAS model to be simulated. See the 'Details' section.
betacov	Numerical array. Parameters of the ETAS model covariates.
m0	Parameter for the background general intensity of the ETAS model. In the common seismic analyses it represents the threshold magnitude.
b	1.0789
tmin	Minimum value of time.
t.lag	200
xmin	Minimum of x coordinate range
xmax	Maximum of x coordinate range
ymin	Minimum of y coordinate range
ymax	Maximum of y coordinate range
covsim	Default FALSE
all.marks	Logical value indicating whether to store all the simulation information as marks in the stpm object. If FALSE (default option) only the magnitude is returned.

Details

The CIF of an ETAS process as in Adelfio and Chiodi (2020) can be written as

$$\lambda_{\theta}(t, \mathbf{u} | \mathcal{H}_t) = \mu f(\mathbf{u}) + \sum_{t_j < t} \frac{\kappa_0 \exp(\eta_j)}{(t - t_j + c)^p} \{(\mathbf{u} - \mathbf{u}_j)^2 + d\}^{-q},$$

where

\mathcal{H}_t is the past history of the process up to time t

μ is the large-scale general intensity

$f(\mathbf{u})$ is the spatial density

$\eta_j = \beta' \mathbf{Z}_j$ is a linear predictor

\mathbf{Z}_j the external known covariate vector, including the magnitude

$\theta = (\mu, \kappa_0, c, p, d, q, \beta)$ are the parameters to be estimated

κ_0 is a normalising constant

c and p are characteristic parameters of the seismic activity of the given region,

and d and q are two parameters related to the spatial influence of the mainshock

In the usual ETAS model for seismic analyses, the only external covariate represents the magnitude, $\beta = \alpha$, as $\eta_j = \beta' \mathbf{Z}_j = \alpha(m_j - m_0)$, where m_j is the magnitude of the j^{th} event and m_0 the threshold magnitude, that is, the lower bound for which earthquakes with higher values of magnitude are surely recorded in the catalogue.

Value

A stpm object

Author(s)

Nicoletta D'Angelo and Marcello Chiodi

References

Adelfio, G., and Chiodi, M. (2021). Including covariates in a space-time point process with application to seismicity. *Statistical Methods & Applications*, 30(3), 947-971.

Ogata, Y., and Katsura, K. (1988). Likelihood analysis of spatial inhomogeneity for marked point patterns. *Annals of the Institute of Statistical Mathematics*, 40(1), 29-39.

Examples

```
set.seed(95)
X <- rETASp(pars = c(0.1293688525, 0.003696, 0.013362, 1.2, 0.424466, 1.164793),
            betacov = 0.5,
            xmin = 600, xmax = 2200, ymin = 4000, ymax = 5300)

plot(X)
```

rstlpp

Simulate homogeneous and inhomogeneous spatio-temporal Poisson point patterns on linear networks

Description

This function creates a `stlp` object, simulating a spatio-temporal point pattern on a linear network following either an homogeneous or inhomogeneous intensity

Usage

```
rstlpp(
  lambda = 500,
  nsim = 1,
  verbose = FALSE,
  par = NULL,
  minX = 0,
  maxX = 1,
  minY = 0,
  maxY = 1,
  minT = 0,
  maxT = 1,
  L
)
```

Arguments

lambda	Expected number of points to simulate
nsim	Number of patterns to simulate. Default to 1.
verbose	Default to FALSE
par	Parameters of the reference intensity
minX	Minimum of x coordinate range
maxX	Maximum of x coordinate range
minY	Minimum of y coordinate range
maxY	Maximum of y coordinate range
minT	Minimum of t coordinate range
maxT	Maximum of t coordinate range
L	linear network

Value

A stp object

Author(s)

Nicoletta D'Angelo

Examples

```
set.seed(2)
h1 <- rstlpp(lambda = 500, L = chicagonet)

set.seed(2)
inh <- rstlpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)}, par = c(4, 1.5),
              L = chicagonet)
```

rstpp

Simulate homogeneous and inhomogeneous spatio-temporal Poisson point patterns

Description

This function creates a stp object, simulating a spatio-temporal point pattern following either an homogeneous or inhomogeneous intensity

Usage

```
rstpp(  
  lambda = 500,  
  nsim = 1,  
  verbose = FALSE,  
  par = NULL,  
  minX = 0,  
  maxX = 1,  
  minY = 0,  
  maxY = 1,  
  minT = 0,  
  maxT = 1  
)
```

Arguments

lambda	Expected number of points to simulate
nsim	Number of patterns to simulate. Default to 1.
verbose	Default to FALSE
par	Parameters of the reference intensity
minX	Minimum of x coordinate range
maxX	Maximum of x coordinate range
minY	Minimum of y coordinate range
maxY	Maximum of y coordinate range
minT	Minimum of t coordinate range
maxT	Maximum of t coordinate range

Value

A stp object

Author(s)

Nicoletta D'Angelo

See Also

[stppm](#)

Examples

```
# homogeneous Poisson processes  
set.seed(2)  
h1 <- rstpp(lambda = 500)  
  
set.seed(2)
```



```

h2 <- rstpp(lambda = 500, minX = 0,
            maxX = 2, minY = 3, maxY = 5, minT = 1, maxT = 9)

set.seed(2)
h3 <- rstpp(lambda = 900, nsim = 3, verbose = TRUE)

# inhomogeneous Poisson process
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)}, par = c(2, 6))

```

sepstlppm	<i>Fit a separable spatio-temporal Poisson process model on a linear network</i>
-----------	----------------------------------------------------------------------------------

Description

Fit a separable spatio-temporal Poisson process model on a linear network

Usage

```
sepstlppm(x, spaceformula, timeformula)
```

Arguments

x	A stlpm object
spaceformula	A formula for the spatial component. See lppm for details
timeformula	A formula for the temporal component. It fits a log-linear model with the glm function

Value

An object of class sepstlppm

Examples

```

crimesub <- stpm(valenciacrimes$df[101:200, ],
               names = colnames(valenciacrimes$df)[-c(1:3)],
               L = valencianet)

mod1 <- sepstlppm(crimesub, spaceformula = ~x ,
                 timeformula = ~ day)

```

 sepstppm

Fit a separable spatio-temporal Poisson process model

Description

Fit a separable spatio-temporal Poisson process model

Usage

```
sepstppm(x, spaceformula, timeformula)
```

Arguments

`x` A stpm object

`spaceformula` A formula for the spatial component. See [ppm](#) for details

`timeformula` A formula for the temporal component. It fits a log-linear model with the [glm](#) function

Value

An object of class sepstppm

Examples

```
crimesub <- stpm(valenciacrimes$df[101:200, ],
  names = colnames(valenciacrimes$df)[-c(1:3)])

mod1 <- sepstppm(crimesub, spaceformula = ~x ,
  timeformula = ~ day)
```

 stcov

Create stcov objects and interpolate spatio-temporal covariates on a regular grid

Description

This function interpolates the covariate values observed at some observed sites to a regular grid. The input object should be either a matrix or a dataframe with four columns: `x`, `y`, `t`, and the covariate values, named as the covariate later called in the model formula (see `stppm`). The interpolation is performed through Inverse Distance Weighting (IDW). See the Details.

Usage

```
stcov(
  x,
  interp = TRUE,
  nx = NULL,
  mult = 1,
  p = 81,
  names = NULL,
  verbose = FALSE
)
```

Arguments

<code>x</code>	A data.frame with four columns, containing the spatio-temporal coordinates and the covariate values.
<code>interp</code>	Logical value indicating whether to interpolate the covariate on a regular grid. Default to TRUE.
<code>nx</code>	Number of coordinates to generate for each dimension. The default is $\text{floor}((\text{mult} * \text{nrow}(\text{cov})) ^ (1/3))$.
<code>mult</code>	The multiplicand of the number of points in the default for <code>nx</code> .
<code>p</code>	Power of IDW distances.
<code>names</code>	Factor string to name the covariate.
<code>verbose</code>	Default to FALSE. If TRUE, the elapsed minutes are printed.

Details

The function builds a regular grid with equispaced values along the three coordinates and interpolates the covariate values at the new locations. The interpolation at a point location x_k is performed through the inverse-distance weighting smoothing procedure of the covariate values $Z(x_j)$ at their sampling locations $j = 1, \dots, J$. In such a case, the smoothed value at location x_k is

$$Z(x_k) = \frac{\sum_j w_j Z(x_j)}{\sum_j w_j},$$

where the weight w_j is the j -th element of the inverse p th powers of distance,

$$\mathbf{w} = \{w_j\}_{j=1}^J = \left\{ \frac{1}{d(x_k - x_j)^p} \right\}_{j=1}^J,$$

with

$$d(x_k - x_j) = \|x_k - x_j\|$$

the Euclidean distance from x_k to x_j .

Value

A stpm object, to be imputed as list object in stppm.

Author(s)

Nicoletta D'Angelo

See Also

[stppm](#)

Examples

```
set.seed(2)
df <- data.frame(runif(100), runif(100), runif(100), rpois(100, 15))

cov <- stcov(df, interp = FALSE)
```

stlgcppm

Fit a log-Gaussian Cox process model to a spatio-temporal point pattern

Description

This function estimates a log-Gaussian Cox process (LGCP), following the **joint minimum contrast** procedure introduced in Siino et al. (2018).

Three covariances are available: separable exponential, Gneiting, and De Iaco-Cesare.

If the first and second arguments are set to `local`, a local log-Gaussian Cox process is fitted by means of the **locally weighted minimum contrast** procedure proposed in D'Angelo et al. (2023).

Usage

```
stlgcppm(
  X,
  formula = ~1,
  verbose = TRUE,
  seed = NULL,
  cov = c("separable", "gneiting", "iaco-cesare"),
  first = c("global", "local"),
  second = c("global", "local"),
  mult = 4,
  hs = c("global", "local"),
  npx0 = 10,
  npt0 = 10,
  itnmax = 100,
  min_vals = NULL,
  max_vals = NULL
)
```

Arguments

<code>X</code>	A stp object
<code>formula</code>	An object of class formula: a symbolic description of the first-order intensity to be fitted. The current version only supports formulas depending on the spatial and temporal coordinates: x, y, t . Default to <code>formula = ~ 1</code> which provides an homogeneous first-order intensity.
<code>verbose</code>	Default to TRUE
<code>seed</code>	The seed used for the simulation of the dummy points. Default to NULL.
<code>cov</code>	Covariance function to be fitted for the second-order intensity function. Default to separable. Other options are <code>gneiting</code> and <code>iaco-cesare</code> ".
<code>first</code>	Character string indicating whether to fit a first-order intensity function with global or local parameters: either <code>global</code> (default) or <code>local</code> .
<code>second</code>	Character string indicating whether to fit a second-order intensity function with global or local parameters: either <code>global</code> (default) or <code>local</code> .
<code>mult</code>	The multiplicand of the number of data points, for setting the number of dummy points to generate for the quadrature scheme
<code>hs</code>	Character string indicating whether to select fixed or variable bandwidths for the kernel weights to be used in the log-likelihood. In any of those cases, the well-supported rule-of-thumb for choosing the bandwidth of a Gaussian kernel density estimator is employed. If <code>hs = "global"</code> (default), a fixed bandwidth is selected. If <code>hs = "local"</code> , an individual bandwidth is selected for each point in the pattern X .
<code>np\times0</code>	A positive integer representing the spatial distance to np-th closest event. Used in the computation of the local bandwidth. Suitable values are in the range from 10 (default) to 100.
<code>nptθ</code>	A positive integer representing the temporal distance to np-th closest event. Used in the computation of the local bandwidth. Suitable values are in the range from 10 (default) to 100.
<code>itnmax</code>	Maximum number of iterations to run in the optimization procedure for the estimation of the second-order intensity parameters.
<code>min_vals</code>	Minimum values of the optimization procedure for the minimum contrast.
<code>max_vals</code>	Maximum values of the optimization procedure for the minimum contrast.

Details

Following the inhomogeneous specification in Diggle et al. (2013), we consider LGCPs with intensity

$$\Lambda(\mathbf{u}, t) = \lambda(\mathbf{u}, t) \exp(S(\mathbf{u}, t)).$$

Value

A list of the class `stlgcppm`, containing

`IntCoefs` The fitted coefficients of the first-order intensity function

`CovCoefs` The fitted coefficients of the second-order intensity function

X The stp object provided as input
formula The formula provided as input
cov A string with the chosen covariance type
l Fitted first-order intensity
mu Mean function of the random intensity
mod_global The glm object of the model fitted to the quadrature scheme for the first-order intensity parameters estimation
newdata The data used to fit the model, without the dummy points
time Time elapsed to fit the model, in minutes

Author(s)

Nicoletta D’Angelo, Giada Adelfio, and Marianna Siino

References

- Baddeley, A. (2017). Local composite likelihood for spatial point processes. *Spatial Statistics*, 22, 261-295.
- D’Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.
- Diggle, P. J., Moraga, P., Rowlingson, B., and Taylor, B. M. (2013). Spatial and spatio-temporal log-gaussian cox processes: extending the geostatistical paradigm. *Statistical Science*, 28(4):542–563.
- Gabriel, E., Rowlingson, B. S., and Diggle, P. J. (2013). stpp: An R Package for Plotting, Simulating and Analyzing Spatio-Temporal Point Patterns. *Journal of Statistical Software*, 53(2), 1–29. <https://doi.org/10.18637/jss.v053.i02>
- Siino, M., Adelfio, G., and Mateu, J. (2018). Joint second-order parameter estimation for spatio-temporal log-Gaussian Cox processes. *Stochastic environmental research and risk assessment*, 32(12), 3525-3539.

See Also

[print.stlgcppm](#), [summary.stlgcppm](#), [localsummary](#), [plot.stlgcppm](#), [localplot](#)

Examples

```
catsub <- stp(greececatalog$df[1:200, ])
lgcp1 <- stlgcppm(catsub)
```

`stp`*Create stp and stlp objects for point patterns storage*

Description

This function creates a `stp` object as a dataframe with three columns: `x`, `y`, and `t`. If also the linear network `L`, of class `linnet`, is provided, a `stlp` object is created instead.

Usage

```
stp(df, L)
```

Arguments

<code>df</code>	A matrix with three columns, containing to two space and the temporal coordinates
<code>L</code>	Optional. The linear network of class <code>linnet</code> . If provided, the function returns a <code>stlp</code> object.

Value

An `stp` or `stlpp` object, depending on whether or not an object of class `linnet` is provided for the `L` argument.

Author(s)

Nicoletta D'Angelo

See Also

[summary.stp](#), [print.stp](#), [plot.stp](#)
[stppm](#), [print.stp](#), [summary.stp](#), [plot.stp](#), [print.stlp](#), [summary.stlp](#), [plot.stlp](#)

Examples

```
set.seed(2)
df <- data.frame(runif(100), runif(100), runif(100))

stp1 <- stp(df)

set.seed(2)
df_net <- data.frame(runif(100, 0, 0.85), runif(100, 0, 0.85), runif(100))

stlp1 <- stp(df_net, L = chicagonet)
```

 stpm

Create stpm and stlpm objects for marked point patterns storage

Description

This function creates a stpm object as a dataframe with 3 + m columns: x, y, t, and m columns to store different marks. If also the linear network L, of class linnet, is provided, a stlp object is created instead.

Usage

```
stpm(df, names = NULL, L)
```

Arguments

df	A matrix with three columns + m marks
names	Factor string to name the marks columns.
L	Optional. The linear network of class linnet. If provided, the function returns a stlpm object.

Value

An stpm or stlppm object, depending on whether or not an object of class linnet is provided for the L argument.

Author(s)

Nicoletta D'Angelo

Examples

```
set.seed(2)
df <- data.frame(cbind(runif(100), runif(100), runif(100), rpois(100, 15),
  rpois(100, 30)))

stpm1 <- stpm(df)

## Categorical marks

set.seed(2)
dfA <- data.frame(x = runif(100), y = runif(100), t = runif(100),
  m1 = rnorm(100), m2 = rep(c("C"), times = 100))
dfB <- data.frame(x = runif(50), y = runif(50), t = runif(50),
  m1 = rnorm(25), m2 = rep(c("D"), times = 50))

stpm2 <- stpm(rbind(dfA, dfB), names = c("continuous", "dichotomous"))
```



```
## Linear network

set.seed(2)
dfL <- data.frame(cbind(runif(100, 0, 0.85), runif(100, 0, 0.85), runif(100),
                        rpois(100, 15)))

stlpm1 <- stpm(dfL, L = chicagonet)
```

stppm

Fit a Poisson process model to a spatio-temporal point pattern

Description

This function fits a Poisson process model to an observed spatio-temporal point pattern stored in a stp object.

Usage

```
stppm(
  X,
  formula,
  covs = NULL,
  marked = FALSE,
  spatial.cov = FALSE,
  verbose = FALSE,
  mult = 4,
  interp = TRUE,
  parallel = FALSE,
  sites = 1,
  seed = NULL,
  ncube = NULL,
  grid = FALSE,
  ncores = 2,
  lsr = FALSE
)
```

Arguments

X	A stp object
formula	An object of class "formula": a symbolic description of the model to be fitted. The current version only supports formulas depending on the spatial and temporal coordinates: x, y, t.

<code>covs</code>	A list containing <code>stcov</code> objects of possible spatio-temporal covariates. It is advisable to construct the <code>stcov</code> objects with <code>stcov</code> . Each <code>stcov</code> object should contain the spatio-temporal coordinates and the covariate values as the fourth column, named as the covariate called in the formula.
<code>marked</code>	Logical value indicating whether the point process model to be fit is multitype. Default to FALSE.
<code>spatial.cov</code>	Logical value indicating whether the point process model to be fit depends on spatio-temporal covariates. Default to FALSE.
<code>verbose</code>	Default to FALSE.
<code>mult</code>	The multiplicand of the number of data points, for setting the number of dummy points to generate for the quadrature scheme.
<code>interp</code>	Logical value indicating whether to interpolate covariate values to dummy points or to use the covariates locations as dummies. Default to TRUE.
<code>parallel</code>	Logical values indicating whether to use parallelization to interpolate covariates. Default to FALSE.
<code>sites</code>
<code>seed</code>	The seed used for the simulation of the dummy points. Default to NULL.
<code>ncube</code>	Number of cubes used for the cubature scheme.
<code>grid</code>	Logical value indicating whether to generate dummy points on a regular grid or randomly. Default to FALSE.
<code>ncores</code>	Number of cores to use, if parallelizing. Default to 2.
<code>lsr</code>	Logical value indicating whether to use Logistic Spatio-Temporal Regression or Poisson regression. Default to FALSE.

Details

We assume that the template model is a Poisson process, with a parametric intensity or rate function $\lambda(\mathbf{u}, t; \theta)$ with space and time locations $\mathbf{u} \in W, t \in T$ and parameters $\theta \in \Theta$.

Estimation is performed through the fitting of a `glm` using a spatio-temporal version of the quadrature scheme by Berman and Turner (1992).

Value

An object of class `stppm`. A list of

`IntCoefs` The fitted coefficients

`X` The `stp` object provided as input

`nX` The number of points in `X`

`I` Vector indicating which points are dummy or data

`y_resp` The response variable of the model fitted to the quadrature scheme

`formula` The formula provided as input

`l` Fitted intensity

`mod_global` The `glm` object of the model fitted to the quadrature scheme

`newdata` The data used to fit the model, without the dummy points

`time` Time elapsed to fit the model, in minutes

Author(s)

Nicoletta D'Angelo and Marco Tarantino

References

Baddeley, A. J., Møller, J., and Waagepetersen, R. (2000). Non-and semi-parametric estimation of interaction in inhomogeneous point patterns. *Statistica Neerlandica*, 54(3):329–350

Berman, M. and Turner, T. R. (1992). Approximating point process likelihoods with glim. *Journal of the Royal Statistical Society: Series C (Applied Statistics)*, 41(1):31–38

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

See Also

[plot.stppm](#), [print.stppm](#), [summary.stppm](#)
[locstppm](#)

Examples

```
set.seed(2)
ph <- rstpp(lambda = 200)
hom1 <- stppm(ph, formula = ~ 1)

## Inhomogeneous
set.seed(2)
pin <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)}, par = c(2, 6))
inh1 <- stppm(pin, formula = ~ x)

## Inhomogeneous depending on external covariates

set.seed(2)
df1 <- data.frame(runif(100), runif(100), runif(100), rpois(100, 15))
df2 <- data.frame(runif(100), runif(100), runif(100), rpois(100, 15))

obj1 <- stcov(df1, names = "cov1")
obj2 <- stcov(df2, names = "cov2")

covariates <- list(cov1 = obj1, cov2 = obj2)

inh2 <- stppm(pin, formula = ~ x + cov2, covs = covariates, spatial.cov = TRUE)

## Inhomogeneous semiparametric

inh3 <- stppm(pin, formula = ~ s(x, k = 30))

## Multitype

set.seed(2)
```

```
dfA <- data.frame(x = runif(100), y = runif(100), t = runif(100),
                 m1 = rep(c("A"), times = 100))
dfB <- data.frame(x = runif(50), y = runif(50), t = runif(50),
                 m1 = rep(c("B"), each = 50))

stpm1 <- stpm(rbind(dfA, dfB))

inh4 <- stppm(stpm1, formula = ~ x + s(m1, bs = "re"), marked = TRUE)
```

summary.globaldiag	<i>Summarizes global diagnostics of a spatio-temporal point process first-order intensity</i>
--------------------	-----------------------------------------------------------------------------------------------

Description

This function performs global diagnostics of a model fitted for the first-order intensity of a spatio-temporal point pattern, by returning the sum of the squared differences between the estimated and the theoretical K-functions obtained through `globaldiag`.

Usage

```
## S3 method for class 'globaldiag'
summary(object, ...)
```

Arguments

object	A <code>globaldiag</code> object
...	additional unused argument

Value

It returns the sum of the squared differences between the estimated and the theoretical K-functions obtained through `globaldiag`

Author(s)

Nicoletta D'Angelo

References

Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.

D'Angelo, N., Adelfio, G. and Mateu, J. (2022) Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

Gabriel, E., and Diggle, P. J. (2009). Second-order analysis of inhomogeneous spatio-temporal point process data. *Statistica Neerlandica*, 63(1), 43-51.

Gabriel, E., Rowlingson, B. S., & Diggle, P. J. (2013). stpp: An R Package for Plotting, Simulating and Analyzing Spatio-Temporal Point Patterns. *Journal of Statistical Software*, 53(2), 1–29. <https://doi.org/10.18637/jss.v053.i02>

Moradi M, Cronie O, and Mateu J (2020). stlnpp: Spatio-temporal analysis of point patterns on linear networks.

Moradi, M. M., and Mateu, J. (2020). First-and second-order characteristics of spatio-temporal point processes on linear networks. *Journal of Computational and Graphical Statistics*, 29(3), 432-443.

See Also

[globaldiag](#), [plot.globaldiag](#), [summary.globaldiag](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(.3, 6))

mod1 <- stppm(inh, formula = ~ 1)
mod2 <- stppm(inh, formula = ~ x)

g1 <- globaldiag(inh, mod1$1)
g2 <- globaldiag(inh, mod2$1)

summary(g1)
summary(g2)
```

summary.lista

Summary a lista object

Description

It prints the main information on the local network summary statistics stored in a lista object.

Usage

```
## S3 method for class 'lista'
summary(object, ...)
```

Arguments

object An object of class lista
 ... additional unused argument

Author(s)

Nicoletta D'Angelo

Examples

```
set.seed(2)
df_net <- data.frame(x = runif(25, 0, 0.85), y = runif(25, 0, 0.85), t = runif(25))
stlp1 <- stp(df_net, L = chicagonet)
lambda <- rep(diff(range(stlp1$df$x)) * diff(range(stlp1$df$y))
  * diff(range(stlp1$df$t)) / spatstat.geom::volume(stlp1$L),
  nrow(stlp1$df))

k <- localSTLKinhom(stlp1, lambda = lambda, normalize = TRUE)

summary(k)
```

summary.localdiag	<i>Summary of the diagnostics performed on a spatio-temporal point process model</i>
-------------------	--------------------------------------------------------------------------------------

Description

It summarises the main information on the result of the local diagnostics performed with [localdiag](#) on either a stp or stlp object: whether the local test was run on point patterns lying on a linear network or not; the number of points in the analysed spatio-temporal point pattern X; the number of points of X which are identified as outlying by the previously performed local diagnostics.

Usage

```
## S3 method for class 'localdiag'
summary(object, ...)
```

Arguments

object A localdiag object
 ... additional unused argument

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

Adelfio, G., Siino, M., Mateu, J., and Rodríguez-Cortés, F. J. (2020). Some properties of local weighted second-order statistics for spatio-temporal point processes. *Stochastic Environmental Research and Risk Assessment*, 34(1), 149-168.

D'Angelo, N., Adelfio, G. and Mateu, J. (2022) Local inhomogeneous second-order characteristics for spatio-temporal point processes on linear networks. *Stat Papers*. <https://doi.org/10.1007/s00362-022-01338-4>

See Also

[infl](#), [plot.localdiag](#), [print.localdiag](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(.3, 6))

mod1 <- stppm(inh, formula = ~ 1)

resmod1 <- localdiag(inh, mod1$l, p = .9)

summary(resmod1)
```

summary.localtest

Summary of the result of the permutation local test

Description

It summarises the main information on the result of the local permutation test performed with [localtest](#) on either a `stp` or `stlp` object: whether the local test was run on point patterns lying on a linear network or not; the number of points in the background X and alternative Z patterns; the number of points in X which exhibit local differences in the second-order structure with respect to Z , according to the performed test.

Usage

```
## S3 method for class 'localtest'
summary(object, ...)
```

Arguments

<code>object</code>	An object of class <code>localtest</code>
<code>...</code>	additional unused argument

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2021). Assessing local differences between the spatio-temporal second-order structure of two point patterns occurring on the same linear network. *Spatial Statistics*, 45, 100534.

Siino, M., Rodríguez-Cortés, F. J., Mateu, J., and Adelfio, G. (2018). Testing for local structure in spatiotemporal point pattern data. *Environmetrics*, 29(5-6), e2463.

See Also

[localtest](#), [print.localtest](#), [plot.localtest](#)

Examples

```
set.seed(2)
X <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
           par = c(.005, 5))
Z <- rstpp(lambda = 30)

test <- localtest(X, Z, method = "K", k = 3)

summary(test)
```

summary.locstppm

Summary of a fitted local spatio-temporal Poisson process model

Description

The function summarises the main information on the distribution of the parameters of a fitted local spatio-temporal Poisson process model.

Usage

```
## S3 method for class 'locstppm'
summary(object, ...)
```


Arguments

object An object of class locstppm
 ... additional unused argument

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

See Also

[locstppm](#), [print.locstppm](#), [plot.locstppm](#)

Examples

```
set.seed(2)
inh <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)},
             par = c(0.005, 5))
inh_local <- locstppm(inh, formula = ~ x)

summary(inh_local)
```

summary.sepstlppm	<i>Summary of a fitted fitted separable spatio-temporal Poisson process model on a linear network</i>
-------------------	-------------------------------------------------------------------------------------------------------

Description

The function summarises the main information of the fitted model.

Usage

```
## S3 method for class 'sepstlppm'
summary(object, ...)
```

Arguments

object An object of class sepstlppm
 ... additional unused argument

Author(s)

Nicoletta D'Angelo

See Also

[sepstlppm](#)

Examples

```
crimesub <- stpm(valenciacrimes$df[101:200, ],
               names = colnames(valenciacrimes$df)[-c(1:3)],
               L = valencianet)

mod1 <- sepstlppm(crimesub, spaceformula = ~x ,
                 timeformula = ~ day)

summary(mod1)
```

summary.sepstppm

Summary of a fitted separable spatio-temporal Poisson process model

Description

The function summarises the main information of the fitted model.

Usage

```
## S3 method for class 'sepstppm'
summary(object, ...)
```

Arguments

object	An object of class sepstppm
...	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also

[sepstlppm](#)

Examples

```
crimesub <- stpm(valenciacrimes$df[101:200, ],
               names = colnames(valenciacrimes$df)[-c(1:3)])

mod1 <- sepstppm(crimesub, spaceformula = ~x ,
                timeformula = ~ day)

summary(mod1)
```

summary.stcov

Summary of a stcov object

Description

It prints the summary statistics of the spatio-temporal coordinates and the covariates values of the spatio-temporal covariate stored in the stcov object.

Usage

```
## S3 method for class 'stcov'
summary(object, ...)
```

Arguments

object	An object of class stcov
...	additional unused argument

Author(s)

Nicoletta D'Angelo

Examples

```
set.seed(2)
df <- data.frame(runif(100), runif(100), runif(100), rpois(100, 15))

cov <- stcov(df, interp = FALSE)
summary(cov)
```

summary.stlgcppm *Summary of a fitted LGCP model*

Description

The function Summarises the main information on the fitted model. provided. In this case of local parameters (both first- and second-order), the summary function contains information on their distributions.

Usage

```
## S3 method for class 'stlgcppm'  
summary(object, ...)
```

Arguments

object	An object of class stlgcppm
...	additional unused argument

Author(s)

Nicoletta D'Angelo and Giada Adelfio

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

Siino, M., Adelfio, G., and Mateu, J. (2018). Joint second-order parameter estimation for spatio-temporal log-Gaussian Cox processes. *Stochastic environmental research and risk assessment*, 32(12), 3525-3539.

See Also

[stlgcppm](#), [print.stlgcppm](#), [localsummary](#), [plot.stlgcppm](#), [localplot](#)

Examples

```
catsub <- stp(greececatalog$df[1:200, ])  
  
lgcp1 <- stlgcppm(catsub)  
  
summary(lgcp1)
```

summary.stlp	<i>Summary of a stlp object</i>
--------------	---------------------------------

Description

It prints the main information on the spatio-temporal point pattern on a linear network stored in the stlp object: the number of points; vertices and lines of the linear network; the enclosing spatial window; the temporal time period.

Usage

```
## S3 method for class 'stlp'  
summary(object, ...)
```

Arguments

object	An object of class stlp
...	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also

[stp](#), [plot.stlp](#), [print.stlp](#)

Examples

```
set.seed(2)  
df_net <- data.frame(cbind(runif(100, 0, 0.85), runif(100, 0, 0.85), runif(100)))  
  
stlp1 <- stp(df_net, L = chicagonet)  
summary(stlp1)
```

summary.stlpm

Summary of a stlpm object

Description

It prints the summary statistics of the spatio-temporal coordinates and the marks of the spatio-temporal point pattern stored in the stlpm object.

Usage

```
## S3 method for class 'stlpm'  
summary(object, ...)
```

Arguments

object	An object of class stlpm
...	additional unused argument

Author(s)

Nicoletta D'Angelo

Examples

```
set.seed(2)  
df <- data.frame(x = runif(100, 0, 0.8), y = runif(100, 0, 0.8),  
  t = runif(100), m = rpois(100, 15))  
  
stlpm1 <- stpm(df, L = chicagonet)  
  
summary(stlpm1)
```

summary.stp*Summary of a stp object*

Description

It prints the summary statistics of the spatial and temporal coordinates of the spatio-temporal point pattern stored in the stp object.

Usage

```
## S3 method for class 'stp'  
summary(object, ...)
```

Arguments

object	An object of class stp
...	additional unused argument

Author(s)

Nicoletta D'Angelo

See Also

[stp](#), [print.stp](#), [plot.stp](#)

Examples

```
set.seed(2)
df <- data.frame(cbind(runif(100), runif(100), runif(100)))

stp1 <- stp(df)
summary(stp1)
```

summary.stpm

Summary of a stpm object

Description

It prints the summary statistics of the spatio-temporal coordinates and the marks of the spatio-temporal point pattern stored in the stpm object.

Usage

```
## S3 method for class 'stpm'
summary(object, ...)
```

Arguments

object	An object of class stpm
...	additional unused argument

Author(s)

Nicoletta D'Angelo

Examples

```
set.seed(2)
df <- data.frame(cbind(runif(100), runif(100), runif(100), rpois(100, 15),
  rpois(100, 30)))

stpm1 <- stpm(df)

summary(stpm1)

## Categorical marks

set.seed(2)
dfA <- data.frame(x = runif(100), y = runif(100), t = runif(100),
  m1 = rnorm(100), m2 = rep(c("C"), times = 100))
dfB <- data.frame(x = runif(50), y = runif(50), t = runif(50),
  m1 = rnorm(25), m2 = rep(c("D"), times = 50))

stpm2 <- stpm(rbind(dfA, dfB), names = c("continuous", "dichotomous"))

summary(stpm2)
```

summary.stppm

Summary of a fitted spatio-temporal Poisson process model

Description

The function summarises the main information of the fitted model.

Usage

```
## S3 method for class 'stppm'
summary(object, ...)
```

Arguments

object	An object of class stppm
...	additional unused argument

Author(s)

Nicoletta D'Angelo

References

D'Angelo, N., Adelfio, G., and Mateu, J. (2023). Locally weighted minimum contrast estimation for spatio-temporal log-Gaussian Cox processes. *Computational Statistics & Data Analysis*, 180, 107679.

See Also

[stppm](#), [print.stppm](#), [plot.stppm](#)

Examples

```
set.seed(2)
pin <- rstpp(lambda = function(x, y, t, a) {exp(a[1] + a[2]*x)}, par = c(2, 6))
inh1 <- stppm(pin, formula = ~ x)

summary(inh1)
```

valenciacrimes

Crimes in Valencia in 2019

Description

A dataset in stpm format containing the 10929 crimes occurred in Valencia, Spain, in 2019.

Usage

```
data(valenciacrimes)
```

Format

A stpm object

Details

The 15 available marks are the following:

- month.
- week.
- day.
- week_day.
- atm_dist.
- bank_dist.
- bar_dist.
- cafe_dist.
- industrial_dist.
- market_dist.
- nightclub_dist.
- police_dist.

- pub_dist.
- restaurant_dist.
- taxi_dist.

Author(s)

Nicoletta D'Angelo

Examples

```
data(valenciacrimes)
```

valencianet

Roads of Valencia, Spain

Description

A linear network of class linnet of the roads of Valencia, Spain

Usage

```
data(valencianet)
```

Format

A linear network of class linnet

Author(s)

Nicoletta D'Angelo

Examples

```
data(valencianet)
```

Index

* datasets

- chicagonet, 4
 - greececatalog, 6
 - valenciacrimes, 81
 - valencianet, 82
- chicagonet, 4
- glm, 57, 58
- globaldiag, 5, 10, 21, 38, 69
- greececatalog, 6
- infl, 8, 9, 10, 24, 40, 71
- KLISTAhat, 9, 17
- LISTAhat, 17
- localdiag, 8, 9, 23, 39, 70
- localplot, 11, 31, 45, 62, 76
- localSTLginhom, 12, 13, 14, 17, 23
- localSTLkinhom, 9, 13, 17, 23
- localsummary, 15, 31, 45, 62, 76
- localtest, 16, 24, 25, 40, 41, 71, 72
- locstppm, 11, 16, 18, 27, 42, 67, 73
- lppm, 57
- OS, 15, 26, 28, 30, 36
- plot, 9
- plot.globaldiag, 6, 20, 38, 69
- plot.lista, 22
- plot.localdiag, 8, 10, 23, 40, 71
- plot.localtest, 18, 24, 41, 72
- plot.locstppm, 26, 42, 73
- plot.sepstlppm, 27
- plot.sepstppm, 28
- plot.stcov, 29
- plot.stlgcppm, 30, 45, 62, 76
- plot.stlp, 31, 46, 63, 77
- plot.stlpm, 32
- plot.stp, 33, 48, 63, 79
- plot.stpm, 34
- plot.stppm, 35, 49, 67, 81
- plot3D, 31
- ppm, 58
- print, 9
- print.globaldiag, 6, 21, 37
- print.lista, 38
- print.localdiag, 8, 10, 24, 39, 71
- print.localtest, 18, 25, 40, 72
- print.locstppm, 27, 41, 73
- print.sepstlppm, 42
- print.sepstppm, 43
- print.stcov, 44
- print.stlgcppm, 31, 45, 45, 62, 76
- print.stlp, 32, 46, 63, 77
- print.stlpm, 47
- print.stp, 34, 47, 63, 79
- print.stpm, 48
- print.stppm, 36, 49, 49, 67, 81
- rETASlp, 50
- rETASp, 52
- rstlpp, 54
- rstpp, 55
- sepstlppm, 43, 57, 74
- sepstppm, 43, 58
- stcov, 29, 58
- STIKhat, 5
- stlgcppm, 11, 16, 31, 45, 60, 76
- STLginhom, 13, 14
- STLkinhom, 5, 13, 14, 21
- stopp (stopp-package), 3
- stopp-package, 3
- stp, 32, 34, 46, 48, 63, 77, 79
- stpm, 64
- stppm, 20, 33, 35, 36, 49, 56, 60, 63, 65, 81
- summary, 9
- summary.globaldiag, 6, 21, 38, 68, 69
- summary.lista, 69

summary.localdiag, [8](#), [10](#), [24](#), [40](#), [70](#)
summary.localtest, [18](#), [25](#), [41](#), [71](#)
summary.locstppm, [27](#), [42](#), [72](#)
summary.sepstlppm, [73](#)
summary.sepstppm, [74](#)
summary.stcov, [75](#)
summary.stlgcppm, [31](#), [62](#), [76](#)
summary.stlp, [32](#), [46](#), [63](#), [77](#)
summary.stlpm, [78](#)
summary.stp, [34](#), [48](#), [63](#), [78](#)
summary.stpm, [79](#)
summary.stppm, [36](#), [67](#), [80](#)

valenciacrimes, [81](#)
valencianet, [82](#)