

Package ‘waterquality’

October 12, 2022

Title Satellite Derived Water Quality Detection Algorithms

Version 0.3.0

Description The main purpose of waterquality is to quickly and easily convert satellite-based reflectance imagery into one or many well-known water quality algorithms designed for the detection of harmful algal blooms or the following pigment proxies: chlorophyll-a, blue-green algae (phycocyanin), and turbidity. Johansen et al. (2019) <[doi:10.21079/11681/35053](https://doi.org/10.21079/11681/35053)>.

Depends R (>= 3.4.0)

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports methods, raster, rgdal, purrr, caret, vctrs, magrittr, dplyr,
pingr

RoxygenNote 7.1.1

Suggests testthat, knitr, tibble, rmarkdown, covr, tmap, tmaptools,
OpenStreetMap, sf

URL <https://github.com/RAJohansen/waterquality>

BugReports <https://github.com/RAJohansen/waterquality/issues>

VignetteBuilder knitr

NeedsCompilation no

Author Richard Johansen [aut, cre] (<<https://orcid.org/0000-0003-4287-9677>>),
Jakub Nowosad [aut] (<<https://orcid.org/0000-0002-1057-3721>>),
Molly Reif [aut] (<<https://orcid.org/0000-0003-4207-1459>>),
Erich Emery [aut],
U.S. Army Corps of Engineers [fnd]

Maintainer Richard Johansen <richard.a.johansen@erdc.dren.mil>

Repository CRAN

Date/Publication 2022-02-09 16:50:02 UTC

R topics documented:

Al10SABI	3
Am092Bsub	4
Am09KBBI	5
Be162B643sub629	6
Be162B700sub601	7
Be162BsubPhy	8
Be16FLHBlueRedNIR_LS8	9
Be16FLHBlueRedNIR_MERIS	10
Be16FLHBlueRedNIR_OLCI	11
Be16FLHBlueRedNIR_S2	12
Be16FLHBlueRedNIR_WV2	13
Be16FLHblue_LS8	14
Be16FLHblue_MERIS	15
Be16FLHblue_OLCI	16
Be16FLHblue_S2	17
Be16FLHblue_WV2	18
Be16FLHGreenRedNIR_LS8	19
Be16FLHGreenRedNIR_MERIS	20
Be16FLHGreenRedNIR_OLCI	21
Be16FLHGreenRedNIR_S2	22
Be16FLHGreenRedNIR_WV2	23
Be16FLHVioletRedNIR_LS8	24
Be16FLHVioletRedNIR_MERIS	25
Be16FLHVioletRedNIR_OLCI	26
Be16FLHVioletRedNIR_S2	27
Be16FLHVioletRedNIR_WV2	28
Be16FLHviolet_LS8	29
Be16FLHviolet_MERIS	30
Be16FLHviolet_OLCI	31
Be16FLHviolet_S2	32
Be16FLHviolet_WV2	33
Be16NDPhyI	34
Be16NDPhyI644over615	35
Be16NDPhyI644over629	36
Be16NDTIblue	37
Be16NDTIviolet	38
Be16Phy2BDA644over629	39
Da052BDA	40
De933BDA	41
extract_lm	42
extract_lm_cv	43
extract_lm_cv_all	44
extract_lm_cv_multi	45
Gi033BDA	46
Go04MCI	47
HU103BDA	48

Kn07KIVU	49
Map_WQ_basemap	50
Map_WQ_raster	51
MI092BDA	52
MM092BDA	53
MM12NDCI	54
MM12NDCIalt	55
MM143BDAopt	56
SI052BDA	57
SM122BDA	58
SY002BDA	59
TurbBe16GreenPlusRedBothOverViolet	60
TurbBe16RedOverViolet	61
TurbBow06RedOverGreen	62
TurbChip09NIROverGreen	63
TurbDox02NIRoverRed	64
TurbFrohn09GreenPlusRedBothOverBlue	65
TurbHarr92NIR	66
TurbLath91RedOverBlue	67
TurbMoore80Red	68
wq_algorithms	69
wq_calc	69
Wy08CI	70

Index **72**

All0SABI *All0SABI algorithm*

Description

Applies the All0SABI algorithm

Usage

All0SABI(w857, w644, w458, w529)

Arguments

- w857 numeric. Value at wavelength of 857 nm
- w644 numeric. Value at wavelength of 644 nm
- w458 numeric. Value at wavelength of 458 nm
- w529 numeric. Value at wavelength of 529 nm

Value

RasterLayer or numeric

References

Alawadi, F. Detection of surface algal blooms using the newly developed algorithm surface algal bloom index (SABI). Proc. SPIE 2010, 7825.

See Also

Other algorithms: [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Am092Bsub

Am092Bsub algorithm

Description

Applies the Am092Bsub algorithm

Usage

`Am092Bsub(w681, w665)`

Arguments

w681	numeric. Value at wavelength of 681 nm
w665	numeric. Value at wavelength of 665 nm

Value

RasterLayer or numeric

References

Amin, R.; Zhou, J.; Gilerson, A.; Gross, B.; Moshary, F.; Ahmed, S. Novel optical techniques for detecting and classifying toxic dinoflagellate *Karenia brevis* blooms using satellite imagery. Opt. Express 2009, 17, 9126–9144.

See Also

Other algorithms: [A110SABI\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Am09KBBI

*Am09KBBI algorithm***Description**

Applies the Am09KBBI algorithm

Usage

```
Am09KBBI(w686, w658)
```

Arguments

w686	numeric. Value at wavelength of 686 nm
w658	numeric. Value at wavelength of 658 nm

Value

RasterLayer or numeric

References

Amin, R.; Zhou, J.; Gilerson, A.; Gross, B.; Moshary, F.; Ahmed, S.; Novel optical techniques for detecting and classifying toxic dinoflagellate *Karenia brevis* blooms using satellite imagery, *Optics Express*, 2009, 17, 11, 1-13.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be162B643sub629

Be162B643sub629 algorithm

Description

Applies the Be162B643sub629 algorithm

Usage

Be162B643sub629(w644, w629)

Arguments

w644	numeric. Value at wavelength of 644 nm
w629	numeric. Value at wavelength of 729 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be162B700sub601

Be162B700sub601 algorithm

Description

Applies the Be162B700sub601 algorithm

Usage

Be162B700sub601(w700, w601)

Arguments

w700	numeric. Value at wavelength of 700 nm
w601	numeric. Value at wavelength of 601 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be162BsubPhy

Be162BsubPhy algorithm

Description

Applies the Be162BsubPhy algorithm

Usage

Be162BsubPhy(w715, w615)

Arguments

w715	numeric. Value at wavelength of 715 nm
w615	numeric. Value at wavelength of 615 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIViolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHBlueRedNIR_LS8 *Be16FLHBlueRedNIR_LS8 algorithm*

Description

Applies the Be16FLHBlueRedNIR_LS8 algorithm

Usage

`Be16FLHBlueRedNIR_LS8(w658, w857, w458)`

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHBlueRedNIR_MERIS

Be16FLHBlueRedNIR_MERIS algorithm

Description

Applies the Be16FLHBlueRedNIR_MERIS algorithm

Usage

Be16FLHBlueRedNIR_MERIS(w658, w857, w458)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHBlueRedNIR_OLCI

Be16FLHBlueRedNIR_OLCI algorithm

Description

Applies the Be16FLHBlueRedNIR_OLCI algorithm

Usage

Be16FLHBlueRedNIR_OLCI(w658, w857, w458)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHBlueRedNIR_S2 *Be16FLHBlueRedNIR_S2 algorithm*

Description

Applies the Be16FLHBlueRedNIR_S2 algorithm

Usage

Be16FLHBlueRedNIR_S2(w658, w857, w458)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHBlueRedNIR_WV2 *Be16FLHBlueRedNIR_WV2 algorithm*

Description

Applies the Be16FLHBlueRedNIR_WV2 algorithm

Usage

Be16FLHBlueRedNIR_WV2(w658, w857, w458)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHblue_LS8

Be16FLHblue_LS8 algorithm

Description

Applies the Be16FLHblue_LS8 algorithm

Usage

```
Be16FLHblue_LS8(w529, w644, w458)
```

Arguments

w529	numeric. Value at wavelength of 529 nm
w644	numeric. Value at wavelength of 644 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.A. and 22 others; Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations, *Remote Sens. Environ.*, 2016, 178, 15-30.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHblue_MERIS	<i>Be16FLHblue_MERIS algorithm</i>
-------------------	------------------------------------

Description

Applies the Be16FLHblue_MERIS algorithm

Usage

Be16FLHblue_MERIS(w529, w644, w458)

Arguments

w529	numeric. Value at wavelength of 529 nm
w644	numeric. Value at wavelength of 644 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.A. and 22 others; Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations, *Remote Sens. Environ.*, 2016, 178, 15-30.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHblue_OLCI

Be16FLHblue_OLCI algorithm

Description

Applies the Be16FLHblue_OLCI algorithm

Usage

Be16FLHblue_OLCI(w529, w644, w458)

Arguments

w529	numeric. Value at wavelength of 529 nm
w644	numeric. Value at wavelength of 644 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.A. and 22 others; Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations, *Remote Sens. Environ.*, 2016, 178, 15-30.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHblue_S2

Be16FLHblue_S2 algorithm

Description

Applies the Be16FLHblue_S2 algorithm

Usage

Be16FLHblue_S2(w529, w644, w458)

Arguments

w529	numeric. Value at wavelength of 529 nm
w644	numeric. Value at wavelength of 644 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.A. and 22 others; Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations, *Remote Sens. Environ.*, 2016, 178, 15-30.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIR0verGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHblue_WV2

Be16FLHblue_WV2 algorithm

Description

Applies the Be16FLHblue_WV2 algorithm

Usage

Be16FLHblue_WV2(w529, w644, w458)

Arguments

w529	numeric. Value at wavelength of 529 nm
w644	numeric. Value at wavelength of 644 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.A. and 22 others; Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations, *Remote Sens. Environ.*, 2016, 178, 15-30.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIViolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHGreenRedNIR_LS8

Be16FLHGreenRedNIR_LS8 algorithm

Description

Applies the Be16FLHGreenRedNIR_LS8 algorithm

Usage

Be16FLHGreenRedNIR_LS8(w658, w857, w558)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w558	numeric. Value at wavelength of 558 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHGreenRedNIR_MERIS

Be16FLHGreenRedNIR_MERIS algorithm

Description

Applies the Be16FLHGreenRedNIR_MERIS algorithm

Usage

Be16FLHGreenRedNIR_MERIS(w658, w857, w558)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w558	numeric. Value at wavelength of 558 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHGreenRedNIR_OLCI

Be16FLHGreenRedNIR_OLCI algorithm

Description

Applies the Be16FLHGreenRedNIR_OLCI algorithm

Usage

Be16FLHGreenRedNIR_OLCI(w658, w857, w558)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w558	numeric. Value at wavelength of 558 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHGreenRedNIR_S2 *Be16FLHGreenRedNIR_S2 algorithm*

Description

Applies the Be16FLHGreenRedNIR_S2 algorithm

Usage

Be16FLHGreenRedNIR_S2(w658, w857, w558)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w558	numeric. Value at wavelength of 558 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHGreenRedNIR_WV2

Be16FLHGreenRedNIR_WV2 algorithm

Description

Applies the Be16FLHGreenRedNIR_WV2 algorithm

Usage

Be16FLHGreenRedNIR_WV2(w658, w857, w558)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w558	numeric. Value at wavelength of 558 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHVioletRedNIR_LS8

Be16FLHVioletRedNIR_LS8 algorithm

Description

Applies the Be16FLHVioletRedNIR_LS8 algorithm

Usage

Be16FLHVioletRedNIR_LS8(w658, w857, w444)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w444	numeric. Value at wavelength of 444 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHVioletRedNIR_MERIS

Be16FLHVioletRedNIR_MERIS algorithm

Description

Applies the Be16FLHVioletRedNIR_MERIS algorithm

Usage

Be16FLHVioletRedNIR_MERIS(w658, w857, w444)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w444	numeric. Value at wavelength of 444 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHVioletRedNIR_OLCI

Be16FLHVioletRedNIR_OLCI algorithm

Description

Applies the Be16FLHVioletRedNIR_OLCI algorithm

Usage

Be16FLHVioletRedNIR_OLCI(w658, w857, w444)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w444	numeric. Value at wavelength of 444 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTblue\(\)](#), [Be16NDTiviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHVioletRedNIR_S2

Be16FLHVioletRedNIR_S2 algorithm

Description

Applies the Be16FLHVioletRedNIR_S2 algorithm

Usage

Be16FLHVioletRedNIR_S2(w658, w857, w444)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w444	numeric. Value at wavelength of 444 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTblue\(\)](#), [Be16NDTiviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHVioletRedNIR_WV2

Be16FLHVioletRedNIR_WV2 algorithm

Description

Applies the Be16FLHVioletRedNIR_WV2 algorithm

Usage

Be16FLHVioletRedNIR_WV2(w658, w857, w444)

Arguments

w658	numeric. Value at wavelength of 658 nm
w857	numeric. Value at wavelength of 857 nm
w444	numeric. Value at wavelength of 444 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [Turblath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

 Be16FLHviolet_LS8

Be16FLHviolet_LS8 algorithm

Description

Applies the Be16FLHviolet_LS8 algorithm

Usage

Be16FLHviolet_LS8(w529, w644, w458)

Arguments

w529	numeric. Value at wavelength of 529 nm
w644	numeric. Value at wavelength of 644 nm
w458	numeric. Value at wavelength of 429 nm

Value

RasterLayer or numeric

References

Beck, R.A. and 22 others; Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations, *Remote Sens. Environ.*, 2016, 178, 15-30.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHvioletRedNIR_LS8\(\)](#), [Be16FLHvioletRedNIR_MERIS\(\)](#), [Be16FLHvioletRedNIR_OLCI\(\)](#), [Be16FLHvioletRedNIR_S2\(\)](#), [Be16FLHvioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHviolet_MERIS *Be16FLHviolet_MERIS algorithm*

Description

Applies the Be16FLHviolet_MERIS algorithm

Usage

Be16FLHviolet_MERIS(w529, w644, w458)

Arguments

w529	numeric. Value at wavelength of 529 nm
w644	numeric. Value at wavelength of 644 nm
w458	numeric. Value at wavelength of 429 nm

Value

RasterLayer or numeric

References

Beck, R.A. and 22 others; Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations, *Remote Sens. Environ.*, 2016, 178, 15-30.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHviolet_OLCI *Be16FLHviolet_OLCI algorithm*

Description

Applies the Be16FLHviolet_OLCI algorithm

Usage

Be16FLHviolet_OLCI(w529, w644, w458)

Arguments

w529	numeric. Value at wavelength of 529 nm
w644	numeric. Value at wavelength of 644 nm
w458	numeric. Value at wavelength of 429 nm

Value

RasterLayer or numeric

References

Beck, R.A. and 22 others; Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations, *Remote Sens. Environ.*, 2016, 178, 15-30.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [Turblath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHviolet_S2

Be16FLHviolet_S2 algorithm

Description

Applies the Be16FLHviolet_S2 algorithm

Usage

Be16FLHviolet_S2(w529, w644, w458)

Arguments

w529	numeric. Value at wavelength of 529 nm
w644	numeric. Value at wavelength of 644 nm
w458	numeric. Value at wavelength of 429 nm

Value

RasterLayer or numeric

References

Beck, R.A. and 22 others; Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations, *Remote Sens. Environ.*, 2016, 178, 15-30.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16FLHviolet_WV2	<i>Be16FLHviolet_WV2 algorithm</i>
-------------------	------------------------------------

Description

Applies the Be16FLHviolet_WV2 algorithm

Usage

Be16FLHviolet_WV2(w529, w644, w458)

Arguments

w529	numeric. Value at wavelength of 529 nm
w644	numeric. Value at wavelength of 644 nm
w458	numeric. Value at wavelength of 429 nm

Value

RasterLayer or numeric

References

Beck, R.A. and 22 others; Comparison of satellite reflectance algorithms for estimating chlorophyll-a in a temperate reservoir using coincident hyperspectral aircraft imagery and dense coincident surface observations, *Remote Sens. Environ.*, 2016, 178, 15-30.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

 Be16NDPhyI

Be16NDPhyI algorithm

Description

Applies the Be16NDPhyI algorithm

Usage

Be16NDPhyI(w700, w622)

Arguments

w700	numeric. Value at wavelength of 700 nm
w622	numeric. Value at wavelength of 622 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [Turblath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16NDPhyI644over615 *Be16NDPhyI644over615 algorithm*

Description

Applies the Be16NDPhyI644over615 algorithm

Usage

Be16NDPhyI644over615(w644, w615)

Arguments

w644	numeric. Value at wavelength of 644 nm
w615	numeric. Value at wavelength of 615 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16NDPhyI644over629 *Be16NDPhyI644over629 algorithm*

Description

Applies the Be16NDPhyI644over629 algorithm

Usage

Be16NDPhyI644over629(w644, w629)

Arguments

w644	numeric. Value at wavelength of 644 nm
w629	numeric. Value at wavelength of 629 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

 Be16NDTIblue

Be16NDTIblue algorithm

Description

Applies the Be16NDTIblue algorithm

Usage

Be16NDTIblue(w658, w458)

Arguments

w658	numeric. Value at wavelength of 658 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Be16NDTIviolet

Be16NDTIviolet algorithm

Description

Applies the Be16NDTIviolet algorithm

Usage

```
Be16NDTIviolet(w658, w444)
```

Arguments

w658	numeric. Value at wavelength of 658 nm
w444	numeric. Value at wavelength of 444 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [Turblath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wyo08CI\(\)](#)

Be16Phy2BDA644over629 *Be16Phy2BDA644over629 algorithm*

Description

Applies the Be16Phy2BDA644over629 algorithm

Usage

Be16Phy2BDA644over629(w644, w629)

Arguments

w644	numeric. Value at wavelength of 644 nm
w629	numeric. Value at wavelength of 629 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIR0verGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Da052BDA

*Da052BDA algorithm***Description**

Applies the Da052BDA algorithm

Usage

Da052BDA(w714, w672)

Arguments

w714	numeric. Value at wavelength of 714 nm
w672	numeric. Value at wavelength of 672 nm

Value

RasterLayer or numeric

References

Wynne, T. T., Stumpf, R. P., Tomlinson, M. C., Warner, R. A., Tester, P. A., Dyble, J.; Relating spectral shape to cyanobacterial blooms in the Laurentian Great Lakes. *Int. J. Remote Sens.*, 2008, 29, 3665–3672.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIR0verGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

De933BDA

*De933BDA algorithm***Description**

Applies the De933BDA algorithm

Usage

```
De933BDA(w600, w648, w625)
```

Arguments

w600	numeric. Value at wavelength of 600 nm
w648	numeric. Value at wavelength of 648 nm
w625	numeric. Value at wavelength of 625 nm

Value

RasterLayer or numeric

References

Dekker, A.; Detection of the optical water quality parameters for eutrophic waters by high resolution remote sensing, Ph.D. thesis, 1993, Free University, Amsterdam.

See Also

Other algorithms: `Al10SABI()`, `Am092Bsub()`, `Am09KBBI()`, `Be162B643sub629()`, `Be162B700sub601()`, `Be162BsubPhy()`, `Be16FLHBlueRedNIR_LS8()`, `Be16FLHBlueRedNIR_MERIS()`, `Be16FLHBlueRedNIR_OLCI()`, `Be16FLHBlueRedNIR_S2()`, `Be16FLHBlueRedNIR_WV2()`, `Be16FLHGreenRedNIR_LS8()`, `Be16FLHGreenRedNIR_MERIS()`, `Be16FLHGreenRedNIR_OLCI()`, `Be16FLHGreenRedNIR_S2()`, `Be16FLHGreenRedNIR_WV2()`, `Be16FLHVioletRedNIR_LS8()`, `Be16FLHVioletRedNIR_MERIS()`, `Be16FLHVioletRedNIR_OLCI()`, `Be16FLHVioletRedNIR_S2()`, `Be16FLHVioletRedNIR_WV2()`, `Be16FLHblue_LS8()`, `Be16FLHblue_MERIS()`, `Be16FLHblue_OLCI()`, `Be16FLHblue_S2()`, `Be16FLHblue_WV2()`, `Be16FLHviolet_LS8()`, `Be16FLHviolet_MERIS()`, `Be16FLHviolet_OLCI()`, `Be16FLHviolet_S2()`, `Be16FLHviolet_WV2()`, `Be16NDPhyI644over615()`, `Be16NDPhyI644over629()`, `Be16NDPhyI()`, `Be16NDTIblue()`, `Be16NDTIviolet()`, `Be16Phy2BDA644over629()`, `Da052BDA()`, `Gi033BDA()`, `Go04MCI()`, `HU103BDA()`, `Kn07KIVU()`, `MI092BDA()`, `MM092BDA()`, `MM12NDCIalt()`, `MM12NDCI()`, `MM143BDAopt()`, `SI052BDA()`, `SM122BDA()`, `SY002BDA()`, `TurbBe16GreenPlusRedBothOverViolet()`, `TurbBe16RedOverViolet()`, `TurbBow06RedOverGreen()`, `TurbChip09NIROverGreen()`, `TurbDox02NIRoverRed()`, `TurbFrohn09GreenPlusRedBothOverBlue()`, `TurbHarr92NIR()`, `TurbLath91RedOverBlue()`, `TurbMoore80Red()`, `Wy08CI()`

extract_lm

Run linear model (lm)

Description

The function runs a linear model on a single water quality parameter and a water quality algorithm and returns a data frame containing the following: r^2 , p-value, slope, and intercept of the model

Usage

```
extract_lm(parameter, algorithm, df)
```

Arguments

parameter	A string specifying water quality parameter
algorithm	A string specifying water quality algorithm
df	data frame containing the values for parameter and algorithm arguments

Value

A data frame of the model results

References

Johansen, Richard; et al. (2018). Evaluating the portability of satellite derived chlorophyll-a algorithms for temperate inland lakes using airborne hyperspectral imagery and dense surface observations. *Harmful Algae*. 76. 10.1016/j.hal.2018.05.001.

R Core Team (2018). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL <https://www.R-project.org/>.

See Also

Other extract_lm: [extract_lm_cv_all\(\)](#), [extract_lm_cv_multi\(\)](#), [extract_lm_cv\(\)](#)

 extract_lm_cv

Run linear model with crossvalidation

Description

The function runs a linear model on a single water quality parameter and a water quality algorithm and conducts a k-folds cross validation, which returns a data frame containing the following: The r^2 , p-value, slope, intercept of the global lm model & average r^2 , average RMSE, average MAE from the crossvalidated model

Usage

```
extract_lm_cv(
  parameter,
  algorithm,
  df,
  train_method = "lm",
  control_method = "repeatedcv",
  folds = 3,
  nrepeats = 5
)
```

Arguments

parameter	water quality parameter
algorithm	water quality algorithm
df	data frame containing the values for parameter and algorithm arguments
train_method	A string specifying which classification or regression model to use (Default = "lm"). See <code>?caret::train</code> for more details
control_method	A string specifying the resampling method (Default = "repeatedcv"). See <code>?caret::trainControl</code> for more details
folds	the number of folds to be used in the cross validation model
nrepeats	the number of iterations to be used in the cross validation model

Value

A data frame of the model results

References

Johansen, Richard; et al. (2018). Evaluating the portability of satellite derived chlorophyll-a algorithms for temperate inland lakes using airborne hyperspectral imagery and dense surface observations. *Harmful Algae*. 76. 10.1016/j.hal.2018.05.001.

R Core Team (2018). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL <https://www.R-project.org/>.

Max Kuhn. Contributions from Jed Wing, Steve Weston, Andre Williams, Chris Keefer, Allan Engelhardt, Tony Cooper, Zachary Mayer, Brenton Kenkel, the R Core Team, Michael Benesty, Reynald Lescarbeau, Andrew Ziem, Luca Scrucca, Yuan Tang, Can Candan and Tyler Hunt. (2018). caret: Classification and Regression Training. R package version 6.0-81. <https://CRAN.R-project.org/package=caret>

See Also

Other extract_lm: [extract_lm_cv_all\(\)](#), [extract_lm_cv_multi\(\)](#), [extract_lm\(\)](#)

extract_lm_cv_all	<i>Run linear model with crossvalidation over multiple dependent and all numeric independent variables in a data frame</i>
-------------------	--

Description

The function runs a linear model on a list of x and list of y variables and conducts a k-folds cross validation, which returns a data frame containing the following: The r^2 , p-value, slope, intercept of the global lm model & average r^2 , average RMSE, average MAE from the crossvalidated model

Usage

```
extract_lm_cv_all(
  parameters,
  df,
  train_method = "lm",
  control_method = "repeatedcv",
  folds = 3,
  nrepeats = 5
)
```

Arguments

parameters	the list of dependent variables to be evaluated
df	data frame containing the values for parameter and algorithm arguments
train_method	A string specifying which classification or regression model to use (Default = "lm"). See <code>?caret::train</code> for more details
control_method	A string specifying the resampling method (Default = "repeatedcv"). See <code>?caret::trainControl</code> for more details
folds	the number of folds to be used in the cross validation model
nrepeats	the number of iterations to be used in the cross validation model

Value

A data frame of the model results

References

Johansen, Richard; et al. (2018). Evaluating the portability of satellite derived chlorophyll-a algorithms for temperate inland lakes using airborne hyperspectral imagery and dense surface observations. *Harmful Algae*. 76. 10.1016/j.hal.2018.05.001.

R Core Team (2018). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL <https://www.R-project.org/>.

Max Kuhn. Contributions from Jed Wing, Steve Weston, Andre Williams, Chris Keefer, Allan Engelhardt, Tony Cooper, Zachary Mayer, Brenton Kenkel, the R Core Team, Michael Benesty, Reynald Lescarbeau, Andrew Ziem, Luca Scrucca, Yuan Tang, Can Candan and Tyler Hunt. (2018). caret: Classification and Regression Training. R package version 6.0-81. <https://CRAN.R-project.org/package=caret>

See Also

Other extract_lm: [extract_lm_cv_multi\(\)](#), [extract_lm_cv\(\)](#), [extract_lm\(\)](#)

extract_lm_cv_multi	<i>Run linear model with crossvalidation over multiple independent and dependent variables</i>
---------------------	--

Description

The function runs a linear model on a list of x and list of y variables and conducts a k-folds cross validation, which returns a data frame containing the following: The r^2 , p-value, slope, intercept of the global lm model & average r^2 , average RMSE, average MAE from the crossvalidated model

Usage

```
extract_lm_cv_multi(  
  parameters,  
  algorithms,  
  df,  
  train_method = "lm",  
  control_method = "repeatedcv",  
  folds = 3,  
  nrepeats = 5  
)
```

Arguments

parameters	the list of a water quality parameters to be evaluated
algorithms	the list of water quality algorithms to be evaluated
df	data frame containing the values for parameters and algorithms arguments
train_method	A string specifying which classification or regression model to use (Default = "lm"). See <code>?caret::train</code> for more details
control_method	A string specifying the resampling method (Default = "repeatedcv"). See <code>?caret::trainControl</code> for more details
folds	the number of folds to be used in the cross validation model
nrepeats	the number of iterations to be used in the cross validation model

Value

A data frame of the model results

References

Johansen, Richard; et al. (2018). Evaluating the portability of satellite derived chlorophyll-a algorithms for temperate inland lakes using airborne hyperspectral imagery and dense surface observations. *Harmful Algae*. 76. 10.1016/j.hal.2018.05.001.

R Core Team (2018). R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria. URL <https://www.R-project.org/>.

Max Kuhn. Contributions from Jed Wing, Steve Weston, Andre Williams, Chris Keefer, Allan Engelhardt, Tony Cooper, Zachary Mayer, Brenton Kenkel, the R Core Team, Michael Benesty, Reynald Lescarbeau, Andrew Ziem, Luca Scrucca, Yuan Tang, Can Candan and Tyler Hunt. (2018). *caret: Classification and Regression Training*. R package version 6.0-81. <https://CRAN.R-project.org/package=caret>

See Also

Other `extract_lm`: [extract_lm_cv_all\(\)](#), [extract_lm_cv\(\)](#), [extract_lm\(\)](#)

Gi033BDA

Gi033BDA algorithm

Description

Applies the Gi033BDA algorithm

Usage

`Gi033BDA(w672, w715, w757)`

Arguments

w672	numeric. Value at wavelength of 672 nm
w715	numeric. Value at wavelength of 715 nm
w757	numeric. Value at wavelength of 757 nm

Value

RasterLayer or numeric

References

Gitelson, A.A.; U. Gritz, and M. N. Merzlyak.; Relationships between leaf chlorophyll content and spectral reflectance and algorithms for non-destructive chlorophyll assessment in higher plant leaves. J. Plant Phys. 2003, 160, 271-282.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Go04MCI

Go04MCI algorithm

Description

Applies the Go04MCI algorithm

Usage

Go04MCI(w709, w681, w753)

Arguments

w709	numeric. Value at wavelength of 709 nm
w681	numeric. Value at wavelength of 681 nm
w753	numeric. Value at wavelength of 753 nm

Value

RasterLayer or numeric

References

Gower, J.F.R.; Brown, L.; Borstad, G.A.; Observation of chlorophyll fluorescence in west coast waters of Canada using the MODIS satellite sensor. *Can. J. Remote Sens.*, 2004, 30 (1), 17–25.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHvioletRedNIR_LS8\(\)](#), [Be16FLHvioletRedNIR_MERIS\(\)](#), [Be16FLHvioletRedNIR_OLCI\(\)](#), [Be16FLHvioletRedNIR_S2\(\)](#), [Be16FLHvioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIR0verGreen\(\)](#), [TurbDox02NIR0verRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

HU103BDA

HU103BDA algorithm

Description

Applies the HU103BDA algorithm

Usage

HU103BDA(w615, w600, w725)

Arguments

w615	numeric. Value at wavelength of 615 nm
w600	numeric. Value at wavelength of 600 nm
w725	numeric. Value at wavelength of 725 nm

Value

RasterLayer or numeric

References

Hunter, P.D.; Tyler, A.N.; Willby, N.J.; Gilvear, D.J.; The spatial dynamics of vertical migration by *Microcystis aeruginosa* in a eutrophic shallow lake: A case study using high spatial resolution time-series airborne remote sensing. *Limn. Oceanogr.* 2008, 53, 2391-2406.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIViolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

Kn07KIVU

Kn07KIVU algorithm

Description

Applies the Kn07KIVU algorithm

Usage

Kn07KIVU(w458, w644, w529)

Arguments

w458	numeric. Value at wavelength of 458 nm
w644	numeric. Value at wavelength of 644 nm
w529	numeric. Value at wavelength of 529 nm

Value

RasterLayer or numeric

References

Kneubuhler, M.; Frank T.; Kellenberger, T.W; Pasche N.; Schmid M.; Mapping chlorophyll-a in Lake Kivu with remote sensing methods. 2007, Proceedings of the Envisat Symposium 2007, Montreux, Switzerland 23–27 April 2007 (ESA SP-636, July 2007).

See Also

Other algorithms: `Al10SABI()`, `Am092Bsub()`, `Am09KBBI()`, `Be162B643sub629()`, `Be162B700sub601()`, `Be162BsubPhy()`, `Be16FLHBlueRedNIR_LS8()`, `Be16FLHBlueRedNIR_MERIS()`, `Be16FLHBlueRedNIR_OLCI()`, `Be16FLHBlueRedNIR_S2()`, `Be16FLHBlueRedNIR_WV2()`, `Be16FLHGreenRedNIR_LS8()`, `Be16FLHGreenRedNIR_MERIS()`, `Be16FLHGreenRedNIR_OLCI()`, `Be16FLHGreenRedNIR_S2()`, `Be16FLHGreenRedNIR_WV2()`, `Be16FLHVioletRedNIR_LS8()`, `Be16FLHVioletRedNIR_MERIS()`, `Be16FLHVioletRedNIR_OLCI()`, `Be16FLHVioletRedNIR_S2()`, `Be16FLHVioletRedNIR_WV2()`, `Be16FLHblue_LS8()`, `Be16FLHblue_MERIS()`, `Be16FLHblue_OLCI()`, `Be16FLHblue_S2()`, `Be16FLHblue_WV2()`, `Be16FLHviolet_LS8()`, `Be16FLHviolet_MERIS()`, `Be16FLHviolet_OLCI()`, `Be16FLHviolet_S2()`, `Be16FLHviolet_WV2()`, `Be16NDPhyI644over615()`, `Be16NDPhyI644over629()`, `Be16NDPhyI()`, `Be16NDTIblue()`, `Be16NDTIviolet()`, `Be16Phy2BDA644over629()`, `Da052BDA()`, `De933BDA()`, `Gi033BDA()`, `Go04MCI()`, `HU103BDA()`, `MI092BDA()`, `MM092BDA()`, `MM12NDCIalt()`, `MM12NDCI()`, `MM143BDAopt()`, `SI052BDA()`, `SM122BDA()`, `SY002BDA()`, `TurbBe16GreenPlusRedBothOverViolet()`, `TurbBe16RedOverViolet()`, `TurbBow06RedOverGreen()`, `TurbChip09NIROverGreen()`, `TurbDox02NIRoverRed()`, `TurbFrohn09GreenPlusRedBothOverBlue()`, `TurbHarr92NIR()`, `TurbLath91RedOverBlue()`, `TurbMoore80Red()`, `Wy08CI()`

Map_WQ_basemap

Create waterquality Map with Bing basemap

Description

This function wraps the tmap package to help users generate fast and simple data visualization of using bing basemaps along with optional geospatial objects and histogram

Usage

```
Map_WQ_basemap(
  WQ_extent,
  sample_points,
  map_title,
  WQ_parameter,
  points_style = "quantile",
  histogram = TRUE
)
```

Arguments

WQ_extent	geospatial file (vector or raster) used to extract aerial imagery from Bing basemaps
sample_points	geospatial file (.shp or .gpkg) containing sampling locations
map_title	text used to generate title of map
WQ_parameter	text referring to column heading of data being mapped (i.e. Chl-a, PC, etc.)
points_style	method to process the color scale when col is a numeric variable. Please refer to the style argument in the ?tmap::tm_raster() function for more details (Default is "quantile").
histogram	Option to add or remove a histogram of the data values. (Default is TRUE)

Value

A data visualization of the results

See Also

Other Map_WQ models: [Map_WQ_raster\(\)](#)

Map_WQ_raster	<i>Create waterquality Map with sampling points and optional histogram</i>
---------------	--

Description

This function wraps the tmap package to help users generate fast and simple data visualization of their WQ_calc raster output along with optional geospatial objects and histogram

Usage

```
Map_WQ_raster(
  WQ_raster,
  sample_points,
  map_title,
  raster_style = "quantile",
  histogram = TRUE
)
```

Arguments

WQ_raster	Raster file generated from wq_calc or other GeoTiff file
sample_points	geospatial file (.shp or .gpkg) containing sampling locations
map_title	text used to generate title of map
raster_style	method to process the color scale when col is a numeric variable. Please refer to the style argument in the ?tmap::tm_raster() function for more details (Default is "quantile").
histogram	Option to add or remove a histogram of the data values. (Default is TRUE)

Value

A data visualization of the results

See Also

Other Map_WQ models: [Map_WQ_basemap\(\)](#)

MI092BDA

*MI092BDA algorithm***Description**

Applies the MI092BDA algorithm

Usage

MI092BDA(w700, w600)

Arguments

w700	numeric. Value at wavelength of 700 nm
w600	numeric. Value at wavelength of 600 nm

Value

RasterLayer or numeric

References

Mishra, S.; Mishra, D.R.; Schluchter, W. M., A novel algorithm for predicting PC concentrations in cyanobacteria: A proximal hyperspectral remote sensing approach. *Remote Sens.*, 2009, 1, 758–775.

See Also

Other algorithms: A110SABI(), Am092Bsub(), Am09KBBI(), Be162B643sub629(), Be162B700sub601(), Be162BsubPhy(), Be16FLHBlueRedNIR_LS8(), Be16FLHBlueRedNIR_MERIS(), Be16FLHBlueRedNIR_OLCI(), Be16FLHBlueRedNIR_S2(), Be16FLHBlueRedNIR_WV2(), Be16FLHGreenRedNIR_LS8(), Be16FLHGreenRedNIR_MERIS(), Be16FLHGreenRedNIR_OLCI(), Be16FLHGreenRedNIR_S2(), Be16FLHGreenRedNIR_WV2(), Be16FLHVioletRedNIR_LS8(), Be16FLHVioletRedNIR_MERIS(), Be16FLHVioletRedNIR_OLCI(), Be16FLHVioletRedNIR_S2(), Be16FLHVioletRedNIR_WV2(), Be16FLHblue_LS8(), Be16FLHblue_MERIS(), Be16FLHblue_OLCI(), Be16FLHblue_S2(), Be16FLHblue_WV2(), Be16FLHviolet_LS8(), Be16FLHviolet_MERIS(), Be16FLHviolet_OLCI(), Be16FLHviolet_S2(), Be16FLHviolet_WV2(), Be16NDPhyI644over615(), Be16NDPhyI644over629(), Be16NDPhyI(), Be16NDTIblue(), Be16NDTIviolet(), Be16Phy2BDA644over629(), Da052BDA(), De933BDA(), Gi033BDA(), Go04MCI(), HU103BDA(), Kn07KIVU(), MM092BDA(), MM12NDCIalt(), MM12NDCI(), MM143BDAopt(), SI052BDA(), SM122BDA(), SY002BDA(), TurbBe16GreenPlusRedBothOverViolet(), TurbBe16RedOverViolet(), TurbBow06RedOverGreen(), TurbChip09NIR0verGreen(), TurbDox02NIR0verRed(), TurbFrohn09GreenPlusRedBothOverBlue(), TurbHarr92NIR(), TurbLath91RedOverBlue(), TurbMoore80Red(), Wy08CI()

MM092BDA

*MM092BDA algorithm***Description**

Applies the MM092BDA algorithm

Usage

```
MM092BDA(w724, w600)
```

Arguments

w724	numeric. Value at wavelength of 724 nm
w600	numeric. Value at wavelength of 600 nm

Value

RasterLayer or numeric

References

Mishra, S.; Mishra, D.R.; Schluchter, W. M., A novel algorithm for predicting PC concentrations in cyanobacteria: A proximal hyperspectral remote sensing approach. *Remote Sens.*, 2009, 1, 758–775.

See Also

Other algorithms: `A110SABI()`, `Am092Bsub()`, `Am09KBBI()`, `Be162B643sub629()`, `Be162B700sub601()`, `Be162BsubPhy()`, `Be16FLHBlueRedNIR_LS8()`, `Be16FLHBlueRedNIR_MERIS()`, `Be16FLHBlueRedNIR_OLCI()`, `Be16FLHBlueRedNIR_S2()`, `Be16FLHBlueRedNIR_WV2()`, `Be16FLHGreenRedNIR_LS8()`, `Be16FLHGreenRedNIR_MERIS()`, `Be16FLHGreenRedNIR_OLCI()`, `Be16FLHGreenRedNIR_S2()`, `Be16FLHGreenRedNIR_WV2()`, `Be16FLHVioletRedNIR_LS8()`, `Be16FLHVioletRedNIR_MERIS()`, `Be16FLHVioletRedNIR_OLCI()`, `Be16FLHVioletRedNIR_S2()`, `Be16FLHVioletRedNIR_WV2()`, `Be16FLHblue_LS8()`, `Be16FLHblue_MERIS()`, `Be16FLHblue_OLCI()`, `Be16FLHblue_S2()`, `Be16FLHblue_WV2()`, `Be16FLHviolet_LS8()`, `Be16FLHviolet_MERIS()`, `Be16FLHviolet_OLCI()`, `Be16FLHviolet_S2()`, `Be16FLHviolet_WV2()`, `Be16NDPhyI644over615()`, `Be16NDPhyI644over629()`, `Be16NDPhyI()`, `Be16NDTIblue()`, `Be16NDTIviolet()`, `Be16Phy2BDA644over629()`, `Da052BDA()`, `De933BDA()`, `Gi033BDA()`, `Go04MCI()`, `HU103BDA()`, `Kn07KIVU()`, `MI092BDA()`, `MM12NDCIalt()`, `MM12NDCI()`, `MM143BDAopt()`, `SI052BDA()`, `SM122BDA()`, `SY002BDA()`, `TurbBe16GreenPlusRedBothOverViolet()`, `TurbBe16RedOverViolet()`, `TurbBow06RedOverGreen()`, `TurbChip09NIROverGreen()`, `TurbDox02NIRoverRed()`, `TurbFrohn09GreenPlusRedBothOverBlue()`, `TurbHarr92NIR()`, `TurbLath91RedOverBlue()`, `TurbMoore80Red()`, `Wy08CI()`

MM12NDCI

*MM12NDCI algorithm***Description**

Applies the MM12NDCI algorithm

Usage

MM12NDCI(w715, w686)

Arguments

w715	numeric. Value at wavelength of 714 nm
w686	numeric. Value at wavelength of 686 nm

Value

RasterLayer or numeric

References

Mishra, S.; and Mishra, D.R. Normalized difference chlorophyll index: A novel model for remote estimation of chlorophyll-a concentration in turbid productive waters, *Remote Sens. Environ.*, 2012, 117, 394-406.

See Also

Other algorithms: A110SABI(), Am092Bsub(), Am09KBBI(), Be162B643sub629(), Be162B700sub601(), Be162BsubPhy(), Be16FLHBlueRedNIR_LS8(), Be16FLHBlueRedNIR_MERIS(), Be16FLHBlueRedNIR_OLCI(), Be16FLHBlueRedNIR_S2(), Be16FLHBlueRedNIR_WV2(), Be16FLHGreenRedNIR_LS8(), Be16FLHGreenRedNIR_MERIS(), Be16FLHGreenRedNIR_OLCI(), Be16FLHGreenRedNIR_S2(), Be16FLHGreenRedNIR_WV2(), Be16FLHVioletRedNIR_LS8(), Be16FLHVioletRedNIR_MERIS(), Be16FLHVioletRedNIR_OLCI(), Be16FLHVioletRedNIR_S2(), Be16FLHVioletRedNIR_WV2(), Be16FLHblue_LS8(), Be16FLHblue_MERIS(), Be16FLHblue_OLCI(), Be16FLHblue_S2(), Be16FLHblue_WV2(), Be16FLHviolet_LS8(), Be16FLHviolet_MERIS(), Be16FLHviolet_OLCI(), Be16FLHviolet_S2(), Be16FLHviolet_WV2(), Be16NDPhyI644over615(), Be16NDPhyI644over629(), Be16NDPhyI(), Be16NDTIblue(), Be16NDTIviolet(), Be16Phy2BDA644over629(), Da052BDA(), De933BDA(), Gi033BDA(), Go04MCI(), HU103BDA(), Kn07KIVU(), MI092BDA(), MM092BDA(), MM12NDCIalt(), MM143BDAopt(), SI052BDA(), SM122BDA(), SY002BDA(), TurbBe16GreenPlusRedBothOverViolet(), TurbBe16RedOverViolet(), TurbBow06RedOverGreen(), TurbChip09NIR0verGreen(), TurbDox02NIR0verRed(), TurbFrohn09GreenPlusRedBothOverBlue(), TurbHarr92NIR(), TurbLath91RedOverBlue(), TurbMoore80Red(), Wy08CI()

MM12NDCIalt

*MM12NDCIalt algorithm***Description**

Applies the MM12NDCIalt algorithm

Usage

```
MM12NDCIalt(w700, w658)
```

Arguments

w700	numeric. Value at wavelength of 700 nm
w658	numeric. Value at wavelength of 658 nm

Value

RasterLayer or numeric

References

Mishra, S.; Mishra, D.R.; A novel remote sensing algorithm to quantify phycocyanin in cyanobacterial algal blooms, *Env. Res. Lett.*, 2014, 9 (11), DOI:10.1088/1748-9326/9/11/114003

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

MM143BDAopt

*MM143BDAopt algorithm***Description**

Applies the MM143BDAopt algorithm

Usage

MM143BDAopt(w629, w659, w724)

Arguments

w629	numeric. Value at wavelength of 629 nm
w659	numeric. Value at wavelength of 659 nm
w724	numeric. Value at wavelength of 724 nm

Value

RasterLayer or numeric

References

Mishra, S.; Mishra, D.R.; A novel remote sensing algorithm to quantify phycocyanin in cyanobacterial algal blooms, *Env. Res. Lett.*, 2014, 9 (11), DOI:10.1088/1748-9326/9/11/114003

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [Turblath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

SI052BDA

*SI052BDA algorithm***Description**

Applies the SI052BDA algorithm

Usage

```
SI052BDA(w709, w620)
```

Arguments

w709	numeric. Value at wavelength of 709 nm
w620	numeric. Value at wavelength of 620 nm

Value

RasterLayer or numeric

References

Simis, S. G. H.; Peters, S.W. M.; Gons, H. J.; Remote sensing of the cyanobacteria pigment phycocyanin in turbid inland water. *Limn. Oceanogr.*, 2005, 50, 237–245.

See Also

Other algorithms: [Al10SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

SM122BDA

*SM122BDA algorithm***Description**

Applies the SM122BDA algorithm

Usage

```
SM122BDA(w709, w600)
```

Arguments

w709	numeric. Value at wavelength of 709 nm
w600	numeric. Value at wavelength of 600 nm

Value

RasterLayer or numeric

References

Mishra, S. Remote sensing of cyanobacteria in turbid productive waters, PhD Dissertation. Mississippi State University, USA. 2012.

See Also

Other algorithms: [Al10SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

SY002BDA

*SY002BDA algorithm***Description**

Applies the SY002BDA algorithm

Usage

SY002BDA(w650, w625)

Arguments

w650	numeric. Value at wavelength of 650 nm
w625	numeric. Value at wavelength of 625 nm

Value

RasterLayer or numeric

References

Schalles, J.; Yacobi, Y. Remote detection and seasonal patterns of phycocyanin, carotenoid and chlorophyll-a pigments in eutrophic waters. *Archiv fur Hydrobiologie, Special Issues Advances in Limnology*, 2000, 55,153–168.

See Also

Other algorithms: A110SABI(), Am092Bsub(), Am09KBBI(), Be162B643sub629(), Be162B700sub601(), Be162BsubPhy(), Be16FLHBlueRedNIR_LS8(), Be16FLHBlueRedNIR_MERIS(), Be16FLHBlueRedNIR_OLCI(), Be16FLHBlueRedNIR_S2(), Be16FLHBlueRedNIR_WV2(), Be16FLHGreenRedNIR_LS8(), Be16FLHGreenRedNIR_MERIS(), Be16FLHGreenRedNIR_OLCI(), Be16FLHGreenRedNIR_S2(), Be16FLHGreenRedNIR_WV2(), Be16FLHVioletRedNIR_LS8(), Be16FLHVioletRedNIR_MERIS(), Be16FLHVioletRedNIR_OLCI(), Be16FLHVioletRedNIR_S2(), Be16FLHVioletRedNIR_WV2(), Be16FLHblue_LS8(), Be16FLHblue_MERIS(), Be16FLHblue_OLCI(), Be16FLHblue_S2(), Be16FLHblue_WV2(), Be16FLHviolet_LS8(), Be16FLHviolet_MERIS(), Be16FLHviolet_OLCI(), Be16FLHviolet_S2(), Be16FLHviolet_WV2(), Be16NDPhyI644over615(), Be16NDPhyI644over629(), Be16NDPhyI(), Be16NDTIblue(), Be16NDTIviolet(), Be16Phy2BDA644over629(), Da052BDA(), De933BDA(), Gi033BDA(), Go04MCI(), HU103BDA(), Kn07KIVU(), MI092BDA(), MM092BDA(), MM12NDCIalt(), MM12NDCI(), MM143BDAopt(), SI052BDA(), SM122BDA(), TurbBe16GreenPlusRedBothOverViolet(), TurbBe16RedOverViolet(), TurbBow06RedOverGreen(), TurbChip09NIR0verGreen(), TurbDox02NIR0verRed(), TurbFrohn09GreenPlusRedBothOverBlue(), TurbHarr92NIR(), TurbLath91RedOverBlue(), TurbMoore80Red(), Wy08CI()

TurbBe16GreenPlusRedBothOverViolet

TurbBe16GreenPlusRedBothOverViolet algorithm

Description

Applies the TurbBe16GreenPlusRedBothOverViolet algorithm

Usage

TurbBe16GreenPlusRedBothOverViolet(w558, w658, w444)

Arguments

w558	numeric. Value at wavelength of 558 nm
w658	numeric. Value at wavelength of 658 nm
w444	numeric. Value at wavelength of 444 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [Al10SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIViolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

TurbBe16RedOverViolet *TurbBe16RedOverViolet algorithm*

Description

Applies the TurbBe16RedOverViolet algorithm

Usage

TurbBe16RedOverViolet(w658, w444)

Arguments

w658	numeric. Value at wavelength of 658 nm
w444	numeric. Value at wavelength of 444 nm

Value

RasterLayer or numeric

References

Beck, R.; Xu, M.; Zhan, S.; Liu, H.; Johansen, R.A.; Tong, S.; Yang, B.; Shu, S.; Wu, Q.; Wang, S.; Berling, K.; Murray, A.; Emery, E.; Reif, M.; Harwood, J.; Young, J.; Martin, M.; Stillings, G.; Stumpf, R.; Su, H.; Ye, Z.; Huang, Y. Comparison of Satellite Reflectance Algorithms for Estimating Phycocyanin Values and Cyanobacterial Total Biovolume in a Temperate Reservoir Using Coincident Hyperspectral Aircraft Imagery and Dense Coincident Surface Observations. *Remote Sens.* 2017, 9, 538.

See Also

Other algorithms: [Al10SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIViolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

TurbBow06RedOverGreen *TurbBow06RedOverGreen algorithm*

Description

Applies the TurbBow06RedOverGreen algorithm

Usage

TurbBow06RedOverGreen(w658, w558)

Arguments

w658	numeric. Value at wavelength of 658 nm
w558	numeric. Value at wavelength of 558 nm

Value

RasterLayer or numeric

References

Bowers, D. G., and C. E. Binding. 2006. The Optical Properties of Mineral Suspended Particles: A Review and Synthesis." *Estuarine Coastal and Shelf Science* 67 (1–2): 219–230. doi:10.1016/j.ecss.2005.11.010.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

TurbChip09NIROverGreen

TurbChip09NIROverGreen algorithm

Description

Applies the TurbChip09NIROverGreen algorithm

Usage

TurbChip09NIROverGreen(w857, w558)

Arguments

w857	numeric. Value at wavelength of 857 nm
w558	numeric. Value at wavelength of 558 nm

Value

RasterLayer or numeric

References

Chipman, J. W.; Olmanson, L.G.; Gitelson, A.A.; Remote sensing methods for lake management: A guide for resource managers and decision-makers. 2009, Developed by the North American Lake Management Society in collaboration with Dartmouth College, University of Minnesota, and University of Nebraska for the United States Environmental Protection Agency.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

TurbDox02NIRoverRed *TurbDox02NIRoverRed algorithm*

Description

Applies the TurbDox02NIRoverRed algorithm

Usage

TurbDox02NIRoverRed(w857, w658)

Arguments

w857	numeric. Value at wavelength of 857 nm
w658	numeric. Value at wavelength of 658 nm

Value

RasterLayer or numeric

References

Doxaran, D., Froidefond, J.-M.; Castaing, P. ; A reflectance band ratio used to estimate suspended matter concentrations in sediment-dominated coastal waters, *Remote Sens.*, 2002, 23, 5079-5085.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbFrohn09GreenPlusRedBothOverViolet\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

 TurbFrohn09GreenPlusRedBothOverBlue

TurbFrohn09GreenPlusRedBothOverBlue algorithm

Description

Applies the TurbFrohn09GreenPlusRedBothOverBlue algorithm

Usage

TurbFrohn09GreenPlusRedBothOverBlue(w558, w658, w458)

Arguments

w558	numeric. Value at wavelength of 558 nm
w658	numeric. Value at wavelength of 658 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Frohn, R. C., & Autrey, B. C. (2009). Water quality assessment in the Ohio River using new indices for turbidity and chlorophyll-a with Landsat-7 Imagery. Draft Internal Report, U.S. Environmental Protection Agency.

See Also

Other algorithms: [Al10SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

TurbHarr92NIR

TurbHarr92NIR algorithm

Description

Applies the TurbHarr92NIR algorithm

Usage

TurbHarr92NIR(w857)

Arguments

w857 numeric. Value at wavelength of 857 nm

Value

RasterLayer or numeric

References

Schiebe F.R., Harrington J.A., Ritchie J.C. Remote-Sensing of Suspended Sediments—the Lake Chicot, Arkansas Project. *Int. J. Remote Sens.* 1992;13:1487–1509.

See Also

Other algorithms: A110SABI(), Am092Bsub(), Am09KBBI(), Be162B643sub629(), Be162B700sub601(), Be162BsubPhy(), Be16FLHBlueRedNIR_LS8(), Be16FLHBlueRedNIR_MERIS(), Be16FLHBlueRedNIR_OLCI(), Be16FLHBlueRedNIR_S2(), Be16FLHBlueRedNIR_WV2(), Be16FLHGreenRedNIR_LS8(), Be16FLHGreenRedNIR_MERIS(), Be16FLHGreenRedNIR_OLCI(), Be16FLHGreenRedNIR_S2(), Be16FLHGreenRedNIR_WV2(), Be16FLHVioletRedNIR_LS8(), Be16FLHVioletRedNIR_MERIS(), Be16FLHVioletRedNIR_OLCI(), Be16FLHVioletRedNIR_S2(), Be16FLHVioletRedNIR_WV2(), Be16FLHblue_LS8(), Be16FLHblue_MERIS(), Be16FLHblue_OLCI(), Be16FLHblue_S2(), Be16FLHblue_WV2(), Be16FLHviolet_LS8(), Be16FLHviolet_MERIS(), Be16FLHviolet_OLCI(), Be16FLHviolet_S2(), Be16FLHviolet_WV2(), Be16NDPhyI644over615(), Be16NDPhyI644over629(), Be16NDPhyI(), Be16NDTIblue(), Be16NDTIviolet(), Be16Phy2BDA644over629(), Da052BDA(), De933BDA(), Gi033BDA(), Go04MCI(), HU103BDA(), Kn07KIVU(), MI092BDA(), MM092BDA(), MM12NDCIalt(), MM12NDCI(), MM143BDAopt(), SI052BDA(), SM122BDA(), SY002BDA(), TurbBe16GreenPlusRedBothOverViolet(), TurbBe16RedOverViolet(), TurbBow06RedOverGreen(), TurbChip09NIR0verGreen(), TurbDox02NIRoverRed(), TurbFrohn09GreenPlusRedBothOverBlue(), TurbLath91RedOverBlue(), TurbMoore80Red(), Wy08CI()

TurbLath91RedOverBlue *TurbLath91RedOverBlue algorithm*

Description

Applies the TurbLath91RedOverBlue algorithm

Usage

TurbLath91RedOverBlue(w658, w458)

Arguments

w658	numeric. Value at wavelength of 658 nm
w458	numeric. Value at wavelength of 458 nm

Value

RasterLayer or numeric

References

Lathrop, R. G., Jr., T. M. Lillesand, and B. S. Yandell, 1991. Testing the utility of simple multi-date Thematic Mapper calibration algorithms for monitoring turbid inland waters. *International Journal of Remote Sensing*

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbMoore80Red\(\)](#), [Wy08CI\(\)](#)

TurbMoore80Red	<i>TurbMoore80Red algorithm</i>
----------------	---------------------------------

Description

Applies the TurbMoore80Red algorithm

Usage

TurbMoore80Red(w658)

Arguments

w658 numeric. Value at wavelength of 658 nm

Value

RasterLayer or numeric

References

Moore, G.K., Satellite remote sensing of water turbidity, Hydrological Sciences, 1980, 25, 4, 407-422.

See Also

Other algorithms: [Al10SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [Wy08CI\(\)](#)

wq_algorithms	<i>wq_algorithms database</i>
---------------	-------------------------------

Description

A dataset containing the information about the water quality algorithms

Usage

```
wq_algorithms
```

Format

A tibble with 91 rows and 4 variables:

- name: algorithm name
- funs: algorithm function
- satellite: satellite/instrument name ("worldview2", "sentinel2", "landsat8", "modis", or "meris")
- bands: list of the bands used from the given satellite/instrument

wq_calc	<i>Water quality calculation</i>
---------	----------------------------------

Description

Calculates a set of water quality indices

Usage

```
wq_calc(raster_stack, alg = "all", sat, ...)
```

Arguments

raster_stack	RasterStack containing a satellite data
alg	Name (e.g. Am09KBBI()) or type of the algorithm ("chlorophyll", "phycocyanin", "turbidity") or "all"
sat	Name of the satellite or instrument ("worldview2", "sentinel2", "landsat8", "modis", "meris", or "OLCI")
...	Other arguments passed on to stack()

Value

RasterLayer

Examples

```

library(raster)

# sentinel2 example
s2 = stack(system.file("raster/S2_Harsha.tif", package = "waterquality"))
s2_A110SABI = wq_calc(s2, alg = "A110SABI", sat = "sentinel2")
s2_two_alg = wq_calc(s2, alg = c("TurbChip09NIROverGreen", "Am092Bsub"), sat = "sentinel2")

## Not run: (
s2_wq = wq_calc(s2, alg = "all", sat = "sentinel2")

# landsat8 example
l8 = stack(system.file("raster/L8_Taylorville.tif", package = "waterquality"))
l8_wq = wq_calc(s2, alg = "all", sat = "landsat8")
)
## End(Not run)

```

 Wy08CI

Wy08CI algorithm

Description

Applies the Wy08CI algorithm

Usage

```
Wy08CI(w681, w665, w709)
```

Arguments

w681	numeric. Value at wavelength of 681 nm
w665	numeric. Value at wavelength of 665 nm
w709	numeric. Value at wavelength of 709 nm

Value

RasterLayer or numeric

References

Wynne, T. T., Stumpf, R. P., Tomlinson, M. C., Warner, R. A., Tester, P. A., Dyble, J.; Relating spectral shape to cyanobacterial blooms in the Laurentian Great Lakes. *Int. J. Remote Sens.*, 2008, 29, 3665–3672.

See Also

Other algorithms: [A110SABI\(\)](#), [Am092Bsub\(\)](#), [Am09KBBI\(\)](#), [Be162B643sub629\(\)](#), [Be162B700sub601\(\)](#), [Be162BsubPhy\(\)](#), [Be16FLHBlueRedNIR_LS8\(\)](#), [Be16FLHBlueRedNIR_MERIS\(\)](#), [Be16FLHBlueRedNIR_OLCI\(\)](#), [Be16FLHBlueRedNIR_S2\(\)](#), [Be16FLHBlueRedNIR_WV2\(\)](#), [Be16FLHGreenRedNIR_LS8\(\)](#), [Be16FLHGreenRedNIR_MERIS\(\)](#), [Be16FLHGreenRedNIR_OLCI\(\)](#), [Be16FLHGreenRedNIR_S2\(\)](#), [Be16FLHGreenRedNIR_WV2\(\)](#), [Be16FLHVioletRedNIR_LS8\(\)](#), [Be16FLHVioletRedNIR_MERIS\(\)](#), [Be16FLHVioletRedNIR_OLCI\(\)](#), [Be16FLHVioletRedNIR_S2\(\)](#), [Be16FLHVioletRedNIR_WV2\(\)](#), [Be16FLHblue_LS8\(\)](#), [Be16FLHblue_MERIS\(\)](#), [Be16FLHblue_OLCI\(\)](#), [Be16FLHblue_S2\(\)](#), [Be16FLHblue_WV2\(\)](#), [Be16FLHviolet_LS8\(\)](#), [Be16FLHviolet_MERIS\(\)](#), [Be16FLHviolet_OLCI\(\)](#), [Be16FLHviolet_S2\(\)](#), [Be16FLHviolet_WV2\(\)](#), [Be16NDPhyI644over615\(\)](#), [Be16NDPhyI644over629\(\)](#), [Be16NDPhyI\(\)](#), [Be16NDTIblue\(\)](#), [Be16NDTIviolet\(\)](#), [Be16Phy2BDA644over629\(\)](#), [Da052BDA\(\)](#), [De933BDA\(\)](#), [Gi033BDA\(\)](#), [Go04MCI\(\)](#), [HU103BDA\(\)](#), [Kn07KIVU\(\)](#), [MI092BDA\(\)](#), [MM092BDA\(\)](#), [MM12NDCIalt\(\)](#), [MM12NDCI\(\)](#), [MM143BDAopt\(\)](#), [SI052BDA\(\)](#), [SM122BDA\(\)](#), [SY002BDA\(\)](#), [TurbBe16GreenPlusRedBothOverViolet\(\)](#), [TurbBe16RedOverViolet\(\)](#), [TurbBow06RedOverGreen\(\)](#), [TurbChip09NIROverGreen\(\)](#), [TurbDox02NIRoverRed\(\)](#), [TurbFrohn09GreenPlusRedBothOverBlue\(\)](#), [TurbHarr92NIR\(\)](#), [TurbLath91RedOverBlue\(\)](#), [TurbMoore80Red\(\)](#)

Index

* Map_WQ models

Map_WQ_basemap, [50](#)

Map_WQ_raster, [51](#)

* algorithms

Al10SABI, [3](#)

Am092Bsub, [4](#)

Am09KBBI, [5](#)

Be162B643sub629, [6](#)

Be162B700sub601, [7](#)

Be162BsubPhy, [8](#)

Be16FLHblue_LS8, [14](#)

Be16FLHblue_MERIS, [15](#)

Be16FLHblue_OLCI, [16](#)

Be16FLHblue_S2, [17](#)

Be16FLHblue_WV2, [18](#)

Be16FLHBlueRedNIR_LS8, [9](#)

Be16FLHBlueRedNIR_MERIS, [10](#)

Be16FLHBlueRedNIR_OLCI, [11](#)

Be16FLHBlueRedNIR_S2, [12](#)

Be16FLHBlueRedNIR_WV2, [13](#)

Be16FLHGreenRedNIR_LS8, [19](#)

Be16FLHGreenRedNIR_MERIS, [20](#)

Be16FLHGreenRedNIR_OLCI, [21](#)

Be16FLHGreenRedNIR_S2, [22](#)

Be16FLHGreenRedNIR_WV2, [23](#)

Be16FLHviolet_LS8, [29](#)

Be16FLHviolet_MERIS, [30](#)

Be16FLHviolet_OLCI, [31](#)

Be16FLHviolet_S2, [32](#)

Be16FLHviolet_WV2, [33](#)

Be16FLHvioletRedNIR_LS8, [24](#)

Be16FLHvioletRedNIR_MERIS, [25](#)

Be16FLHvioletRedNIR_OLCI, [26](#)

Be16FLHvioletRedNIR_S2, [27](#)

Be16FLHvioletRedNIR_WV2, [28](#)

Be16NDPhyI, [34](#)

Be16NDPhyI644over615, [35](#)

Be16NDPhyI644over629, [36](#)

Be16NDTibblue, [37](#)

Be16NDTiviolet, [38](#)

Be16Phy2BDA644over629, [39](#)

Da052BDA, [40](#)

De933BDA, [41](#)

Gi033BDA, [46](#)

Go04MCI, [47](#)

HU103BDA, [48](#)

Kn07KIVU, [49](#)

MI092BDA, [52](#)

MM092BDA, [53](#)

MM12NDCI, [54](#)

MM12NDCIalt, [55](#)

MM143BDAopt, [56](#)

SI052BDA, [57](#)

SM122BDA, [58](#)

SY002BDA, [59](#)

TurbBe16GreenPlusRedBothOverViolet, [60](#)

TurbBe16RedOverViolet, [61](#)

TurbBow06RedOverGreen, [62](#)

TurbChip09NIROverGreen, [63](#)

TurbDox02NIRoverRed, [64](#)

TurbFrohn09GreenPlusRedBothOverBlue, [65](#)

TurbHarr92NIR, [66](#)

TurbLath91RedOverBlue, [67](#)

TurbMoore80Red, [68](#)

Wy08CI, [70](#)

* datasets

wq_algorithms, [69](#)

* extract_lm

extract_lm, [42](#)

extract_lm_cv, [43](#)

extract_lm_cv_all, [44](#)

extract_lm_cv_multi, [45](#)

Al10SABI, [3](#), [5–42](#), [47–50](#), [52–68](#), [71](#)

Am092Bsub, [4](#), [4](#), [6–42](#), [47–50](#), [52–68](#), [71](#)

Am09KBBI, [4](#), [5](#), [5](#), [7–42](#), [47–50](#), [52–68](#), [71](#)

Am09KBBI(), [69](#)

- Be162B643sub629, [4–6](#), [6](#), [8–42](#), [47–50](#),
[52–68](#), [71](#)
- Be162B700sub601, [4–7](#), [7](#), [9–42](#), [47–50](#),
[52–68](#), [71](#)
- Be162BsubPhy, [4–8](#), [8](#), [10–42](#), [47–50](#), [52–68](#),
[71](#)
- Be16FLHblue_LS8, [4–14](#), [14](#), [16–42](#), [47–50](#),
[52–68](#), [71](#)
- Be16FLHblue_MERIS, [4–15](#), [15](#), [17–42](#), [47–50](#),
[52–68](#), [71](#)
- Be16FLHblue_OLCI, [4–16](#), [16](#), [18–42](#), [47–50](#),
[52–68](#), [71](#)
- Be16FLHblue_S2, [4–17](#), [17](#), [19–42](#), [47–50](#),
[52–68](#), [71](#)
- Be16FLHblue_WV2, [4–18](#), [18](#), [20–42](#), [47–50](#),
[52–68](#), [71](#)
- Be16FLHblueRedNIR_LS8, [4–9](#), [9](#), [11–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHblueRedNIR_MERIS, [4–10](#), [10](#), [12–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHblueRedNIR_OLCI, [4–11](#), [11](#), [13–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHblueRedNIR_S2, [4–12](#), [12](#), [14–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHblueRedNIR_WV2, [4–13](#), [13](#), [15–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHGreenRedNIR_LS8, [4–19](#), [19](#), [21–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHGreenRedNIR_MERIS, [4–20](#), [20](#),
[22–42](#), [47–50](#), [52–68](#), [71](#)
- Be16FLHGreenRedNIR_OLCI, [4–21](#), [21](#), [23–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHGreenRedNIR_S2, [4–22](#), [22](#), [24–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHGreenRedNIR_WV2, [4–23](#), [23](#), [25–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHviolet_LS8, [4–29](#), [29](#), [31–42](#), [47–50](#),
[52–68](#), [71](#)
- Be16FLHviolet_MERIS, [4–30](#), [30](#), [32–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHviolet_OLCI, [4–31](#), [31](#), [33–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHviolet_S2, [4–32](#), [32](#), [34–42](#), [47–50](#),
[52–68](#), [71](#)
- Be16FLHviolet_WV2, [4–33](#), [33](#), [35–42](#), [47–50](#),
[52–68](#), [71](#)
- Be16FLHVioletRedNIR_LS8, [4–24](#), [24](#), [26–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHVioletRedNIR_MERIS, [4–25](#), [25](#),
[27–42](#), [47–50](#), [52–68](#), [71](#)
- Be16FLHVioletRedNIR_OLCI, [4–26](#), [26](#),
[28–42](#), [47–50](#), [52–68](#), [71](#)
- Be16FLHVioletRedNIR_S2, [4–27](#), [27](#), [29–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16FLHVioletRedNIR_WV2, [4–28](#), [28](#), [30–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16NDPhyI, [4–34](#), [34](#), [36–42](#), [47–50](#), [52–68](#),
[71](#)
- Be16NDPhyI644over615, [4–35](#), [35](#), [37–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16NDPhyI644over629, [4–36](#), [36](#), [38–42](#),
[47–50](#), [52–68](#), [71](#)
- Be16NDTibblue, [4–37](#), [37](#), [39–42](#), [47–50](#),
[52–68](#), [71](#)
- Be16NDTIviolet, [4–38](#), [38](#), [40–42](#), [47–50](#),
[52–68](#), [71](#)
- Be16Phy2BDA644over629, [4–39](#), [39](#), [41](#), [42](#),
[47–50](#), [52–68](#), [71](#)
- Da052BDA, [4–40](#), [40](#), [42](#), [47–50](#), [52–68](#), [71](#)
- De933BDA, [4–41](#), [41](#), [47–50](#), [52–68](#), [71](#)
- extract_lm, [42](#), [44–46](#)
- extract_lm_cv, [43](#), [43](#), [45](#), [46](#)
- extract_lm_cv_all, [43](#), [44](#), [44](#), [46](#)
- extract_lm_cv_multi, [43–45](#), [45](#)
- Gi033BDA, [4–42](#), [46](#), [48–50](#), [52–68](#), [71](#)
- Go04MCI, [4–42](#), [47](#), [47](#), [49](#), [50](#), [52–68](#), [71](#)
- HU103BDA, [4–42](#), [47](#), [48](#), [48](#), [50](#), [52–68](#), [71](#)
- Kn07KIVU, [4–42](#), [47–49](#), [49](#), [52–68](#), [71](#)
- Map_WQ_basemap, [50](#), [51](#)
- Map_WQ_raster, [51](#), [51](#)
- MI092BDA, [4–42](#), [47–50](#), [52](#), [53–68](#), [71](#)
- MM092BDA, [4–42](#), [47–50](#), [52](#), [53](#), [54–68](#), [71](#)
- MM12NDCI, [4–42](#), [47–50](#), [52](#), [53](#), [54](#), [55–68](#), [71](#)
- MM12NDCIalt, [4–42](#), [47–50](#), [52–54](#), [55](#), [56–68](#),
[71](#)
- MM143BDAopt, [4–42](#), [47–50](#), [52–55](#), [56](#), [57–68](#),
[71](#)
- SI052BDA, [4–42](#), [47–50](#), [52–56](#), [57](#), [58–68](#), [71](#)
- SM122BDA, [4–42](#), [47–50](#), [52–57](#), [58](#), [59–68](#), [71](#)
- stack(), [69](#)
- SY002BDA, [4–42](#), [47–50](#), [52–58](#), [59](#), [60–68](#), [71](#)

TurbBe16GreenPlusRedBothOverViolet,
[4-42](#), [47-50](#), [52-59](#), [60](#), [61-68](#), [71](#)

TurbBe16RedOverViolet, [4-42](#), [47-50](#),
[52-60](#), [61](#), [62-68](#), [71](#)

TurbBow06RedOverGreen, [4-42](#), [47-50](#),
[52-61](#), [62](#), [63-68](#), [71](#)

TurbChip09NIROverGreen, [4-42](#), [47-50](#),
[52-62](#), [63](#), [64-68](#), [71](#)

TurbDox02NIRoverRed, [4-42](#), [47-50](#), [52-63](#),
[64](#), [65-68](#), [71](#)

TurbFrohn09GreenPlusRedBothOverBlue,
[4-42](#), [47-50](#), [52-64](#), [65](#), [66-68](#), [71](#)

TurbHarr92NIR, [4-42](#), [47-50](#), [52-65](#), [66](#), [67](#),
[68](#), [71](#)

TurbLath91RedOverBlue, [4-42](#), [47-50](#),
[52-66](#), [67](#), [68](#), [71](#)

TurbMoore80Red, [4-42](#), [47-50](#), [52-67](#), [68](#), [71](#)

wq_algorithms, [69](#)

wq_calc, [69](#)

Wy08CI, [4-42](#), [47-50](#), [52-68](#), [70](#)